

# World Journal of *Clinical Cases*

*World J Clin Cases* 2023 January 6; 11(1): 1-254



**EDITORIAL**

- 1 Impact of gut-brain interaction in emerging neurological disorders  
*Lin MS, Wang YC, Chen WJ, Kung WM*

**OPINION REVIEW**

- 7 Postoperative diarrhea in Crohn's disease: Pathogenesis, diagnosis, and therapy  
*Wu EH, Guo Z, Zhu WM*

**REVIEW**

- 17 Endplate role in the degenerative disc disease: A brief review  
*Velnar T, Gradisnik L*
- 30 Challenges for clinicians treating autoimmune pancreatitis: Current perspectives  
*Kim SH, Lee YC, Chon HK*

**MINIREVIEWS**

- 47 Intestinal microecology-based treatment for inflammatory bowel disease: Progress and prospects  
*Yan XX, Wu D*
- 57 Rehabilitation care of patients with neurogenic bladder after spinal cord injury: A literature review  
*Xiang L, Li H, Xie QQ, Siau CS, Xie Z, Zhu MT, Zhou B, Li ZP, Wang SB*
- 65 Role of natural products and intestinal flora on type 2 diabetes mellitus treatment  
*Aydin OC, Aydin S, Barun S*
- 73 Role of the extracellular matrix in COVID-19  
*Huang JJ, Wang CW, Liu Y, Zhang YY, Yang NB, Yu YC, Jiang Q, Song QF, Qian GQ*
- 84 Diabetic wounds and artificial intelligence: A mini-review  
*Tehsin S, Kausar S, Jameel A*

**ORIGINAL ARTICLE****Clinical and Translational Research**

- 92 Identification of a four-miRNA signature predicts the prognosis of papillary thyroid cancer  
*Yang F, Zhou YL*

**Retrospective Cohort Study**

- 104 Completion of 6-mo isoniazid preventive treatment among eligible under six children: A cross-sectional study, Lagos, Nigeria  
*Adepoju VA, Adelekan A, Agbaje A, Quaitey F, Ademola-Kay T, Udoekpo AU, Sokoya OD*

**Retrospective Study**

- 116 Impact of central venous port implantation method and access choice on outcomes  
*Erdemir A, Rasa HK*

**CASE REPORT**

- 127 Extracorporeal shock wave for plantar flexor spasticity in spinal cord injury: A case report and review of literature  
*Comino-Suárez N, Gómez-Soriano J, Ceruelo-Abajo S, Vargas-Baquero E, Esclarín A, Avendaño-Coy J*
- 135 Polyneuropathy organomegaly endocrinopathy M-protein and skin changes syndrome with ascites as an early-stage manifestation: A case report  
*Zhou XL, Chang YH, Li L, Ren J, Wu XL, Zhang X, Wu P, Tang SH*
- 143 Devastating complication of negative pressure wound therapy after deep inferior epigastric perforator free flap surgery: A case report  
*Lim S, Lee DY, Kim B, Yoon JS, Han YS, Eo S*
- 150 Adult focal  $\beta$ -cell nesidioblastosis: A case report  
*Tu K, Zhao LJ, Gu J*
- 157 Anesthesia with ciprofol in cardiac surgery with cardiopulmonary bypass: A case report  
*Yu L, Bischof E, Lu HH*
- 164 Thymic lipofibroadenomas: Three case reports  
*Yang MQ, Wang ZQ, Chen LQ, Gao SM, Fu XN, Zhang HN, Zhang KX, Xu HT*
- 172 Perforation of levonorgestrel-releasing intrauterine system found at one month after insertion: A case report  
*Zhang GR, Yu X*
- 177 Drug-induced sarcoidosis-like reaction three months after BNT162b2 mRNA COVID-19 vaccination: A case report and review of literature  
*Kim SR, Kim SK, Fujii T, Kobayashi H, Okuda T, Hayakumo T, Nakai A, Fujii Y, Suzuki R, Sasase N, Otani A, Koma YI, Sasaki M, Kumabe T, Nakashima O*
- 187 Hyponatremic encephalopathy due to polyethylene glycol-based bowel preparation for colonoscopy: A case report  
*Zhao Y, Dong HS*
- 193 Post-traumatic heterotopic ossification in front of the ankle joint for 23 years: A case report and review of literature  
*Xu Z, Rao ZZ, Tang ZW, Song ZQ, Zeng M, Gong HL, Wen J*

- 201 Extraskelatal Ewing sarcoma of the stomach: A rare case report  
*Shu Q, Luo JN, Liu XL, Jing M, Mou TG, Xie F*
- 210 Ochronotic arthropathy of bilateral hip joints: A case report  
*Yap San Min N, Rafi U, Wang J, He B, Fan L*
- 218 Pembrolizumab-induced psoriatic arthritis treated with disease-modifying anti-rheumatic drugs in a patient with gastric cancer: A case report  
*Kim S, Sun JH, Kim H, Kim HK, Yang Y, Lee JS, Choi IA, Han HS*
- 225 High-flow priapism due to bilateral cavernous artery fistulas treated by unilateral embolization: A case report  
*Li G, Liu Y, Wang HY, Du FZ, Zuo ZW*
- 233 Malignant transformation of pulmonary bronchiolar adenoma into mucinous adenocarcinoma: A case report  
*Liu XL, Miao CF, Li M, Li P*
- 242 Cystic artery pseudoaneurysm: A case report  
*Liu YL, Hsieh CT, Yeh YJ, Liu H*
- 249 Congenital stapes suprastructure fixation presenting with fluctuating auditory symptoms: A case report  
*Choi S, Park SH, Kim JS, Chang J*

**ABOUT COVER**

Editorial Board Member of *World Journal of Clinical Cases*, Gabriel Lucca de Oliveira Salvador, MD, Academic Research, Professor, Department of Radiology and Internal Medicine, Federal University of Parana, Curitiba 80060-900, Parana, Brazil. [glucca11@gmail.com](mailto:glucca11@gmail.com)

**AIMS AND SCOPE**

The primary aim of *World Journal of Clinical Cases* (*WJCC*, *World J Clin Cases*) is to provide scholars and readers from various fields of clinical medicine with a platform to publish high-quality clinical research articles and communicate their research findings online.

*WJCC* mainly publishes articles reporting research results and findings obtained in the field of clinical medicine and covering a wide range of topics, including case control studies, retrospective cohort studies, retrospective studies, clinical trials studies, observational studies, prospective studies, randomized controlled trials, randomized clinical trials, systematic reviews, meta-analysis, and case reports.

**INDEXING/ABSTRACTING**

The *WJCC* is now abstracted and indexed in Science Citation Index Expanded (SCIE, also known as SciSearch®), Journal Citation Reports/Science Edition, Current Contents®/Clinical Medicine, PubMed, PubMed Central, Scopus, Reference Citation Analysis, China National Knowledge Infrastructure, China Science and Technology Journal Database, and Superstar Journals Database. The 2022 Edition of Journal Citation Reports® cites the 2021 impact factor (IF) for *WJCC* as 1.534; IF without journal self cites: 1.491; 5-year IF: 1.599; Journal Citation Indicator: 0.28; Ranking: 135 among 172 journals in medicine, general and internal; and Quartile category: Q4. The *WJCC*'s CiteScore for 2021 is 1.2 and Scopus CiteScore rank 2021: General Medicine is 443/826.

**RESPONSIBLE EDITORS FOR THIS ISSUE**

Production Editor: *Si Zhao*; Production Department Director: *Xiang Li*; Editorial Office Director: *Jin-Lai Wang*.

**NAME OF JOURNAL**

*World Journal of Clinical Cases*

**ISSN**

ISSN 2307-8960 (online)

**LAUNCH DATE**

April 16, 2013

**FREQUENCY**

Thrice Monthly

**EDITORS-IN-CHIEF**

Bao-Gan Peng, Jerzy Tadeusz Chudek, George Kontogeorgos, Maurizio Serati, Ja Hyeon Ku

**EDITORIAL BOARD MEMBERS**

<https://www.wjgnet.com/2307-8960/editorialboard.htm>

**PUBLICATION DATE**

January 6, 2023

**COPYRIGHT**

© 2023 Baishideng Publishing Group Inc

**INSTRUCTIONS TO AUTHORS**

<https://www.wjgnet.com/bpg/gerinfo/204>

**GUIDELINES FOR ETHICS DOCUMENTS**

<https://www.wjgnet.com/bpg/GerInfo/287>

**GUIDELINES FOR NON-NATIVE SPEAKERS OF ENGLISH**

<https://www.wjgnet.com/bpg/gerinfo/240>

**PUBLICATION ETHICS**

<https://www.wjgnet.com/bpg/GerInfo/288>

**PUBLICATION MISCONDUCT**

<https://www.wjgnet.com/bpg/gerinfo/208>

**ARTICLE PROCESSING CHARGE**

<https://www.wjgnet.com/bpg/gerinfo/242>

**STEPS FOR SUBMITTING MANUSCRIPTS**

<https://www.wjgnet.com/bpg/GerInfo/239>

**ONLINE SUBMISSION**

<https://www.f6publishing.com>



## Diabetic wounds and artificial intelligence: A mini-review

Samabia Tehsin, Sumaira Kausar, Amina Jameel

**Specialty type:** Engineering, biomedical

**Provenance and peer review:** Invited article; Externally peer reviewed.

**Peer-review model:** Single blind

**Peer-review report's scientific quality classification**

Grade A (Excellent): 0  
Grade B (Very good): 0  
Grade C (Good): C  
Grade D (Fair): D, D  
Grade E (Poor): 0

**P-Reviewer:** Moldogazieva NT, Russia; Özlem Ş, Turkey

**Received:** November 14, 2022

**Peer-review started:** November 14, 2022

**First decision:** December 1, 2022

**Revised:** December 12, 2022

**Accepted:** December 23, 2022

**Article in press:** December 23, 2022

**Published online:** January 6, 2023



**Samabia Tehsin,** Computer Science, Bahria University, Karachi 75260, Sindh, Pakistan

**Sumaira Kausar,** Computer Science, Bahria University, Islamabad 46000, Pakistan

**Amina Jameel,** Department of Computer Engineering, Bahria University, Islamabad 46000, Pakistan

**Corresponding author:** Samabia Tehsin, PhD, Associate Professor, Computer Science, Bahria University, 13 National Stadium Road, Karsaz Faisal Cantonment, Karachi 75260, Sindh, Pakistan. [samabiatehsin.bukc@bahria.edu.pk](mailto:samabiatehsin.bukc@bahria.edu.pk)

### Abstract

Diabetic wound takes longer time to heal due to micro and macro-vascular ailment. This longer healing time can lead to infections and other health complications. Foot ulcers are one of the most common diabetic wounds. These are one of the leading cause of amputations. Medical science is continuously striving for improving quality of human life. A recent trend of amalgamation of knowledge, efforts and technological advancement of medical science experts and artificial intelligence researchers, has made tremendous success in diagnosis, prognosis and treatment of a variety of diseases. Diabetic wounds are no exception, as artificial intelligence experts are putting their research efforts to apply latest technological advancements in the field to help medical care personnel to deal with diabetic wounds in more effective manner. The presented study reviews the diagnostic and treatment research under the umbrella of Artificial Intelligence and computational science, for diabetic wound healing. Framework for diabetic wound assessment using artificial intelligence is presented. Moreover, this review is focused on existing and potential contribution of artificial intelligence to improve medical services for diabetic wound patients. The article also discusses the future directions for the betterment of the field that can lead to facilitate both, clinician and patients.

**Key Words:** Diabetic wounds; Artificial intelligence; Foot ulcer; Amputation; Diagnosis; Machine learning

©The Author(s) 2023. Published by Baishideng Publishing Group Inc. All rights reserved.

**Core Tip:** This mini-review covers the contributions of Artificial Intelligence (AI) in the field of diabetic wound assessment, treatment and healing. It discusses the AI based framework for the diagnosis of Diabetic wounds. It also highlights the limitations and future endeavors of the said field in collaboration with technological advancements. This review can give the clinicians the idea of scientific innovations in their field and can facilitate the adoption of the technology as well. This also pathways for the collaborative research opportunities for clinicians and AI experts.

**Citation:** Tehsin S, Kausar S, Jameel A. Diabetic wounds and artificial intelligence: A mini-review. *World J Clin Cases* 2023; 11(1): 84-91

**URL:** <https://www.wjgnet.com/2307-8960/full/v11/i1/84.htm>

**DOI:** <https://dx.doi.org/10.12998/wjcc.v11.i1.84>

## INTRODUCTION

Lessened wound healing is a crucial diabetic impediment coupled with enhanced illness. It is the result of micro and macrovascular ailment. Diabetic neuropathy results in loss of protective sensation (LOPS). LOPS triggers overdue recovery in diabetic foot sores[1,2]. Patients suffering with diabetes mellitus have a lifetime threat of 15% to 25% of diabetic foot ulcers (DFUs) occurrence. Diabetic wound healing is a time-consuming crucial health issue that is imposing a serious burden on health care system. Moreover, Diabetic wounds have a considerable affect on disability, diseased state, and mortality[3,4]. Diabetes is the foremost source of atraumatic lower limb amputations in the USA, and nearly 14%-24% of diabetic patients with limb ulcer results in amputation. Whereas 90% of the total amputations are caused by diabetic wounds[5].

Technology has evolved swiftly in last few decades casing astronomy to entertainment fields[6-8]. But, health sector gained special attention in this technological transformation. Technology in general, and Artificial Intelligence (AI) in particular have improved the health sector. Artificial intelligence has extensively improved the diagnostics and prognostic assessments[9-12]. Few highlights are skin lesions [13-15], pathological analysis[16,17], radiograph analysis[18,19], cancer stage assessments *etc.*[20-22].

This article analyzes potential role of AI in diabetic wound care, treatment, diagnosis and prognosis.

## ROLE OF AI IN HEALTHCARE

The medical field is very swiftly relying on the computer technologies. There are few major milestones of technology that helped medical science a lot. Hospital computing feasibility study was carried out by the Baylor University Medical Center between 1958-1959 and the term *hospital information system* is first used in this study. This feasibility study lead towards many healthcare information systems in 60's and 70's era. Lockheed Eclipsys, Health Evaluation through Logical Processing, and Regenstrief Medical Record System are few examples.

AI started its contribution in 1970's by providing systems for biomedical problems[23-27]. Machine learning and knowledge based expert system were extensively used in the diagnosis, assessment, monitoring and treatment of different diseases[28-30]. Between 1970 and 2012, a lot of research is done on these two fields for medical science, particularly in diagnosis of diseases.

2012 is the start of era of deep learning that is acting as a revolution to AI and its applications. Machine Learning is a subset of AI and deep learning is a subset of machine learning. Machine learning learns patterns and general trends from the example data. It tries to mimic the results of example data to the query data. Machine learning is very much reliant on the domain knowledge, features sets and defined properties of the problem. Deep learning on the other hand is less dependent on the specification of domain knowledge and more dependent upon the amount of data provided. Deep learning is actually millions of artificial neurons connected together, hence capable of work like human brains. Although, in most of the problem domains it is not replacing the human experts, but surely is assisting.

Computer technology has been used vastly in the prevention, diagnosis and cure of diabetic wounds. AI techniques, computer vision and digital image analysis methodologies, machine learning and deep learning are key players in the recent technological advancement in healthcare. But the progression is strongly linked to the deep neural networks. These networks play a revolutionary part in medical field. Neural networks are based on the idea of mimicking the human neurons in the brain. Thousands of artificial neurons, connected in different patterns, are capable of achieving human-level task accomplishment. Although such networks require high computation machines and plenty of data to achieve good results.

The amount of digital medical data in 1950 doubled in fifty years. By 2010 the time to double the data reduced to three and half years. But in 2020, it requires only 73 d to double the medical data[31]. This rapid increase in medical data availability is facilitating AI experts to employ more sophisticated data hungry AI techniques for improving healthcare facilities[32].

Rest of the article discusses the role of AI in the diagnosis, prognosis and treatment of diabetic wounds.

---

## CLINICAL CHARACTERISTICS OF DIABETIC WOUND PROGRESSION

---

Characteristically, there are three stages to a diabetic ulcer. The very first stage is callus-forming. Neuropathy is the cause of callus. The sensory neuropathy results in sensory loss, leads to continuing trauma, as a consequence motor neuropathy substantially deforms the foot. Another contributory characteristic is autonomic neuropathy, which causes dehydration of the skin. Ultimately, continual pressure to the callus produces subcutaneous bleeding, and gradually, it grows to an ulcer.

The medical assessment must consists of investigating the peripheral pulses of the feet, analyzing structural variances, the existence of callus, indications of vascular inadequacy, This may be indicative of hair loss, muscle atrophy, and position of the ulcer. Also evaluate the existence of purulence, shells, and indication of neuropathy by assessing with a monofilament[33].

---

## AI AND DIABETIC WOUND DIAGNOSIS

---

Diabetic wound detection is laborious job and requires special skills and knowledge. However these expertise are not available in all regions of globe. Computer aided systems and tele-medicine can improve the health facilities in such remote areas.

For the diagnosis and assessment of diabetic wounds, AI based solutions are giving very encouraging results[34-38]. Early detection of such diabetic problems can lessen the treatment time. Moreover, it can also reduce the chances of imputation and morbidity. Lack of medical expertise and other resource constraints may lead to delayed diagnosis of diabetic ulcers. Computer Aided Diagnosis (CAD) are mostly using infrared thermography for the detection of ulcers in diabetic patients. It shows the temperature distribution of plantar foot. The connotation of thermographs and patient wound condition is quite complex. These patterns can be studied and analyzed using data mining, machine learning and deep learning mechanisms. It can reduce the clinician's burden and assist in analysis of the thermograph. Moreover, the human analysis can be subjective based on the experience, knowledge, fatigue *etc.* We can achieve the objective diagnostics through mathematical modeling of the underlying patterns. CAD systems are very efficient and proven effective in detecting ulcer-prone regions.

A general artificial intelligence based framework for diagnosis is shown in [Figure 1](#).

---

## AI AND DIABETIC WOUND PROGNOSIS

---

One of the significant potential contributions of artificial intelligence for serving the diabetic wound patients can be predictive assessment of risks related to foot ulcer and other diabetic wounds. This can be accomplished by AI supported automated/semi-automated wound screening methods. AI can also be beneficial in preventive and protective monitoring of wounds to facilitate timely intervention. Risk assessment and risk analysis can also be supported by artificially intelligent methods. Deep learning can be utilized to analyze the correlation and probability of different known and unknown risk factors. This particular area needs more focused attention of AI researchers who needs to jointly work with medical experts. One very good initiative in this direction has been taken by NHS Scotland, who is currently working on risk stratification by employing machine learning techniques.

In one of the earlier studies, Singh *et al*[39] used an artificial neural network to analyze patients with type 2 diabetes mellitus (T2DM) in order to determine the risk for developing a DFU, in relation to five single nucleotide polymorphisms (SNPs) in the TLR4 gene (namely, Asp299Gly, Thr399Ile, rs11536858, rs1927911, and rs1927914). A total of 255 T2DM patients were enrolled in the study, including 130 patients without DFU and 125 patients who already had DFU. Five input nodes, ten hidden layer nodes, and one output node that represented the risk of DFU made up the final ANN architecture. With the five SNPs as inputs, the ANN model was able to accurately predict the presence or absence of DFU in 83% of the validation set (25%) of the dataset. According to the study's findings, some of the investigated SNPs' haplotypes may contribute to the development and progression of DFU, whereas other haplotypes appear to be protective against the disease.

Ferreira *et al*[40] uses an unsupervised learning methodology to classify the prognosis stage before visual signs. It works on the data collected by questionnaire asking questions about health conditions, foot care routine, numbness, loss of sensation, and tingling *etc.* The study involves 73 subjects and



achieves sensitivity of 71%, specificity of 100%, and accuracy of 90%.

The research conducted in 2021 by Khandakar *et al*[41] was relatively similar to that conducted a year earlier by Cruz-Vega *et al*[42] because both investigations used thermograms to identify diabetic foot anomalies early on (and perhaps determine the risk of DFU). In Khandakar's study, machine learning algorithms were trained using data from 122 diabetic patients and 45 healthy controls, including each subject's gender, age, weight, height, and thermograms of a foot pair. The only goal of this study was to identify diabetes and control participants (*i.e.*, two-class classifier). While deep CNN methods were used to process the entire images.

Arteaga-Marrero *et al*[43] employed U-net based deep learning approach for the segmentation of foot sole. It can be helpful for the thermographic technique for foot care protocols. Studies of Muralidhara *et al*[44] and Khandakar *et al*[41] performs two levels of multi-class classification. The categorizations includes five classes of diabetic thermograms and six classes of non-diabetic thermograms.

---

## AI AND DIABETIC WOUND TREATMENT

---

Artificial intelligence has diverse technologies that poses potential to be utilized for diabetic wound treatment as well. This area is still required to be explored by AI community. AI based technologies can be utilized to prescribe individualized treatment plan. As diabetic wounds comes in variety of condition, severity, covariates and correlated factors. This makes it challenging to plan accurate and individualized treatment. This particular dimension requires an active collaboration of AI and medical experts.

Another important factor that is addressed by computer scientist is, appropriate shoe making for diabetic patients. Diabetic foot ulcers are very sensitive to touch and sensations. Normal foot wears can not be used for such patients. It can worsen the condition and pain. Computer assisted shoe molds have been developed for such patients[45-47]. While doing daily routine activities, the diabetic foot undergoes from plantar weight spread. This can be injurious and can lead to serious consequences. The human foot design, shape and structure vary a lot. Customized shoe insoles are very much required in this scenario. Such insoles can be customized by AI based computer systems.

---

## CONCLUSION

---

AI based computer systems are very helpful in the diagnosis and detection of diabetic wounds. But most of the work is tested on the limited data. There is a need of close collaboration between computer researchers and medical experts for deployment of such systems. Majority of the recent algorithms require a lot of data. Medical data is difficult to acquire due to legal and privacy issues. Moreover, annotation of the data is a big hassle. Annotating millions of instances of data is very laborious job. It requires time, resources and coordination of both the communities. Modern AI is moving towards the data-centric approaches. Clean and reliable data is the biggest requirement of the modern AI based systems.

Though AI experts have recently contributed to the domain of diabetic wounds. But as literature is evident that majority of the AI research is focused on detection and classification of diabetic foot wounds by employing computer vision technologies. Diagnosis is not the only dimension, in which AI community can contribute.

The standard and quality of life and of patients suffering with DFU might be greatly improved by prevention of amputation. DFU treatment is a large-scale problem of health care which results in a high mortality rate. Techniques for early prevention could help save a diabetic patient's life and prevent disease. DFU analysis and recognition using image-based algorithms of machine learning is an emerging area of research. Amputation risk prediction and individualized study of the risk factors for amputation in patients with DFU could lead to early treatment methods, improve healing rates, lower the number of amputations, and lower treatment costs.

None of the DFU categorization systems has been acknowledged as the gold standard, despite the fact that they can all predict amputation. The majority of these systems rely more on clinical experience than on objective statistical techniques. These systems are insensitive and non-specific since they do not fully evaluate the impact of demographic data, clinical or laboratory data, medical history, foot problems, or other risk factors on the amputation rate.

There are other potential areas, which have potential to get exploited by AI techniques and currently few to none has been contributed in this direction. These potential areas are prognosis, risk factor analysis, risk stratification, prediction, intelligent intervention and medicine, intelligent treatment and monitoring devices.

## FOOTNOTES

**Author contributions:** Tehsin S contributed in the discussion and literature review; Kausar S analyzed the methodologies; Jameel A wrote about the introduction of the domain.

**Conflict-of-interest statement:** We have no conflicts of interest to disclose.

**Open-Access:** This article is an open-access article that was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative Commons Attribution NonCommercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: <https://creativecommons.org/licenses/by-nc/4.0/>

**Country/Territory of origin:** Pakistan

**ORCID number:** Samabia Tehsin 0000-0003-0761-0752.

**S-Editor:** Liu JH

**L-Editor:** A

**P-Editor:** Liu JH

## REFERENCES

- 1 **Peppas M**, Stavroulakis P, Raptis SA. Advanced glycoxidation products and impaired diabetic wound healing. *Wound Repair Regen* 2009; **17**: 461-472 [PMID: 19614910 DOI: 10.1111/j.1524-475X.2009.00518.x]
- 2 **Sweitzer SM**, Fann SA, Borg TK, Baynes JW, Yost MJ. What is the future of diabetic wound care? *Diabetes Educ* 2006; **32**: 197-210 [PMID: 16554422 DOI: 10.1177/0145721706286897]
- 3 **Armstrong DG**, Swerdlow MA, Armstrong AA, Conte MS, Padula WV, Bus SA. Five year mortality and direct costs of care for people with diabetic foot complications are comparable to cancer. *J Foot Ankle Res* 2020; **13**: 16 [PMID: 32209136 DOI: 10.1186/s13047-020-00383-2]
- 4 **Zhao X**, Pei D, Yang Y, Xu K, Yu J, Zhang Y, Zhang Q, He G, Li A, Chen X. Green tea derivative driven smart hydrogels with desired functions for chronic diabetic wound treatment. *Advanced Functional Materials* 2021; **31**: 2009442 [DOI: 10.1002/adfm.202009442]
- 5 **Alvarsson A**, Sandgren B, Wendel C, Alvarsson M, Brismar K. A retrospective analysis of amputation rates in diabetic patients: can lower extremity amputations be further prevented? *Cardiovasc Diabetol* 2012; **11**: 18 [PMID: 22385577 DOI: 10.1186/1475-2840-11-18]
- 6 **Yan Q**, Dong H, Su J, Han J, Song B, Wei Q, Shi Y. A review of 3D printing technology for medical applications. *Engineering* 2018; **4**: 729-742 [DOI: 10.1016/j.eng.2018.07.021]
- 7 **Hu HZ**, Feng XB, Shao ZW, Xie M, Xu S, Wu XH, Ye ZW. Application and Prospect of Mixed Reality Technology in Medical Field. *Curr Med Sci* 2019; **39**: 1-6 [PMID: 30868484 DOI: 10.1007/s11596-019-1992-8]
- 8 **Park SH**, Han K. Methodologic Guide for Evaluating Clinical Performance and Effect of Artificial Intelligence Technology for Medical Diagnosis and Prediction. *Radiology* 2018; **286**: 800-809 [PMID: 29309734 DOI: 10.1148/radiol.2017171920]
- 9 **Chen JH**, Asch SM. Machine Learning and Prediction in Medicine - Beyond the Peak of Inflated Expectations. *N Engl J Med* 2017; **376**: 2507-2509 [PMID: 28657867 DOI: 10.1056/NEJMp1702071]
- 10 **Cabrita F**, Rasoini R, Gensini GF. Unintended Consequences of Machine Learning in Medicine. *JAMA* 2017; **318**: 517-518 [PMID: 28727867 DOI: 10.1001/jama.2017.7797]
- 11 **Lee JG**, Jun S, Cho YW, Lee H, Kim GB, Seo JB, Kim N. Deep Learning in Medical Imaging: General Overview. *Korean J Radiol* 2017; **18**: 570-584 [PMID: 28670152 DOI: 10.3348/kjr.2017.18.4.570]
- 12 **Kohli M**, Prevedello LM, Filice RW, Geis JR. Implementing Machine Learning in Radiology Practice and Research. *AJR Am J Roentgenol* 2017; **208**: 754-760 [PMID: 28125274 DOI: 10.2214/AJR.16.17224]
- 13 **Esteva A**, Kuprel B, Novoa RA, Ko J, Swetter SM, Blau HM, Thrun S. Dermatologist-level classification of skin cancer with deep neural networks. *Nature* 2017; **542**: 115-118 [PMID: 28117445 DOI: 10.1038/nature21056]
- 14 **Bibi M**, Hamid A, Tehseen S. Automated Skin Lesion Detection towards Melanoma. *EAI Endorsed Transactions on Scalable Information Systems* 2019; **6** [DOI: 10.4108/eai.29-7-2019.159800]
- 15 **Sengupta S**, Mittal N, Modi M. Improved skin lesions detection using color space and artificial intelligence techniques. *J Dermatol Treat* 2020; **31**: 511-518 [PMID: 31865822 DOI: 10.1080/09546634.2019.1708239]
- 16 **Tehsin S**, Zameer S, Saif S. Myeloma cell detection in bone marrow aspiration using microscopic images. In 2019 11th International Conference on Knowledge and Smart Technology (KST). *IEEE* 2019; 57-61 [DOI: 10.1109/KST.2019.8687511]
- 17 **Försch S**, Klauschen F, Hufnagl P, Roth W. Artificial Intelligence in Pathology. *Dtsch Arztebl Int* 2021; **118**: 194-204 [PMID: 34024323 DOI: 10.3238/arztebl.m2021.0011]
- 18 **Zhang R**, Tie X, Qi Z, Bevins NB, Zhang C, Griner D, Song TK, Nadig JD, Schiebler ML, Garrett JW, Li K, Reeder SB, Chen GH. Diagnosis of Coronavirus Disease 2019 Pneumonia by Using Chest Radiography: Value of Artificial Intelligence. *Radiology* 2021; **298**: E88-E97 [PMID: 32969761 DOI: 10.1148/radiol.2020202944]
- 19 **Hardy M**, Harvey H. Artificial intelligence in diagnostic imaging: impact on the radiography profession. *Br J Radiol* 2020;

- 93: 20190840 [PMID: [31821024](#) DOI: [10.1259/bjr.20190840](#)]
- 20 **Reichling C**, Taieb J, Derangere V, Klopfenstein Q, Le Malicot K, Gornet JM, Becheur H, Fein F, Cojocarasu O, Kaminsky MC, Lagasse JP, Luet D, Nguyen S, Etienne PL, Gasmí M, Vanoli A, Perrier H, Puig PL, Emile JF, Lepage C, Ghiringhelli F. Artificial intelligence-guided tissue analysis combined with immune infiltrate assessment predicts stage III colon cancer outcomes in PETACC08 study. *Gut* 2020; **69**: 681-690 [PMID: [31780575](#) DOI: [10.1136/gutjnl-2019-319292](#)]
  - 21 **Liu X**, Zhou H, Hu Z, Jin Q, Wang J, Ye B. [Clinical Application of Artificial Intelligence Recognition Technology in the Diagnosis of Stage T1 Lung Cancer]. *Zhongguo Fei Ai Za Zhi* 2019; **22**: 319-323 [PMID: [31109442](#) DOI: [10.3779/j.issn.1009-3419.2019.05.09](#)]
  - 22 **Hasserjian RP**. Acute myeloid leukemia: advances in diagnosis and classification. *Int J Lab Hematol* 2013; **35**: 358-366 [PMID: [23590662](#) DOI: [10.1111/ijlh.12081](#)]
  - 23 **Ohura N**, Mitsuno R, Sakisaka M, Terabe Y, Morishige Y, Uchiyama A, Okoshi T, Shinji I, Takushima A. Convolutional neural networks for wound detection: the role of artificial intelligence in wound care. *J Wound Care* 2019; **28**: S13-S24 [PMID: [31600101](#) DOI: [10.12968/jowc.2019.28.Sup10.S13](#)]
  - 24 **Szolovits P**, Pauker SG. Categorical and probabilistic reasoning in medical diagnosis. *Artificial Intelligence* 1978; **11**: 115-144 [DOI: [10.1016/0004-3702\(78\)90014-0](#)]
  - 25 **Blum RL**, Wiederhold G. Inferring knowledge from clinical data banks utilizing techniques from artificial intelligence. In The Second Annual Symposium on Computer Application in Medical Care, 1978. Proceedings. *IEEE* 1978; 303-307 [DOI: [10.1109/SCAMC.1978.679933](#)]
  - 26 **Shortliffe EH**, Axline SG, Buchanan BG, Merigan TC, Cohen SN. An artificial intelligence program to advise physicians regarding antimicrobial therapy. *Comput Biomed Res* 1973; **6**: 544-560 [PMID: [4589706](#) DOI: [10.1016/0010-4809\(73\)90029-3](#)]
  - 27 **Chandrasekaran B**, Gomez F, Mittal S, Smith J. An approach to medical diagnosis based on conceptual structures. In Proceedings of the 6th international joint conference on Artificial intelligence-Volume 1 1979; 134-142 [DOI: [10.5555/1624861.1624897](#)]
  - 28 **Ramesh AN**, Kambhampati C, Monson JR, Drew PJ. Artificial intelligence in medicine. *Ann R Coll Surg Engl* 2004; **86**: 334-338 [PMID: [15333167](#) DOI: [10.1308/147870804290](#)]
  - 29 **Hudson DL**, Cohen ME, Deedwania PC. A hybrid system for diagnosis and treatment of heart disease. In Proceedings of 16th Annual International Conference of the IEEE Engineering in Medicine and Biology Society. *IEEE* 1994; **2**: 1368-1369 [DOI: [10.1109/IEMBS.1994.415476](#)]
  - 30 **Mitelpunkt A**, Galili T, Kozlovski T, Bregman N, Shachar N, Markus-Kalish M, Benjamini Y. Novel Alzheimer's disease subtypes identified using a data and knowledge driven strategy. *Sci Rep* 2020; **10**: 1327 [PMID: [31992745](#) DOI: [10.1038/s41598-020-57785-2](#)]
  - 31 **Pawlak Z**. Rough set approach to knowledge-based decision support. *EJOR* 1997; **99**: 48-57 [DOI: [10.1016/S0377-2217\(96\)00382-7](#)]
  - 32 **Densen P**. Challenges and opportunities facing medical education. *Trans Am Clin Climatol Assoc* 2011; **122**: 48-58 [PMID: [21686208](#)]
  - 33 **Cervantes-García E**, Salazar-Schettino PM. Clinical and surgical characteristics of infected diabetic foot ulcers in a tertiary hospital of Mexico. *Diabet Foot Ankle* 2017; **8**: 1367210 [PMID: [28904744](#) DOI: [10.1080/2000625X.2017.1367210](#)]
  - 34 **Chan KS**, Lo ZJ. Wound assessment, imaging and monitoring systems in diabetic foot ulcers: A systematic review. *Int Wound J* 2020; **17**: 1909-1923 [PMID: [32830440](#) DOI: [10.1111/iwj.13481](#)]
  - 35 **Adam M**, Ng EYK, Tan JH, Heng ML, Tong JWK, Acharya UR. Computer aided diagnosis of diabetic foot using infrared thermography: A review. *Comput Biol Med* 2017; **91**: 326-336 [PMID: [29121540](#) DOI: [10.1016/j.compbiomed.2017.10.030](#)]
  - 36 **Saminathan J**, Sasikala M, Narayanamurthy VB, Rajesh K, Arvind RJIP. Computer aided detection of diabetic foot ulcer using asymmetry analysis of texture and temperature features. *Infrared Physics & Technology* 2020; **105**: 103219 [DOI: [10.1016/j.infrared.2020.103219](#)]
  - 37 **Faust O**, Rajendra Acharya U, Ng EYK, Hong TJ, Yu W. Application of infrared thermography in computer aided diagnosis. *Infrared Phys Technol* 2014; **66**: 160-175 [PMID: [32288546](#) DOI: [10.1016/j.infrared.2014.06.001](#)]
  - 38 **Goyal M**, Reeves ND, Rajbhandari S, Ahmad N, Wang C, Yap MH. Recognition of ischaemia and infection in diabetic foot ulcers: Dataset and techniques. *Comput Biol Med* 2020; **117**: 103616 [PMID: [32072964](#) DOI: [10.1016/j.compbiomed.2020.103616](#)]
  - 39 **Singh K**, Singh VK, Agrawal NK, Gupta SK, Singh K. Association of Toll-like receptor 4 polymorphisms with diabetic foot ulcers and application of artificial neural network in DFU risk assessment in type 2 diabetes patients. *Biomed Res Int* 2013; **2013**: 318686 [PMID: [23936790](#) DOI: [10.1155/2013/318686](#)]
  - 40 **Ferreira ACBH**, Ferreira DD, Oliveira HC, Resende IC, Anjos A, Lopes MHB. Competitive neural layer-based method to identify people with high risk for diabetic foot. *Comput Biol Med* 2020; **120**: 103744 [PMID: [32421649](#) DOI: [10.1016/j.compbiomed.2020.103744](#)]
  - 41 **Khandakar A**, Chowdhury MEH, Reaz MBI, Ali SHM, Kiranyaz S, Rahman T, Chowdhury MH, Ayari MA, Alfkey R, Bakar AAA, Malik RA, Hasan A. A Novel Machine Learning Approach for Severity Classification of Diabetic Foot Complications Using Thermogram Images. *Sensors (Basel)* 2022; **22** [PMID: [35684870](#) DOI: [10.3390/s22114249](#)]
  - 42 **Cruz-Vega I**, Hernandez-Contreras D, Peregrina-Barreto H, Rangel-Magdaleno JJ, Ramirez-Cortes JM. Deep Learning Classification for Diabetic Foot Thermograms. *Sensors (Basel)* 2020; **20** [PMID: [32235780](#) DOI: [10.3390/s20061762](#)]
  - 43 **Arteaga-Marrero N**, Hernández A, Villa E, González-Pérez S, Luque C, Ruiz-Alzola J. Segmentation Approaches for Diabetic Foot Disorders. *Sensors (Basel)* 2021; **21** [PMID: [33573296](#) DOI: [10.3390/s21030934](#)]
  - 44 **Muralidhara S**, Lucieri A, Dengel A, Ahmed S. Holistic multi-class classification & grading of diabetic foot ulcerations from plantar thermal images using deep learning. *Health Inf Sci Syst* 2022; **10**: 21 [PMID: [36039095](#) DOI: [10.1007/s13755-022-00194-8](#)]
  - 45 **Davia M**, Germani M, Mandolini M, Mengoni M, Montiel E, Raffaelli R. Shoes Customization Design Tools for the

- "Diabetic Foot". *CAD&A* 2011; **8**: 693-711 [DOI: [10.3722/cadaps.2011.693-711](https://doi.org/10.3722/cadaps.2011.693-711)]
- 46 **Zequera M**, Stephan S, Paul J. Effectiveness of moulded insoles in reducing plantar pressure in diabetic patients. *Annu Int Conf IEEE Eng Med Biol Soc* 2007; **2007**: 4671-4674 [PMID: [18003048](https://pubmed.ncbi.nlm.nih.gov/18003048/) DOI: [10.1109/IEMBS.2007.4353382](https://doi.org/10.1109/IEMBS.2007.4353382)]
- 47 **Bernabéu JA**, Germani M, Mandolini M, Mengoni M, Nester C, Preece S, Raffaeli R. CAD tools for designing shoe lasts for people with diabetes. *Computer-Aided Design* 2013; **45**: 977-990 [DOI: [10.1016/j.cad.2012.12.005](https://doi.org/10.1016/j.cad.2012.12.005)]



Published by **Baishideng Publishing Group Inc**  
7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA  
**Telephone:** +1-925-3991568  
**E-mail:** [bpgoffice@wjgnet.com](mailto:bpgoffice@wjgnet.com)  
**Help Desk:** <https://www.f6publishing.com/helpdesk>  
<https://www.wjgnet.com>

