

学术搜索

找到约 841 条结果 (用时0.08秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

包括专利

包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

### Dried blood spot HIV-1 RNA quantification using open real-time systems in South Africa and Burkina Faso

J Viljoen, S Gampini, S Danaviah, D Valéa... - JAIDS Journal of ..., 2010 - journals.lww.com  
 ... 903; formerly SS903, Schleicher & Schull, Kenne, NH), dried overnight at room temperature, placed ...  
 The remaining blood sample was centrifuged, and plasma was used for preparing DPS (50 ... the  
 pre-extraction procedure differed between laboratories: in Durban, 1 spot of DBS ...  
 被引用次数: 36 相关文章 所有 7 个版本 引用 保存

### Curing chronic hepatitis C—the arc of a medical triumph

RT Chung, TF Baumert - New England Journal of Medicine, 2014 - Mass Medical Soc  
 ... Understanding the hepatitis C virus life cycle paves the way for highly effective therapies. .... (2015)  
 The effect of introducing point-of-care or dried blood spot analysis on the ... (2015) One-Step  
 Recovery of scFv Clones from High-Throughput Sequencing-Based Screening of Phage ...  
 被引用次数: 76 相关文章 所有 6 个版本 引用 保存

nghd.pt 中的 [PDF]

### Treatment of acute hepatitis C with interferon alfa-2b

E Jaeckel, M Cornberg, H Wedemeyer... - ... England Journal of ..., 2001 - Mass Medical Soc  
 ... less than 10 percent of new infections are caused by transfusions of contaminated blood. ... of  
 cases6-11; however, current therapies for chronic infection are not very effective. ... The brochures  
 also contained detailed recommendations for screening for HCV infection after exposure. ...  
 被引用次数: 953 相关文章 所有 8 个版本 引用 保存

kalbemed.com 中的 [PDF]

### Hepatitis B in pregnancy

JK Dyson, J Waller, A Turley, E Michael... - Frontline ..., 2013 - fg.bmj.com  
 ... no universal vaccination programme for HBV, but all mothers are offered screening for HBV ... Dry  
 blood spot testing is a well validated method for HBsAg, anti-hepatitis B core antibody and ... Our  
 procedure for delivering the vaccination course and post-vaccination testing of infants ...  
 被引用次数: 10 相关文章 所有 8 个版本 引用 保存

bmj.com 中的 [HTML]

### Dried blood spot analysis to assess medication adherence and to inform personalization of treatment

S Tanna, G Lawson - Bioanalysis, 2014 - Future Science  
 ... Key terms. Dried blood spot; Drop of blood from a finger or heel prick, typically

**Name of journal:** *World Journal of Gastroenterology*

**ESPS Manuscript NO:** 26184

**Manuscript Type:** Original Article

*Prospective Study*

**Dried blood spots, valid screening for viral hepatitis and human immunodeficiency virus in real-life**

Mössner B *et al.* Dried blood spots: Valid real-life screening

Belinda K Mössner, Benjamin Staugaard, Janne Jensen, Søren Thue Lillevang, Peer B Christensen, Dorte Kinggaard Holm

**Belinda K Mössner, Benjamin Staugaard, Peer B Christensen**, Department of Infectious Diseases, Odense University Hospital, 5000 Odense, Denmark,

**Janne Jensen**, Department of Medicine, Lillebaelt Hospital, Kolding, 6000 Kolding,

### Match Overview

1 **Internet** 140 words  
crawled on 13-May-2016  
[www.wjgnet.com](http://www.wjgnet.com) 3%



全部 图片 新闻 视频 购物 更多 ▾ 搜索工具

找到约 39,200 条结果 (用时 0.75 秒)

### Dried Blood Spot Sampling for Hepatitis B Virus Serology and ... - NCBI

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: S Mohamed - 2013 - 被引用次数: 14 - 相关文章

2013年4月16日 - We also studied 50 patients with positive HBV DNA viral load in ... DBS may increase the opportunities for HBV testing and treatment follow-up in hard-to-reach individuals. ... DBS are used for HIV-1 RNA detection by polymerase chain ... each patient in order to calculate the real volume of plasma in DBS.

### An Overview of the Clinical Use of Filter Paper in the Diagnosis of ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: PW Smit - 2014 - 被引用次数: 17 - 相关文章

Only one study examined detection of HIV-2 using DBS against serum, reporting ... Eight studies evaluated the use of DBS for the diagnosis of hepatitis viruses ... on one DBS could be a potentially cost-effective way to expand screening in ..... 42% of them were not prospective, real-life evaluations; such studies would ...

### Early detection of human immunodeficiency virus on dried blood spot ...

[www.ncbi.nlm.nih.gov/pubmed/8757570](http://www.ncbi.nlm.nih.gov/pubmed/8757570) ▾ [翻译此页](#)

作者: AM Comeau - 1996 - 被引用次数: 56 - 相关文章

Early detection of human immunodeficiency virus on dried blood spot specimens: ... Regional Newborn Screening Program, Jamaica Plain, Massachusetts, USA. ... available DBS specimens (n = 272) obtained during the first 4 months of life from ... with infant HIV infection status, PCR on liquid blood, and viral culture results.

缺少字词: valid hepatitis real

### Where we are with point-of-care testing (PDF Download Available)

[https://www.researchgate.net/.../273467260\\_Where\\_we\\_are\\_with\\_point-of-c...](https://www.researchgate.net/.../273467260_Where_we_are_with_point-of-c...) - [翻译此页](#)

Viral hepatitis claims one million lives each year. ... Journal of Viral Hepatitis Published by John Wiley & Sons Ltd. .... were done using real-time polymerase chain reaction, HBV genotyping using restriction fragment length polymorphism .... Article: Dried blood spots in HIV monitoring: Applications in resource-limited settings.

全部 图片 新闻 视频 购物 更多 ▾ 搜索工具

找到约 33,700 条结果 (用时 0.72 秒)

### Dried Blood Spot Sampling for Hepatitis B Virus Serology and ... - NCBI

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者 : S Mohamed - 2013 - 被引用次数 : 14 - [相关文章](#)

2013年4月16日 - We also studied 50 patients with positive HBV DNA **viral** load in ... **DBS** may increase the opportunities for HBV **testing** and treatment follow-up in hard-to-reach individuals. ... **DBS** are used for **HIV-1** RNA detection by polymerase chain ... each patient in order to calculate the **real** volume of plasma in **DBS**.

### An Overview of the Clinical Use of Filter Paper in the Diagnosis of ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者 : PW Smit - 2014 - 被引用次数 : 18 - [相关文章](#)

Only one study examined detection of **HIV-2** using **DBS** against serum, reporting ... Eight studies evaluated the use of **DBS** for the diagnosis of **hepatitis viruses** ... on one **DBS** could be a potentially **cost-effective** way to expand **screening** in ... 42% of them were not prospective, **real-life** evaluations; such studies would ...

### Where we are with point-of-care testing (PDF Download Available)

[https://www.researchgate.net/.../273467260\\_Where\\_we\\_are\\_with\\_point-of-c...](https://www.researchgate.net/.../273467260_Where_we_are_with_point-of-c...) - [翻译此页](#)

**Viral hepatitis** claims one million **lives** each year. ... Journal of **Viral Hepatitis** Published by John Wiley & Sons Ltd. .... were done using **real-time** polymerase chain reaction, HBV genotyping using restriction fragment length polymorphism .... Article: **Dried blood spots** in **HIV** monitoring: Applications in resource-limited settings.

### [PDF] Real-time polymerase chain reaction optimised for hepatitis C virus ...

[www.ajlmonline.org/index.php/ajlm/article/view/269/436](http://www.ajlmonline.org/index.php/ajlm/article/view/269/436) ▾ [翻译此页](#)

作者 : A Naidoo - 2016 - [相关文章](#)

2016年3月18日 - two- to five-fold with **HIV** co-infection.<sup>3</sup> The prevalence of HCV is higher amongst **HIV-positive** patients because of ... The World Health Organization suggests that **screening** for HCV in ... **hepatitis C** virus detection in **dried blood spots** from ... **live** births in KwaZulu-Natal,<sup>30</sup> the prevalence of **HIV** amongst.