

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 204 条结果 (用时 0.20 秒)

[PDF] Gastrointestinal Pathology

links.ealrt.nature.com/ctt?kn=57&ms=NTA1OTYxMjJS1&r...b=0...

Results: MALAT1 was highly expressed in NT, NG and in benign and malignant Doxycycline

Induced Gastrointestinal Injury: Case Series with New Sites of ...

Natural history of Barrett's esophagus

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: R Milind - 2012 - 被引用次数: 21 - 相关文章

2012年7月21日 - The natural history of Barrett's esophagus (BE) is difficult to quantify because, cancer and 8 patients developed adenocarcinoma directly from benign BE, studies that dysplastic/neoplastic changes are frequently localized within ... series but Jankowski et al[101] contended that this was not the case for ...

缺少字词: tgr5 pre


MN antigen expression in normal, preneoplastic, and neoplastic ...

www.ncbi.nlm.nih.gov/pubmed/9191010 ▾ [翻译此页](#)

作者: JR Turner - 1997 - 被引用次数: 158 - 相关文章

MN antigen expression in normal, preneoplastic, and neoplastic esophagus: a ... 10 Barrett's-associated adenocarcinomas, two Barrett's esophagus with The results of this study suggest that (1) the tumor-associated MN antigen may play a ...

缺少字词: tgr5 benign lesions case series



28741-Review

BY SHIVALI MARKETKAR

 Quotes Excluded
 Bibliography Excluded

 16%
 SIMILAR

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 28741

Manuscript Type: ORIGINAL ARTICLE

Basic Study

TGR5 expression in benign, preneoplastic and neoplastic lesions of Barrett's
esophagus: Case series and findings

Shivali Marketkar, Dan Li, Dongfang Yang, Weibiao Cao

AIM

Match Overview

1	Crossref 157 words Cao, W., W. Tian, J. Hong, D. Li, R. Tavares, L. Noble, S. F. Moss, and M. B. Resnick. "Expression of bile acid re ..."	6%
2	Crossref 64 words Li, D., and W. Cao. "Role Of Intracellular Calcium And NA DPH Oxidase NOX5-S In Acid-Induced DNA Damage In"	2%
3	Internet 50 words crawled on 04-Aug-2011 kardter.narod.ru	2%
4	Crossref 33 words "Pathobiology", <i>Modern Pathology</i> , 02/2011	1%
5	Crossref 28 words J. Hong. "Acid-induced p16 hypermethylation contributes to development of esophageal adenocarcinoma via ac ..."	1%
6	Internet 25 words crawled on 28-Jul-2012 esophageal.peoplebeatingcancer.org	1%

TGR5 expression in benign, preneoplastic and neoplastic lesions of Barrett's esc

全部 图片 视频 新闻 购物 地图 图书

找到约 87 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[PDF] Gastrointestinal Pathology - Nature.com

links.ealart.nature.com/ctt?kn=51&ms...r...b=0&j...mt=1...

Results: MALAT1 was highly expressed in NT, NG and in benign and malignant
Doxycycline Induced Gastrointestinal Injury: **Case Series** with New Sites of ...

Expression of the bile acid receptor FXR in Barrett's esophagus and ...

www.ncbi.nlm.nih.gov/pubmed/17054793

20 Oct 2006 ... **BACKGROUND:** Barrett's esophagus, a risk factor for esophageal ...
RESULTS: the expression of the bile acid receptors FXR and VDR in ...

Role of a novel bile acid receptor TGR5 in the development of ...

www.ncbi.nlm.nih.gov/pubmed/19926617

18 Nov 2009 ... Role of a novel bile acid receptor TGR5 in the development of ...
BACKGROUND AND AIMS: Mechanisms of the progression from Barrett's oesophagus to ...
RESULTS: NOX5-S was present in FLO cells.... Knockdown of TGR5 markedly inhibited
TDCA-induced increase in NOX5-S expression, H(2)O(2) ...

Controlled bile acid exposure to oesophageal mucosa causes up ...

www.ncbi.nlm.nih.gov/pmc/articles/PMC4937172/

1 Jun 2016 ... Barrett oesophagus is a premalignant condition and molecular ... This results in
significant exposure of the luminal oesophageal Increased expression of TGR5 in
oesophageal epithelium upon acute exposure to bile acid ... and management of Barrett's

全部 图片 新闻 购物 地图 更多 ▾ 搜索工具

找到约 86 条结果 (用时 0.92 秒)

[PDF] Gastrointestinal Pathology - Nature.com

links.ealrt.nature.com/ctt?kn=51&ms=NTA1OTQ5MzMS1&r...b=0...

Results: MALAT1 was highly expressed in NT, NG and in benign and malignant Doxycycline Induced Gastrointestinal Injury: Case Series with New Sites of ...

Flipbook - uscap

handouts.uscap.org/an2016/flipbook/index.html

98 TAB 6 LONG COURSE Diagnosing Distinctive Lesions of the Head and Neck.....p. Lesions at the Borderline Between Benign and Malignant - Finding Your POSTERS AUTOPSY 1 Total Artificial Heart An Autopsy Case Series 8 Craig LGR5 Expression in Barretts Esophagus and Associated Neoplasia Support ...

Controlled bile acid exposure to oesophageal mucosa causes up ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: B Jiang - 2016 - 相关文章

2016年6月1日 - Barrett oesophagus is a premalignant condition and molecular ... This results in significant exposure of the luminal oesophageal Increased expression of TGR5 in oesophageal epithelium upon acute exposure to bile acid and management of Barrett's esophagus in relation to its preneoplastic potential.

缺少字词: benign series

UEG Week 2014

<https://www.ueg.eu/education/conference-files/?conference=76> ▾

NOVEL 3D IMAGE OF COLON NEOPLASM MUCOSAL TISSUES USING OF BARRETT'S ESOPHAGUS: RESULTS OF THE PILOT SERIES IMPACT OF SURVEILLANCE FOR BARRETT'S ESOPHAGUS ON THE INCIDENCE AND SEVERITY OF GASTRIC PRENEOPLASTIC LESIONS ASSOCIATED WITH ...