

¹
Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 15739

Columns: ORIGINAL ARTICLE

Retrospective Study

¹
High level of intercellular adhesion molecule-1 affects prognosis of patients with hepatocellular carcinoma

Zhu PP *et al.* ICAM-1 affects prognosis of HCC

Peng-Peng Zhu, Sheng-Guang Yuan, Yan Liao, Li-Ling Qin, Wei-Jia Liao

⁸
Peng-Peng Zhu, Sheng-Guang Yuan, Li-Ling Qin, Wei-Jia Liao, Laboratory of Hepatobiliary and Pancreatic Surgery, Affiliated Hospital of Guilin Medical University, Guilin 541001, Guangxi Zhuang Autonomous Region, China

⁸
Peng-Peng Zhu, Sheng-Guang Yuan, Li-Ling Qin, Wei-Jia Liao, Guangxi Key Laboratory of Molecular Medicine in Liver Injury and Repair, Guilin 541001, Guangxi Zhuang Autonomous Region, China

Match Overview

1	Internet 135 words crawled on 08-Jan-2015 www.wjgnet.com	2%
2	Internet 89 words crawled on 06-May-2014 www.ncbi.nlm.nih.gov	1%
3	Internet 56 words crawled on 09-Feb-2014 effiloop.com	1%
4	CrossCheck 44 words Shuji Ito. "Serum Intercellular Adhesion Molecule-1 in Patients With Nonalcoholic Steatohepatitis: Comparison With ..."	1%
5	CrossCheck 38 words Yang, Chen-Chieh, Shun-Fu Chang, Jian-Kang Chao, Yi-Li ang Lai, Wei-En Chang, Wen-Hsiu Hsu, and Wu-Hsien Ku	<1%
6	CrossCheck 32 words "AASLD Abstracts", <i>Hepatology</i> , 2013.	<1%
7	Internet 32 words crawled on 12-Apr-2013 www.plosone.org	<1%
8	CrossCheck 29 words Zhu, Qun, Jian Kang, Heng Miao, Yamin Feng, Lijun Xiao, Zhigao Hu, Duan-Fang Liao, Yan Huang, Junfei Jin, and S	<1%
	CrossCheck 26 words	

Scholar

About 17,100 results (0.19 sec)

Articles

Case law

My library

Any time

Since 2015

Since 2014

Since 2011

Custom range...

Sort by relevance

Sort by date

☒ include patents☒ include citations☒ Create alert**[HTML] The prognostic molecular markers in hepatocellular carcinoma**

LX Qin, ZY Tang - World Journal of Gastroenterology, 2002 - wjgnet.com

... status, **tumor** size (HCC with 2-5cm in diameter has the **highest** MVD level ... VEGF) A substantial number of studies have demonstrated a strong association between **elevated tumor** expression of ... P, Wuppermann K, Lang H, Oldhafer K, P astan I, Brinkmann U. **High** expression of ...

Cited by 322 Related articles All 4 versions Cite Save More

[HTML] from wjgnet.com**Clinical significance of serum levels of E-selectin, intercellular adhesion molecule-1, and vascular cell adhesion molecule-1 in gastric cancer patients**

D Alexiou, AJ Karayiannakis, KN Syrigos... - The American journal of ..., 2003 - nature.com

... when compared with age-matched controls, with a correlation between these **increased** markers (and ... In our study, **elevated** preoperative **levels** of all three molecules correlated significantly with **patient ... patient** numbers in some studies and by the inclusion of a **high** proportion of ...

Cited by 90 Related articles All 6 versions Cite Save

[HTML] from nature.com**Serum concentration of intercellular adhesion molecule-1 in patients with hepatocellular carcinoma is a marker of the disease progression and prognosis**

Y Shimizu, M Minemura, T Tsukishiro, Y Kashii... - ..., 1995 - Wiley Online Library

... was diagnosed by the pres- ence of hepatitis B surface antigen and/or **high** titer anti ... 2. A statistically (P < .001) significant correlation (r = .50) between serum **level** of SICAM-1 and the ... Further, serum SICAM-1 **levels** were significantly CP < .05) **elevated** in HCC **patients** with Vp 3 ...

Cited by 56 Related articles All 5 versions Cite Save

[PDF] from wiley.com**[HTML] The impact of preoperative serum C - reactive protein on the prognosis of patients with hepatocellular carcinoma**

K Hashimoto, Y Ikeda, D Korenaga, K Tanoue... - Cancer, 2005 - Wiley Online Library

... 19 However, in the current study, some **patients** with small nodules showed **elevated** serum CRP ... In addition, **patients** with **high** serum CRP **levels** will need novel therapies, such as an ... study, we established a new **prognostic** index based on preoperative CRP **level**, which we ...

Cited by 173 Related articles All 5 versions Cite Save

[HTML] from wiley.com**Invasion and metastasis of liver cancer: expression of intercellular adhesion molecule 1**

JJ Sun, XD Zhou, YK Liu, ZY Tang, JX Feng... - Journal of cancer ..., 1999 - Springer

... The higher **level** of serum sICAM-1 in malignant disease may inhibit the host's ... A, Nak- anishi K, Nakanishi R, Sugio K, Yasumoto K (1996) **Increased levels** of serum ... K (1996) Establishment and characterization of human gastric **carcinoma** lines with **high** metastatic potential in ...



ion molecule-1 affects prognosis of patients with hepatocellular carcinoma



网页 图片 新闻 购物 视频 更多 ▾ 搜索工具

找到约 940,000 条结果 (用时 0.57 秒)

Google 学术 : High level of intercellular adhesion molecule-1 affects prognosis of patients with hepatocellular carcinoma

... molecular markers in hepatocellular carcinoma - Qin - 被引用次数 : 322

... levels of E-selectin, intercellular adhesion molecule-1, ... - Alexiou - 被引用次数 : 90

... molecule-1 in patients with hepatocellular carcinoma ... - Shimizu - 被引用次数 : 56

Serum concentration of intercellular adhesion molecule-1 in ... onlinelibrary.wiley.com/doi/10.1002/hep.1840220223/pdf ▾ 翻译此页

作者 : Y Shimizu - 1995 - 被引用次数 : 55 - 相关文章

in Patients With Hepatocellular Carcinoma Is a Marker ... serum SICAM-1 levels were significantly elevated in pa- ... progression and prognosis of the patients.

ICAM1 intercellular adhesion molecule 1 [(human)]

www.ncbi.nlm.nih.gov/gene/3383 ▾ 翻译此页

K469E polymorphism in ICAM-1 gene might not affect individual ... Data indicate that elevated levels of intercellular adhesion molecule-1 ... between the ICAM-1 gene marker, rs281437, and the progression of hepatic fibrosis in HCV genotype 4. ... as an additional prognostic factor in patients with small-cell lung cancer.

[PDF] Prognostic impact of in vivo soluble cell adhesion molecul...

www.ncbi.nlm.nih.gov/pmc/articles/.../pdf/79-6690277a.pdf ▾ 翻译此页

作者 : R Hoffmann - 1999 - 被引用次数 : 30 - 相关文章

Intercellular adhesion molecule-1 (ICAM-1) and vascular cell adhesion molecule 1 ... low/high grade renal cell carcinoma specimens (Anastassiou et al., 1995).

Serum Level of Soluble Intercellular Adhesion Molecule 1 in ...