

找到约 7,910 条结果 (用时 0.56 秒)

Metastatic colorectal cancer. - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/12057092> - 翻译此页

作者：HL Kindler - 2001 - 被引用次数：88 - 相关文章

For decades, 5-fluorouracil was the only available drug for colorectal cancer; hence, ... Other drugs with potential activity in colorectal cancer include raltitrexed, ... Methods; Hepatic Artery; Humans; Infusions, Intra-Arterial; Liver Neoplasms/ ...

An update on chemotherapy of colorectal liver metastases - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者：CC Wang - 2012 - 被引用次数：52 - 相关文章

2012年1月7日 - Surgical resection of liver metastases of colorectal cancer greatly improves the ... However, the value of chemotherapy via hepatic arterial infusion is still unclear. ... Standard chemotherapy regimens comprising 5-fluorouracil (5-FU) plus and raltitrexed for the treatment of advanced colorectal cancer: ...

Biomedical Papers: Hepatic arterial infusion in colorectal carcinoma: is ...

biomed.papers.upol.cz/.../bio-201202-0001_Hepatic_arterial_infusion_in_c... - 翻译此页

作者：B Melichar - 2012 - 被引用次数：12 - 相关文章

Keywords: 5-fluorouracil, colorectal carcinoma, floxuridine, hepatic arterial infusion, ... of raltitrexed (Tomudex) monotherapy in patients with advanced colorectal ... of hepatic arterial infusion in the treatment of nonresectable liver metastases ...

Raltitrexed and oxaliplatin hepatic arterial infusion for advanced ...

https://www.researchgate.net/.../41849096_Raltitrexed_and_oxaliplatin_hepa... - 翻译此页

Raltitrexed and oxaliplatin hepatic arterial infusion for advanced colorectal ... who presented isolated hepatic metastases of colorectal cancer after failure of ... 5-fluorouracil and leucovorin in patients with liver metastases from colorectal ...

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 31839

Manuscript Type: Original Article

Retrospective Cohort Study

Hepatic artery infusion with raltitrexed or 5-fluorouracil for colorectal cancer liver metastasis

Jian-Hai Guo, Hang-Yu Zhang, Song Gao, Peng-Jun Zhang, Xiao-Ting Li, Hui Chen, Xiao-Dong Wang, Xu Zhu

Abstract

AIM

To evaluate the efficiency and safety of hepatic artery infusion chemotherapy

Match Overview

| | | |
|---|---|----|
| 1 | Internet 15 words crawled on 12-Jul-2016 ar.iiarjournals.org | 1% |
| 2 | Internet 13 words crawled on 23-Feb-2013 www.ncbi.nlm.nih.gov | 1% |

Hepatic artery infusion with raltitrexed or 5-fluorouracil for colorectal cancer liver n

全部 图片 视频 新闻 地图 图书

找到约 9,330 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Stage IV Colorectal Cancer - Holland-Frei Cancer Medicine - NCBI ...](#)

<https://www.ncbi.nlm.nih.gov/books/NBK13267/>

Overall 5-year survival for patients with stage IV colorectal cancer is less ... To achieve maximal modulation, LV is given as bolus injection mid of 1-h 5-FU infusion. of the patients will have metastatic disease confined to the liver at presentation. ... through the hepatic arterial circulation as compared to 19% to 55 % of 5-FU, ...

[Raltitrexed and oxaliplatin hepatic arterial infusion for ad...: Anti ...](#)

[journals.lww.com/...cancerdrugs/.../Raltitrexed_and_oxaliplatin_hepatic_arterial.11.aspx?...](#)

Raltitrexed and oxaliplatin hepatic arterial infusion for advanced colorectal cancer: a ... and oxaliplatin, in refractory colorectal carcinoma with only liver metastases. 5-fluorouracil and arterial 5-fluorodeoxyuridine for hepatic metastases from ...

[Chemotherapy for advanced colorectal carcinoma - recent advances](#)

[www.priory.com/med/colonchemo.htm](#) ▼

Until recently only 5-FU and its derivatives were available for the treatment of these patients. ... such as direct hepatic artery infusion for patients with liver metastasis. Advanced colorectal cancer: results from the latest raltitrexed (Tomudex) ...

[Biomedical Papers: Hepatic arterial infusion in colorectal carcinoma ...](#)

[biomed.papers.upol.cz/.../bio-201202-0001_Hepatic_arterial_infusion_in_colorectal_carcinoma_is_anatomical_targeting_still_relevant_in_a... ▼](#)

Keywords: 5-fluorouracil, colorectal carcinoma, floxuridine, hepatic arterial infusion, ... of raltitrexed (Tomudex) monotherapy in patients with advanced colorectal ... of hepatic arterial infusion in the treatment of nonresectable liver metastases ...

[Raltitrexed and oxaliplatin hepatic arterial infusion for advanced ...](#)

https://www.researchgate.net/.../41849096_Raltitrexed_and_oxaliplatin

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 9,470 条结果 (用时 0.82 秒)

[An update on chemotherapy of colorectal liver metastases - NCBI](#)

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者 : CC Wang - 2012 - 被引用次数 : 52 - [相关文章](#)

2012年1月7日 - Surgical resection of **liver metastases** of **colorectal cancer** greatly improves the ... However, the value of chemotherapy via **hepatic arterial infusion** is still unclear. ... Standard chemotherapy regimens comprising **5-fluorouracil (5-FU)** plus and **raltitrexed** for the treatment of advanced **colorectal cancer**: ...

[The Role of Chemotherapy in Colon Cancer](#)

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者 : AM Gonzalez-Angulo - 2002 - 被引用次数 : 2 - [相关文章](#)

跳到Chemotherapy in **Metastatic Colon Cancer** - Efforts to enhance the efficacy of **5-FU** led to the use of ... is absorbed in the stomach, metabolized in the **liver**, ... has clinical activity in **metastatic colorectal cancer**. ... and regional **hepatic artery infusion** with FUDR, ... trial comparing single agent **raltitrexed** with **5-FU** + ...

[Stage IV Colorectal Cancer - Holland-Frei Cancer Medicine - NCBI ...](#)

<https://www.ncbi.nlm.nih.gov/books/NBK13267/> - [翻译此页](#)

Overall 5-year survival for patients with stage IV **colorectal cancer** is less ... To achieve maximal modulation, LV is given as bolus injection mid of 1-h **5-FU infusion**. of the patients will have **metastatic** disease confined to the **liver** at presentation. through the **hepatic arterial** circulation as compared to 19% to 55% of **5-FU**, ...

[Raltitrexed and oxaliplatin hepatic arterial infusion for ad... : Anti ...](#)

journals.lww.com > Home > July 2010 - Volume 21 - Issue 6 - [翻译此页](#)

作者 : C Khouri - 2010 - 被引用次数 : 44 - [相关文章](#)

Raltitrexed and oxaliplatin **hepatic arterial infusion** for advanced **colorectal cancer**: a ... and oxaliplatin, in refractory **colorectal carcinoma** with only **liver metastases**. **5-fluorouracil** and arterial **5-fluorodeoxyuridine** for hepatic **metastases** from