

Nutrition and metabolism in hepatocellular carcinoma ...

https://hbsn.amegroups.com/article/view/1229/1850 •

In patients with established HCC undergoing treatment, optimal nutritional management has potential benefits on morbidity and mortality. The treatment of choice for HCC, when feasible, is complete tumor resection. This often requires removal of a significant portion of cirrhotic, functionally compromised liver.

Cited by: 17 Author: Robert J. Smith

Publish Year: 2013

Systemic therapies for hepatocellular carcinoma

https://pubmed.ncbi.nlm.nih.gov/26632544

Hepatocellular carcinoma (HCC) is a common cancer with high incidence and mortality worldwide. The main treatments for HCC include radical hepatectomy, liver transplant, locoregional therapies, and systemic therapies. Systemic treatments include targeted agent treatment, chemotherapies, antiviral therapies, and nutritional treatments.

Cited by: 33 Author: Shaohua Ge, Dingzhi Huang


Publish Year: 2015



Feedback

Hepatocellular carcinoma and nutrition - ResearchGate https://www.researchgate.net/publication/285487589...

The perioperative nutritional therapy consisted of a solution enriched with 35 percent branchedchain amino acids, dextrose, and lipid emulsion (50 percent medium-chain triglycerides) given ...





Radio-wave therapy is safe for liver cancer patients and ...

https://www.sciencedaily.com/releases/2021/07/210730165445.htm + 2 days ago - Recearchers have shown that a targeted therapy using non-thermal radio waives is safe to unie in the treatment of hepatocellular carcinoma (NCC), the most cummon type of liver cancer.

Hepatocellular carcinoma - Overview - Mayo Clinic

https://www.mayoclinic.org/diseases-conditions/... •


Risk Factors Diagnosis Treatment


The risk of hegato-cellular carcinoma, the mast common type of liver cancer, is leigher in people with long-term liver diseases. It's also higher if the liver is scarred by infection with hepatitis B or hepatitis C. Hepato-cellular carcinoma is more common in people who drink larger amounts of alcohol and who have an accumulation of fat in the liver.

See more on mayoclinic org

Initial Experience of Atezolizumab Plus Bevacizumab for ...

https://www.cancerdiagnosisprognosis.org/?p+554 •
Patients and Methods Results Discussion Conflicts of Inter-





Nutrition and Hepatocellular Cancer

https://pubmed.ncbi.nlm.nih.gov/27403413

The nutritional status is of high significance for the patients' performance status, the tolerance of tumortargeting therapy and the prognosis of cancer of any type and is specially referenced in HCC. This overview is on current concepts on the role of nutritional factors in hepatocarcinogenesis and the role of nutrition in patients affected ...

Cited by: 19 Author: Kerstin Schütte, Christian Schulz, Peter ...

Publish Year: 2015

Nutrition and metabolism in hepatocellular carcinoma ...

https://hbsn.amegroups.com/article/view/1229/1850 •