

The Chinese Association for the Study of Pain (CASP) ...<https://www.hindawi.com/journals/prm/2019/8957847> ▾

The Chinese Association for the Study of Pain (CASP): Consensus on the Assessment and Management of Chronic Nonspecific Low Back Pain Ke Ma , 1 Zhi-Gang Zhuang , 2 Lin Wang , 3 Xian-Guo Liu , 4 Li-Juan Lu , 5 Xiao-Qiu Yang , 6 Yan Lu , 7 Zhi-Jian Fu , 8 Tao Song , 9 Dong Huang , 10 Hui Liu , 11 You-Qing Huang 12 et al. Bao-Gan Peng , 13 Yan ...

Cited by: 2

Author: Ke Ma, Zhi-Gang Zhuang, Lin Wang, Xian...

Publish Year: 2019

The Chinese Association for the Study of Pain (CASP ...<https://pubmed.ncbi.nlm.nih.gov/31065305>

Therefore, the Chinese Association for the Study of Pain organized a meeting of pain management ... Cervicogenic headache is a relatively common but unique form of headache, and in China, as well as in several other countries, both diagnosis and a clear evidence-based treatment plan remain controversial.

Cited by: 1

Author: Hong Xiao, Baogan Peng, Ke Ma, Dong H...

Publish Year: 2019

(PDF) The Chinese Association for the Study of Pain (CASP ...<https://www.researchgate.net/publication/335206745>...

The Chinese Association for the Study of Pain (CASP): Consensus on the Assessment and Management of Chronic Nonspecific Low Back Pain August 2019 Pain Research & ...

Estimated Reading Time: 4 mins

The Chinese Association for the Study of Pain (CASP ...<https://www.hindawi.com/journals/prm/2019/9617280> ▾

Cervicogenic headache is a relatively common but unique form of headache, and in China, as well as in several other countries, both diagnosis and a clear evidence-based treatment plan remain controversial. Therefore, the Chinese Association for the Study of Pain organized a meeting of pain management experts and created an expert consensus on the diagnosis and treatment of cervicogenic ...

Cited by: 1

Author: Hong Xiao, Baogan Peng, Ke Ma, Dong H...

Publish Year: 2019

(PDF) The Chinese Association for the Study of Pain (CASP ...<https://www.researchgate.net/publication/335206745>...

ALL IMAGES VIDEOS

111,000 Results Any time ▾

The Chinese Association for the Study of Pain (CASP): Expert ...

<https://pubmed.ncbi.nlm.nih.gov/31065305>

Therefore, the **Chinese Association for the Study of Pain** organized a meeting of **pain** managemen ... Cervicogenic headache is a relatively common but unique form of headache, and in China, as well as in several other countries, both diagnosis and a clear evidence-based **treatment** plan remain controversial.

Cited by: 1 Author: Hong Xiao, Baogan Peng, Ke Ma, Dong ...
Publish Year: 2019

The Diagnosis and Therapy of Degenerative Knee Joint Disease: ...

<https://pubmed.ncbi.nlm.nih.gov/30651899>

For this purpose, **Chinese Association for the Study of Pain (CASP)** organized some leading experts to formulate this **Chinese Pain Specialist Consensus** on the diagnosis and **treatment** of degenerative knee osteoarthritis (DKOA) in combination with the guidelines in foreign countries and the **expert** experience of clinical practice in **China**.

Cited by: 4 Author: Dong Huang, Yan-Qing Liu, Li-Shuang Li ...
Publish Year: 2018

Guidelines for the Management of Neuropathic Pain

https://www.medscape.com/viewarticle/861631_2 •

Jun 07, 2020 - Clinical practice guidelines (CPGs), defined as "statements that include recommendations intended to optimize patient care that are informed by a systematic review of the evidence and an ...

Recommendations on Chronic Pain Practice during the COVID-19 ...

<https://www.asra.com/page/Z903/recommendations-on-...> ▾

< **A Joint Statement by America...** General Background General Considerat >

Authors: Harsha Shanthanma, MBBS, MD, MSc, FRCP; Steven P. Cohen, MD; Natalie Strand, MD; Clara Lobo, MD; Sam Eldabe, MBBS, FRCA; Anuj Bhatia, MBBS, MD, FRCA, FRCP; Samer Narouze, MD, PhD Note:As the situation **continues to rapidly evolve**, the following represents current guidance based on the best available evidence and expert opinion. This document was last updated on March 27, 2020.

[See more on asra.com](#)

Efficacy and adverse effects of transdermal fentanyl and ...

<https://eccr.biomedcentral.com/articles/10.1186/1756-9966-29-67> •

Jun 09, 2010 - Six of selected trials supported either **transdermal fentanyl** or **sustained-release oral morphine** improved QOL of **cancer patients** and one of them showed more patients got better QOL after sustained release oral morphine transferred to **transdermal fentanyl**. Our study showed again that both **transdermal fentanyl** and oral morphine had the same efficacy in the treatment ...

Cited by: 19 Author: Qiong Yang, De-Rong Xie, Zhi-Min Jiang ...
Publish Year: 2010

Opioid switching from transdermal fentanyl to oral methadone in ...

<https://acsjournals.onlinelibrary.wiley.com/doi/full/10.1002/cncr.20712>

The criteria for inclusion in the study were 1) patients with **uncontrolled cancer pain** (defined as severe by patient self-report), despite using either high-dose transdermal fentanyl ($\geq 300 \mu\text{g}$ per hour) or ≥ 3 escalating doses, reaching at least $125 \mu\text{g}$ per hour, in the last 10 days; 2) patients who developed side effects to morphine and then to transdermal fentanyl; and 3) patients with ...

Diagnosis and management of neuropathic pain | The BMJ

<https://www.bmj.com/content/339/bmj.b3002> •

Aug 12, 2009 - **Summary points** Neuropathic **pain** arises from damage, or pathological change, in the peripheral or central nervous system. It is usually a chronic condition that can be difficult to treat because standard **treatment** with conventional analgesics does not typically provide effective relief of **pain**. Patients with neuropathic **pain** commonly present to primary ...

Rotigotine transdermal patch and sleep in Parkinson's disease: ...

<https://www.nature.com/articles/s41531-017-0030-4>

Sep 05, 2017 - **Pain** poses a big burden on affected PD patients and has been reported by as many as one third of the patients included in the RECOVER study. ⁷ The effect of RTG **treatment** on pain has been assessed ...

REFERENCES - UpToDate

<https://www.uptodate.com/contents/cancer-pain...>

Pergolizzi JV Jr, Mercadante S, Echaburu AV, et al. The role of **transdermal buprenorphine** in the **treatment** of cancer **pain**: an **expert panel consensus**. Curr Med Res Opin 2009;25:1517. Davis MP, Pasternak G, Behm B. Treating Chronic **Pain**: An Overview of Clinical Studies Centered on the Buprenorphine Option. Drugs 2018; 78:1211 .

REFERENCES - UpToDate

<https://www.uptodate.com/contents/treatment-of-...>


Rotigotine – Rotigotine is a non-ergot dopamine agonist that is formulated as a 24-hour **transdermal patch**. The benefit of rotigotine for IRLS was demonstrated in a meta-analysis of five randomized controlled trials totalling over 600 patients, in which the average improvement in IRLS score over placebo was 7 points (95% CI 5.6-8.4).

1 2 3 4 5 >

23-Feb-2021 03:13PM

2053 words • 26 matches • 15 sources

FAQ

 iThenticate®

61158_RevisedC.docx

Quotes Included
Bibliography Included

8%
SIMILAR

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 61158

Manuscript Type: EXPERT CONSENSUS

Expert consensus of Chinese Association for the Study of Pain on the pain treatment with transdermal patch

Ma K *et al.* Pain treatment with transdermal patch

Ke Ma, Yun-Xia Wang, Lin Wang, Yan-Qing Liu, Yan Lv, Jin-Feng Liu, Rong-guo Liu, Hui Liu, Li-Zu Xiao, Dong-Ping Du, Li-Juan Lu, Xiao-Qiu Yang, Ling-Jie Xia, Dong Huang, Zhi-Jian Fu, Bao-Gan Peng


Abstract

Chronic pain lasts for more than 3 mo, and it can last for several months to years and lead to disability. Treating chronic pain safely and effectively is a critical challenge faced by clinicians. Because administration of analgesics through oral, intravenous or

Match Overview

1	Internet 46 words crawled on 01-Dec-2020 archive.org	2%
2	Internet 34 words crawled on 11-Jan-2021 mehausser.wordpress.com	1%
3	Crossref 23 words Mick, Gérard, and Gerardo Correa-Ilanes. "Topical pain management with the 5% lidocaine medicated plaster – a	1%
4	Crossref 21 words Mark R. Prausnitz, Samir Mitragotri, Robert Langer. "Cu...ent status and future potential of transdermal drug deliver	1%
5	Internet 18 words crawled on 11-Mar-2020 edoc.pub	1%
6	Internet 17 words crawled on 28-Jul-2018 pediatrics.aappublications.org	1%
7	Internet 15 words crawled on 17-Feb-2021 www.cell-press.com	<1%
8	Internet 12 words crawled on 13-Oct-2009 auspharmist.net.au	<1%

PAGE: 1 OF 11

 Text Only Report

国内版 国际版

Expert consensus of Chinese Association for the Study of Pain on th



ALL

IMAGES

VIDEOS

106,000 Results

Any time ▾

The Chinese Association for the Study of Pain (CASP ...

<https://pubmed.ncbi.nlm.nih.gov/31065305>

Therefore, the Chinese Association for the Study of Pain organized a meeting of pain management ...

Cervicogenic headache is a relatively common but unique form of headache, and in China, as well as in several other countries, both diagnosis and a clear evidence-based treatment plan remain controversial.

Cited by: 1

Author: Hong Xiao, Baogan Peng, Ke Ma, Dong H...

Publish Year: 2019

The Diagnosis and Therapy of Degenerative Knee Joint ...

<https://pubmed.ncbi.nlm.nih.gov/30651899>

For this purpose, Chinese Association for the Study of Pain (CASP) organized some leading experts to formulate this Chinese Pain Specialist Consensus on the diagnosis and treatment of degenerative knee osteoarthritis (DKOA) in combination with the guidelines in foreign countries and the expert experience of clinical practice in China.

Cited by: 5

Author: Dong Huang, Yan-Qing Liu, Li-Shuang Lia...

Publish Year: 2018

Guidelines for the Management of Neuropathic Pain

https://www.medscape.com/viewarticle/861631_3 ▾

Jun 06, 2020 · The exclusion criteria were as follows: (1) consensus statements, which were derived from the collective opinion of an expert panel not based ...

Guidelines for the Management of Neuropathic Pain

https://www.medscape.com/viewarticle/861631_2 ▾

Jun 07, 2020 · Clinical practice guidelines (CPGs), defined as "statements that include recommendations intended to optimize patient care that are informed by a systematic review of the evidence and an ...

Characteristics and prognostic factors for pain management ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4844433>

Methods. This retrospective study was approved by ethics committee of the First Hospital of Jilin University. Data including host characteristics (sex and age), disease factors (pathological type, tumor-node-metastasis [TNM] stage, and presence of bone metastases), pain factors (pain intensity, locations, causes, mechanisms, breakthrough pain, and its frequency), treatment (final opioid ...