

Name of Journal: *World Journal of Experimental Medicine*

ESPS Manuscript NO: 22783

Manuscript Type: Editorial

Impact and risk factors of post-stroke bone fracture

Kang Huo, Syed I Hashim, Kimberley LY Yong, Hua Su, Qiu-Min Qu

#### Abstract

Bone fracture occurs in stroke patients at different times during the recovery phase, prolonging recovery time and increasing medical costs. In this review, we discuss the potential risk factors for post-stroke bone fracture and preventive methods. Most post-stroke bone fractures occur in the lower

#### Match Overview

1	Internet 85 words crawled on 24-Dec-2010 <a href="http://lib.bioinfo.pl">lib.bioinfo.pl</a>	1%
2	Internet 61 words crawled on 23-Jan-2014 <a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>	1%
3	Internet 40 words crawled on 29-Nov-2015 <a href="http://en.wikipedia.org">en.wikipedia.org</a>	1%
4	CrossCheck 34 words Moura, C., S. Bernatsky, M. Abrahamowicz, A. Papaioan nou, L. Bessette, J. Adachi, D. Goltzman, J. Prior, N. Krei	<1%
5	Internet 31 words <a href="http://dong-qai-1.viagenbio.com">dong-qai-1.viagenbio.com</a>	<1%
6	Internet 31 words crawled on 13-Sep-2009 <a href="http://www.clinchem.org">www.clinchem.org</a>	<1%
7	Internet 26 words crawled on 01-Mar-2015	<1%

[Web](#) [Images](#) [Shopping](#) [More ▾](#) [Tools](#)[SafeSearch ▾](#)

About 2,090,000 results

## Web Results

[Falls, Fractures, and Osteoporosis After Stroke](#)[stroke.ahajournals.org/content/33/5/1432.full](#) - Similar

Conclusions— Hip **fracture after stroke** is an increasingly recognized problem. Measures ... Because rapid **bone loss** is a **risk factor** for **fracture**, we believe that a randomized, .... The **effect** of localized limb paralysis is much harder to quantify.

[Fractures After Stroke](#)[stroke.ahajournals.org/content/33/3/728.full](#) - Similar

Older patients predictably had the highest rate of **poststroke hip fractures** but a ... These suggest, with only 1 exception, that stroke is a **risk factor** for subsequent hip **fracture**, ... weakening of **bones** might reduce the frequency of **fracture after stroke**. ... determines **the impact of the fracture**; the timing of **fractures**; and the factors ...

[\[ More results from stroke.ahajournals.org \]](#)[Bone fracture exacerbates murine ischemic cerebral injury.](#)[www.ncbi.nlm.nih.gov/pubmed/23438676](#) - Similar

We recently reported that **stroke** is an independent **risk factor after bone surgery** for adverse outcome; however, **the impact of bone fracture on stroke outcome** ...

[Predictors of Prognosis for Elderly Patients with Poststroke ...](#)[www.ncbi.nlm.nih.gov](#) › [NCBI](#) › [Literature](#) › [PubMed Central \(PMC\)](#) - Similar

Apr 15, 2009 ... Increased **fracture risk** is a recognized complication **after a stroke**, particularly ... incidence of falls [35, 42] and loss of **bone mass** on the paretic side [14, 37]. ... hip **fractures**, **factors** predicting recovery of **prefracture** ambulatory status, .... To determine the simultaneous **effect** of potential confounding variables ...

[\[ More results from www.ncbi.nlm.nih.gov \]](#)

学术搜索

找到约 6,540 条结果 (用时0.12秒)

**小提示:** 只搜索中文(简体)结果, 可在 [学术搜索设置](#) 指定搜索语言

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用

### Risk factors for falls as a cause of hip fracture in women

JA Grisso, JL Kelsey, BL Strom, GY Ghiu... - ... England Journal of ..., 1991 - Mass Medical Soc  
... Web of Science | Medline. 35. Williams AR, Weiss NS, Ure CL, et al. **Effect** of weight, smoking,  
and estrogen use on the **risk** of hip and forearm **fractures** in postmenopausal women .... (2013)

The **effects** of body mass index and sex on **impact** force and ... (2011) The **effects** of vitamin ...

被引用次数: 779 相关文章 所有 6 个版本 引用

### Incidence and long-term cost of steroid-related side effects after renal transplantation

DL Veenstra, JH Best, J Hornberger, SD Sullivan... - American Journal of ..., 1999 - Elsevier

... in the different studies and the typical onset within 1 year of steroid-related side **effects** after  
initiation of ... 13 Complications were not modeled for PTDM because preliminary calculations based  
on **risk** data from the Diabetes Control ... Side **Effect** Model, Transition, 1, 2-20, Reference. ...

被引用次数: 272 相关文章 所有 5 个版本 引用

### Fractures after stroke

A Ramnemark, L Nyberg, B Borssén, T Olsson... - Osteoporosis ..., 1998 - Springer

... Why do they fall? Monitoring **risk factors** in nursing homes. J Gerontol Nurs 1990;16:20-5. 24. ...

The Study of Osteoporotic **Fractures** Research Group. Type of fall and **risk** of hip and wrist **fractures**:

the study of osteoporotic **fractures**. ... Long-term **effect** of strokes on **bone** mass. ...

被引用次数: 280 相关文章 所有 8 个版本 引用

### [HTML] Risk factors for deep vein thrombosis and pulmonary embolism: a population-based case-control study

JA Heit, MD Silverstein, DN Mohr... - Archives of ..., 2000 - archinte.jamanetwork.com

Research from JAMA Internal Medicine — Risk Factors for Deep Vein Thrombosis and  
Pulmonary Embolism — A Population-Based Case-Control Study.

被引用次数: 1538 相关文章 所有 11 个版本 引用

### [HTML] Excess mortality in men compared with women following a hip fracture. National analysis of comedications, comorbidity and survival

PN Kannegaard, S van der Mark, P Eiken... - Age and ..., 2010 - Br Geriatrics Soc

... the type of comorbidity on survival between the sexes, which could be spurious due to small **effects**

and multiple ... The **impact** of malignancy on survival was also gender specific ... Thus, the **effect** of

[全部](#) [图片](#) [新闻](#) [视频](#) [地图](#) [更多 ▾](#) [搜索工具](#)

找到约 2,700,000 条结果 (用时 0.52 秒)

## Google 学术: Impact and risk factors of post-stroke bone fracture

[Risk factors for falls as a cause of hip fracture in women](#) - Grisso - 被引用次数: 782

... of steroid-related side effects after renal transplantation - Veenstra - 被引用次数: 273

[Fractures after stroke](#) - Ramnemark - 被引用次数: 281

### Fractures After Stroke

[stroke.ahajournals.org/content/33/3/728.full](#) ▾ 翻译此页

作者: MS Dennis - 2002 - 被引用次数: 130 - 相关文章

Older patients predictably had the highest rate of **poststroke** hip **fractures** but a ... These suggest, with only 1 exception, that stroke is a **risk factor for** subsequent hip **fracture**, ... weakening of **bones** might reduce the frequency of **fracture after stroke**. ... determines the **impact** of the **fracture**; the timing of **fractures**; and the factors ...

### Falls, Fractures, and Osteoporosis After Stroke

[stroke.ahajournals.org/content/33/5/1432.full](#) ▾ 翻译此页

作者: KES Poole - 2002 - 被引用次数: 135 - 相关文章

Because rapid **bone** loss is a **risk factor for fracture**, we believe that a ... in postmenopausal osteoporosis was **associated with an effect** on **bone** density similar ...

### Hip fractures after stroke and their prevention | QJM: An ...

[qjmed.oxfordjournals.org/content/100/9/539](#) ▾ 翻译此页

作者: PK Myint - 2007 - 被引用次数: 38 - 相关文章

2007年8月10日 - **Bone** loss **following** a hemiplegic **stroke** has been proposed as a ...

**The risk** of hip **fracture** increases 30-fold if there is direct **impact** on the hip, ...