



28934-Review

 Quotes Included  
 Bibliography Included

 10%  
 SIMILAR

## Match Overview



1	<b>Internet</b> 41 words crawled on 28-May-2016 <a href="http://dare.ubvu.vu.nl">dare.ubvu.vu.nl</a>	2%
2	<b>Crossref</b> 18 words F. M. Habal. "Review article: a decision-making algorithm f or the management of pregnancy in the inflammatory bo....	1%
3	<b>Internet</b> 15 words crawled on 28-Oct-2010 <a href="http://rimed.org">rimed.org</a>	1%
4	<b>Crossref</b> 15 words De Boer, Nanne K. H., Ruurd M. Van Elburg, Abraham J. Wilhelm, Adriana J. Remmink, John M. G. Van Vugt, Chris	1%
5	<b>Crossref</b> 15 words Kreijne, J.E., M.L. Seinen, A.J. Wilhelm, Gerd Bouma, C.J. Mulder, Adriaan A van Bodegraven, and Nanne K. H de Bo	1%
6	<b>Internet</b> 14 words crawled on 30-Sep-2014 <a href="http://baretnews.com">baretnews.com</a>	1%

8

Name of Journal: *World Journal of Gastrointestinal Pharmacology and Therapeutics*

ESPS Manuscript NO: 28934

Manuscript type: Minireviews

How I treat my inflammatory bowel disease-patients with thiopurines?

Berrie Meijer, Chris JJ Mulder, Adriaan A van Bodegraven, Nanne KH de Boer

## Abstract

Thiopurines are essential drugs to maintain remission in patients with inflammatory bowel disease (IBD). Thiopurines used in IBD are azathioprine (2.0-2.5 mg/kg), mercaptopurine (1.0-1.5 mg/kg) and thioguanine (0.2-0.3 mg/kg). However, mainly due to numerous adverse events associated with thiopurine use, almost 50% of the patients have to discontinue conventional thiopurine treatment. Extensive

[全部](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 77,100 条结果 (用时 0.49 秒)

### [Optimizing the use of thiopurines in inflammatory bowel disease - NCBI](#)

[www.ncbi.nlm.nih.gov](#) > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: RM Goel - 2015 - 被引用次数: 4 - 相关文章

Despite being unlicensed for **IBD**, **thiopurines** are indicated in the **treatment** of both .... During maintenance **treatment**, TGN levels can be measured if **patients** ...

### [Thiopurines in inflammatory bowel disease revisited](#)

[www.ncbi.nlm.nih.gov](#) > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: F Bär - 2013 - 被引用次数: 31 - 相关文章

2013年3月21日 - The main aim in **treating patients** with **inflammatory bowel disease (IBD)** taking .... If **thiopurines** have any place in the **treatment** of UC it is for ...

### [Risk of Lymphoma in Patients with Inflammatory Bowel Disease - NCBI](#)

[www.ncbi.nlm.nih.gov](#) > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: JD Lewis - 2012 - 被引用次数: 6 - 相关文章

There is some evidence that combination **treatment** with **thiopurines** and anti-TNF ... However, methotrexate therapy in **IBD patients** is probably still associated with ... JDL In 2005, **my** coworkers and I published a metaanalysis in which we ...

### [Use of thiopurines in inflammatory bowel disease: Safety issues - NCBI](#)

[www.ncbi.nlm.nih.gov](#) > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: A Konidari - 2014 - 被引用次数: 8 - 相关文章

2014年5月6日 - **Thiopurines** are widely used for maintenance **treatment** of .... NRH however can occur in **thiopurine-naïve patients** with **IBD** (reported incidence ...

### [Risk of Lymphoma in Patients With Ulcerative Colitis Treated With ...](#)

[www.gastrojournal.org/article/S0016-5085\(13\)01086-X/abstract](#) ▾ [翻译此页](#)

作者: N Khan - 2013 - 被引用次数: 85 - 相关文章



[全部](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 70,600 条结果 (用时 0.61 秒)

### Optimizing the use of thiopurines in inflammatory bowel disease - NCBI

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: RM Goel - 2015 - 被引用次数: 4 - [相关文章](#)

Despite being unlicensed for IBD, thiopurines are indicated in the treatment of both .... During maintenance treatment, TGN levels can be measured if patients ...

### Thiopurines in inflammatory bowel disease revisited

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: F Bär - 2013 - 被引用次数: 31 - [相关文章](#)

2013年3月21日 - The main aim in treating patients with inflammatory bowel disease (IBD) taking into account the armamentarium of available therapeutic agents ...

### Safe treatment of thiopurine S-methyltransferase deficient Crohn's ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: BA Kaskas - 2003 - 被引用次数: 135 - [相关文章](#)

We report for the first time that Crohn's disease patients with TPMT deficiency can be successfully treated with AZA. We illustrate this with three cases where ...

### TPMT in the treatment of Crohn's disease with azathioprine - NCBI

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: L Lennard - 2002 - 被引用次数: 188 - [相关文章](#)

In patients with Crohn's disease on long term azathioprine therapy, it is clear that myelosuppression, ...  
In the mercaptopurine treatment of childhood leukaemia, TPMT activities show a significant .... Hon YY, Fessing MY, Pui C-H, et al.

### Use of thiopurines in inflammatory bowel disease: Safety issues - NCBI

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

[全部](#)[新闻](#)[图片](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 99,200 条结果 (用时 0.68 秒)

## Thiopurines in inflammatory bowel disease revisited

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: F Bär - 2013 - 被引用次数: 30 - [相关文章](#)

2013年3月21日 - The main aim in **treating patients** with **inflammatory bowel disease (IBD)** taking into account the armamentarium of available therapeutic agents ...

## Use of thiopurines in inflammatory bowel disease

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: P Frei - 2013 - 被引用次数: 26 - [相关文章](#)

2013年2月21日 - **Thiopurines** used for **inflammatory bowel disease (IBD)** **treatment** are ... 6-TG can be used in **IBD patients** who need a **thiopurine** for ...

## Optimizing the use of thiopurines in inflammatory bowel disease - NCBI

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: RM Goel - 2015 - 被引用次数: 4 - [相关文章](#)

Despite being unlicensed for **IBD**, **thiopurines** are indicated in the **treatment** of both .... During maintenance **treatment**, TGN levels can be measured if **patients** ...

## Use of thiopurines in inflammatory bowel disease: Safety issues - NCBI

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: A Konidari - 2014 - 被引用次数: 8 - [相关文章](#)

2014年5月6日 - **Thiopurines** are widely used for maintenance **treatment** of .... NRH however can occur in **thiopurine-naïve patients** with **IBD** (reported incidence ...

## Risk of Lymphoma in Patients with Inflammatory Bowel Disease - NCBI

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: JD Lewis - 2012 - 被引用次数: 7 - [相关文章](#)