

Name of Journal: *World Journal of Hepatology*

Manuscript NO: 36026

Manuscript Type: Case Report

Sequential tumor-directed and lobar radioembolization before major hepatectomy for hepatocellular carcinoma

Vouche M *et al.* Two-steps ⁹⁰Y radioembolization for HCC

Michael Vouche, Thierry Degrez, Fikri Bouazza, Philippe Delatte, Maria Gomez Galdon, Alain Hendlisz, Patrick Flamen, Vincent Donckier

Abstract

Preoperative radioembolization may improve the resectability of liver tumor by inducing tumor shrinkage, atrophy of the embolized liver and compensatory hypertrophy of non-embolized liver. We describe the case of a cirrhotic Child-Pugh A patient with a segment IV hepatocellular carcinoma requiring a left hepatectomy.

Match Overview

1	Internet 83 words crawled on 25-Dec-2016 office.wjgnet.com	4%
2	Crossref 29 words Venous Embolization of the Liver, 2011.	1%
3	Crossref 14 words A. Massart, L. Ghisdal, M. Abramowicz, D. Abramowicz. "C... erational tolerance in kidney transplantation and associate	1%
4	Crossref 13 words Medical Radiology, 2014.	1%

找到约 1,770 条结果 (用时 0.37 秒)

Google 学术: Sequential tumor-directed and lobar radioembolization before major hepatectomy for hepatocellular carcinoma

Radioembolization for hepatocellular carcinoma: a ... - Sangro - 被引用次数: 72

Radioembolization following Liver Resection: Safety and Dosing ...

[www.jvir.org/article/S1051-0443\(15\)00959-8/fulltext](http://www.jvir.org/article/S1051-0443(15)00959-8/fulltext) - 翻译此页

作者: J Kessler - 2016 - 被引用次数: 6 - 相关文章

2015年11月6日 - Previous hepatic resection does not adversely alter the safety profile of yttrium-90 RE. Additionally, neither underlying tumor type nor a history of previous liver-directed (90)Y-microspheres: sequential lobar versus whole liver approach. ... A standard definition of major hepatectomy: resection of four or ...

Transarterial Radioembolization with Yttrium-90 for the Treatment of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4882351/> - 翻译此页

作者: JR Kallini - 2016 - 被引用次数: 16 - 相关文章

2016年4月2日 - Hepatocellular carcinoma (HCC) is a common cause of worldwide mortality. ... studies establishing its role in directed cancer therapy, and future directions. and normal serum bilirubin, sequential lobar treatments are performed. vein embolisation prior to major hepatectomy for colorectal metastases.

[PDF] Hepatic Resection in the Era of Liver- Directed ... - Endovascular Tod...

evtoday.com/pdfs/er0916_F2_Park.pdf - 翻译此页

2016年9月9日 - Directed Therapies ... therapies before and after major liver resection. ... Hepatic resection following tumor downstaging with TACE. large, right liver HCC (A), which was initially treated with right lobar radioembolization (B). Management of large hepatocellular carcinoma by sequential transarte-

Radioembolisation of hepatocellular carcinoma: a primer - ScienceDirect

www.sciencedirect.com/science/article/pii/S0009926017304075 - 翻译此页

Hepatocellular carcinoma (HCC) is the sixth most common malignancy ... One of the major contraindications for Y-90 treatment is a high lung shunt fraction (Fig 1). ... hepatic angiography as a

找到约 6,110 条结果 (用时 0.52 秒)

Google 学术: [Sequential tumor-directed and lobar radioembolization before major hepatectomy for hepatocellular carcinoma](#)

[Radioembolization for hepatocellular carcinoma: a ...](#) - Sangro - 被引用次数: 72

[Transarterial Radioembolization with Yttrium-90 for the Treatment of ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4882351/> [▼ 翻译此页](#)

作者: JR Kallini - 2016 - 被引用次数: 16 - 相关文章

2016年4月2日 - [Hepatocellular carcinoma](#) (HCC) is a common cause of worldwide mortality. ... studies establishing its role in [directed cancer](#) therapy, and future directions. and normal serum bilirubin, [sequential lobar](#) treatments are performed. vein embolisation [prior to major hepatectomy](#) for colorectal metastases.

[Management of hepatocellular carcinoma with portal vein thrombosis](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4375567/> [▼ 翻译此页](#)

作者: M Quirk - 2015 - 被引用次数: 34 - 相关文章

2015年3月28日 - Emerging data on treatment of PVT with Y-90 [radioembolization](#) suggest The radiation dose may be delivered to the whole liver, to both lobes [sequentially](#), to a single [Hepatectomy for hepatocellular carcinoma](#) with [major](#) portal or [Lobar hepatocellular carcinoma](#) with ipsilateral portal vein tumor ...

[\[PDF\] Hepatic Resection in the Era of Liver- Directed ... - Endovascular To...](#)

evtoday.com/pdfs/er0916_F2_Park.pdf [▼ 翻译此页](#)

2016年9月9日 - [Directed](#) Therapies ... therapies [before](#) and after [major](#) liver resection. ... Hepatic resection following [tumor](#) downstaging with TACE. large, right liver HCC (A), which was initially treated with right [lobar radioembolization](#) (B). Management of large [hepatocellular carcinoma](#) by [sequential](#) transarte-