

学术搜索

找到约 46 条结果 (用时0.05秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☐ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Pediatric liver transplantation

M Spada, S Riva, G Maggiore, D Cintonio... - World J ..., 2009 - wjgnet.com

... with hepatoblastoma should first be treated with chemotherapy and then be evaluated for resection ...

The primary goal of the evaluation process is to identify appropriate candidates for liver ... with all issues and possible complications of the procedure; and (9) evaluate social status ...

被引用次数: 87 相关文章 所有 11 个版本 引用 保存

wjgnet.com 中的 [PDF]

[HTML] PubMed Submission Abstract PDF Cover Contents Editorial Board Count: 2839
Download Count: 669

M Spada, S Riva, D Cintonio, B Gridelli - wjgnet.com

... all issues and possible complications of the procedure; and (9) evaluate social status ... This non-specific symptom complex requires specific diagnostic evaluation before establishing ... of colonic or gastroduodenal sites allows early diagnosis with immunohistochemical recognition. ...

相关文章 引用 保存 更多

wjgnet.com 中的 [HTML]

Bruno Gridelli, MD Marco Spada, MD, PhD Silvia Riva, MD

G Maggiore - Walker's Pediatric Gastrointestinal Disease, 2008 - books.google.com

... to accept and deal with all issues and possible complications of the procedure; • evaluate social status ... allows later recovery of the native liver, need to be further evaluated in prospective ... of Wisconsin solution at 4 C, though new solutions and technologies are under evaluation. ...

相关文章 引用 保存

The changing face of hepatic resection

S Iwatsuki, DG Sheahan, TE Starzl - Current problems in Surgery, 1989 - Elsevier

... Scientific interests have centered on the pathological histochemical and immunohistochemical aspects of gastrointestinal disease ... with major hepatic resections was too great to justify their use if a ... Fig 17) in the same way as with lobectomy, fingers using intersegmental veins for ...

被引用次数: 52 相关文章 所有 7 个版本 引用 保存

nih.gov 中的 [HTML]

[引用] FREE PAPERS (POSTER)

AFR Scavenger, RL Edaravone

引用 保存

FRIDAY, FEBRUARY 21, 2014, 8: 00AM-9: 00AM PRESIDENT'S PLENARY

nih.gov 中的 [HTML]

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 26297

Manuscript Type: Case Report

Immunohistochemical evaluation for outflow reconstruction using opened round ligament in living donor right posterior sector graft liver transplantation: A case report

Sanada Y *et al.* Opened round ligament as a venous graft

Yukihiro Sanada, Yasunaru Sakuma, Hideki Sasanuma, Atsushi Miki, Takumi Katano, Yuta Hirata, Noriki Okada, Naoya Yamada, Yoshiyuki Ihara, Taizen Urahashi, Naohiro Sata, Yoshikazu Yasuda, Koichi Mizuta

Yukihiro Sanada, Takumi Katano, Yuta Hirata, Noriki Okada, Naoya Yamada, Yoshiyuki Ihara, Taizen Urahashi, Koichi Mizuta, Department of Transplant Surgery, Jichi Medical University, Shimotsuke City, Tochigi 329-0498, Japan

Match Overview

1	Internet 167 words crawled on 17-Apr-2016 www.wjgnet.com	7%
2	CrossCheck 23 words Mizuta, K., "Living-Donor Liver Transplantation in 126 Patients with Biliary Atresia: Single-Center Experience", <i>Transpl</i>	1%
3	Internet 23 words crawled on 07-Jul-2013 ccforum.com	1%
4	CrossCheck 22 words Sanada, Yukihiro, Hideki Sasanuma, Yasunaru Sakuma, Kazuo Morishima, Naoya Kasahara, Yuji Kaneda, Atsushi Mi	1%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 6,020 条结果 (用时 0.89 秒)

Venous Outflow Reconstruction in Adult Living Donor Liver Transplant ...

www.ncbi.nlm.nih.gov > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: M Ghazaly - 2013 - 被引用次数: 4 - [相关文章](#)

2013年12月30日 - Reviewing the results of a policy for right lobe grafts transplant without MHV ... 40 patients underwent live donor liver transplant using a right lobe liver graft ... This study has analyzed the results of these 40 cases. Multiple inferior hepatic veins (IHV) reconstructed into one opening using recipient PV graft.

Graft harvest of right posterior segment for living-donor liver ... - NCBI

www.ncbi.nlm.nih.gov > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: T Hori - 2014 - 被引用次数: 1 - [相关文章](#)

2014年6月2日 - Right posterior segmental graft (RPSG) is an alternative procedure for ...

Living-donor liver transplantation (LDLT) is widely performed for end-stage liver diseases. ... Here, we report a case of an RPSG donor for adult LDLT. ... Hepatic arterial reconstruction was achieved using interpositions of the ...

Preoperative CT evaluation of potential donors in living donor liver ...

www.ncbi.nlm.nih.gov > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: S Vohra - 2014 - 被引用次数: 5 - [相关文章](#)

Living donor liver transplantation is an effective, life sustaining surgical treatment in ... the right hemi-liver in adult liver transplants and the left lateral section or left ... In some cases, left hemihepatectomy may be required to obtain a large graft for ... VII with their posterior sectional hepatic artery, portal vein, bile duct, and right ...

T Yoshizumi - JoVE | Peer Reviewed Scientific Video Journal ...

www.jove.com/visualize?author=T+Yoshizumi ▾ [翻译此页](#)

Evaluation of graft stiffness using acoustic radiation force impulse imaging ... [Case report of introducing MMF and steroids as an immunosuppressive ... One-step venous reconstruction using the donor's round ligament in right-lobe living-donor Selection of a right posterior sector graft for living donor liver transplantation.

281 Articles - AuthorMapper

www.authormapper.com/search.aspx?size=100&val_%26_val_ ▾ [翻译此页](#)

[全部](#) [图片](#) [新闻](#) [视频](#) [购物](#) [更多 ▾](#) [搜索工具](#)

找到约 4,570 条结果 (用时 0.78 秒)

One-step venous reconstruction using the donor's round ligament in ...

www.ncbi.nlm.nih.gov/pubmed/25231939 - [翻译此页](#)

作者 : T Toshima - 2015 - [相关文章](#)

2014年9月18日 - We herein report the use of an opened round ligament as a venous patch graft for inferior right ... inferior vena cava (IVC) in living-donor liver transplantation (LDLT) using a right-lobe (RL) graft. ... The interposition graft filled promptly and provided a good outflow from the posterior segment. ... [Case Reports](#) ...

Graft harvest of right posterior segment for living-donor liver ... - NCBI

www.ncbi.nlm.nih.gov > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者 : T Hori - 2014 - [被引用次数 : 1](#) - [相关文章](#)

2014年6月2日 - Right posterior segmental graft (RPSG) is an alternative procedure for ...

Living-donor liver transplantation (LDLT) is widely performed for end-stage liver diseases. ... Here, we report a case of an RPSG donor for adult LDLT. ... Hepatic arterial reconstruction was achieved using interpositions of the ...

Venous Outflow Reconstruction in Adult Living Donor Liver Transplant ...

www.hindawi.com/journals/hpb/2013/280857/ - [翻译此页](#)

作者 : M Ghazaly - 2013 - [被引用次数 : 4](#) - [相关文章](#)

2013年10月29日 - This is an open access article distributed under the Creative Commons ...

Reviewing the results of a policy for right lobe grafts transplant without ... injury to the right posterior segment, and the liver graft becomes effectively of small size. With ... underwent live donor liver transplant using a right lobe liver graft ...

KnowledgeSpace - Literature:ventral cleithrum

kaa.neuinfo.org/NeuroKS/index.php/latestPublications/view/.../259 - [翻译此页](#)

Results 5161 - 5180 of 93161 - [Expression of YKL-40 and TLR4 in patients with chronic rhinosinusitis]. Subramaniam T - Case reports in otolaryngology 4-16- round ligament in right-lobe living-donor liver transplantation. ... This is the first report of venous reconstruction using a donor's round ligament graft in RL-LDLT.