

[全部](#)[视频](#)[图片](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 1,610,000 条结果 (用时 0.44 秒)

Google 学术: The successful treatment of nightmares may reduce psychotic symptoms in schizophrenia

... trial of effects on comorbid psychotic symptoms - Hamner - 被引用次数: 235

... in the treatment of schizophrenia and other psychotic ... - Tran - 被引用次数: 877

... therapy for chronic nightmares in sexual assault ... - Krakow - 被引用次数: 539

Sleep, Nightmares and Schizophrenia - ClinMed International Library

<https://clinmedjournals.org/.../journal-of-sleep-disorders-and-management-js...> ▼ 翻译此页

At the same time, the successful cure of nightmares might be a way to diminish the ... Well-Being, Dream Valence, Sleep, Psychiatric Disorders, and Psychosis If nightmare frequency and distress can be reduced in individuals living with ...

[PDF] Sleep, Nightmares and Schizophrenia

<https://clinmedjournals.org/.../journal-of-sleep-disorders-and-management-js...> ▼ 翻译此页

2017年10月19日 - persons suffering from schizophrenia and can lower the risk of suicide. Keywords ... successful cure of nightmares might be a way to diminish the distress of psychotic symptoms that plague patients during the day. For these ...

Treating Sleep Problems in Patients with Schizophrenia - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4855992/> ▼ 翻译此页

作者: F Waite - 2016 - 被引用次数: 24 - 相关文章

2015年7月30日 - Up to 80% of people with schizophrenia report symptoms of insomnia (Cohrs, 2008). ... In addition, cognitive strategies might be used to reduce the impact of worry on sleep. ... Finally, the interaction between sleep disturbance and psychotic This is essential in order for stimulus control to be successful.

Name of Journal: *World Journal of Psychiatry*

Manuscript NO: 39942

Manuscript Type: EDITORIAL

Successful treatment of nightmares may reduce psychotic symptoms in schizophrenia

Match Overview

There are no matching sources for this report.

找到约 400,000 条结果 (用时 0.53 秒)

Google 学术: Successful treatment of nightmares may reduce psychotic symptoms in schizophrenia

... trial of effects on comorbid psychotic symptoms - Hamner - 被引用次数: 235

... for posttraumatic stress disorder: An interim report - Friedman - 被引用次数: 199

... in the treatment of schizophrenia and other psychotic ... - Tran - 被引用次数: 880

Treating Sleep Problems in Patients with Schizophrenia - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4855992/> ▼ 翻译此页

作者: F Waite - 2016 - 被引用次数: 25 - 相关文章

2015年7月30日 - Keywords: Psychosis, cognitive behavioural therapy, insomnia, ... Up to 80% of people with schizophrenia report symptoms of insomnia (Cohrs, 2008). ... In addition, cognitive strategies might be used to reduce the impact of worry on sleep. Increased REM sleep and nightmares specifically may be a ...

Schizophrenia and sleep disorders: links, risks, and management ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5614792/> - 翻译此页

作者: RE Kaskie - 2017 - 被引用次数: 3 - 相关文章

2017年9月21日 - Schizophrenia is a major psychiatric disorder that has a massive, ... L: SSD prevalence of insomnia =19%, SSD prevalence of nightmare =9%; R: ... Association between objective sleep fragmentation and a reduction in ... A variety of approaches may be successful in treating patients with insomnia.

Sleep, Nightmares and Schizophrenia - ClinMed International Library

<https://clinmedjournals.org/.../journal-of-sleep-disorders-and-management-js...> ▼ 翻译此页

At the same time, the successful cure of nightmares might be a way to diminish the ... Well-Being.



Successful treatment of nightmares may reduce psychotic symptoms in schizop



全部

视频

新闻

图片

购物

更多

设置

工具

找到约 395,000 条结果 (用时 0.56 秒)

Google 学术 : Successful treatment of nightmares may reduce psychotic symptoms in schizophrenia

... trial of effects on comorbid psychotic symptoms - Hamner - 被引用次数 : 235

... for posttraumatic stress disorder: An interim report - Friedman - 被引用次数 : 199

... in the treatment of schizophrenia and other psychotic ... - Tran - 被引用次数 : 880

Treating Sleep Problems in Patients with Schizophrenia - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4855992/> ▼ 翻译此页

作者 : F Waite - 2016 - 被引用次数 : 25 - 相关文章

2015年7月30日 - Keywords: Psychosis, cognitive behavioural therapy, insomnia, ... Up to 80% of people with schizophrenia report symptoms of insomnia (Cohrs, 2008). ... In addition, cognitive strategies might be used to reduce the impact of worry on sleep. Increased REM sleep and nightmares specifically may be a ...

Sleep, Nightmares and Schizophrenia - ClinMed International Library

<https://clinmedjournals.org/.../journal-of-sleep-disorders-and-management-js...> ▼ 翻译此页

At the same time, the successful cure of nightmares might be a way to diminish the ... Well-Being, Dream Valence, Sleep, Psychiatric Disorders, and Psychosis In general, sleep disorders cut across many psychiatric diagnoses whose ...

[PDF] Sleep, Nightmares and Schizophrenia

<https://clinmedjournals.org/.../journal-of-sleep-disorders-and-management-js...> ▼ 翻译此页

2017年10月19日 - persons suffering from schizophrenia and can lower the risk of suicide. Keywords ... successful cure of nightmares might be a way to diminish the distress of psychotic symptoms that plague patients during the day. For these ...

King's College London - Avatar therapy may help to reduce auditory ...

<https://www.kcl.ac.uk/.../avatar-therapy-may-help-to-reduce-auditory-halluci...> ▼ 翻译此页

2017年11月24日 - It found that avatar therapy was more effective at reducing hallucinations at ... Around 60-70 per cent of people who have schizophrenia experience auditory ... For most people, drug treatments reduce these symptoms, but ... Cognitive behavioural therapy for psychosis (CBTp) can also be helpful but is a ...

The role of sleep dysfunction in the occurrence of delusions and ...

<https://www.sciencedirect.com/science/article/pii/S0272735815001191> - 翻译此页