

Name of journal: *World Journal of Hepatology*

ESPS Manuscript NO: 15928

Columns: CASE REPORT

First Jejunal Artery, an alternative graft for right hepatic artery reconstruction

16
Bibek Aryal, Teruo Komokata, Jun Kadono, Hiroyuki Motodaka, Tetsuya Ueno, Akira Furoi, Yutaka Imoto

Abstract

Common Bile duct cancer invading right hepatic artery is sometimes diagnosed intraoperatively. Excision and safe reconstruction of the artery with suitable graft is essential. Arterial reconstruction with autologous saphenous vein graft is the preferred method practiced routinely. However the right hepatic reconstruction has also been carried out with several other

Match Overview

1	CrossCheck 69 words Sarmiento, J.M.: "Reconstruction of the hepatic artery using the gastroduodenal artery", <i>The American Journal of Sur</i>	3%
2	CrossCheck 28 words "Abstracts", <i>HRB</i> , 9/1/2006	1%
3	Internet 26 words crawled on 09-Jun-2014 www.annalscts.com	1%
4	CrossCheck 21 words Hodaka Amano. "Pancreatectomy with reconstruction of the right and left hepatic arteries for locally advanced panc: ...	1%
5	CrossCheck 19 words Yoshihiro Nakamura. "Asymptomatic pelvic Castlemann disease in an infertile woman: case report", <i>Archives of Gyneco</i>	1%
6	Internet 18 words crawled on 09-Mar-2014 circ.ahajournals.org	1%
7	Internet 17 words crawled on 21-Oct-2014 recentmedicalfindings.com	1%
8	CrossCheck 13 words Akuzawa, Nobuhiro, Naoyuki Harada, Takashi Hatori, Kuni hiko Imai, Yonosuke Kitahara, Shinji Sakurai, and Masahik	1%
9	Internet 11 words	1%



rst jejunal artery, an alternative graft for right hepatic artery reconstruction



网页 图片 视频 新闻 更多 搜索工具

找到约 204,000 条结果 (用时 0.69 秒)

Right Gastroepiploic Artery as an Alternative for Arterial ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: K Steinbrück - 2014

2014年11月16日 - The use of **hepatic artery** for **graft** revascularization was judged impossible. artery is the **first alternative** inflow source for **hepatic arterial reconstruction** in ... **Jejunal artery** can be a useful option for arterial **reconstruction** in ...

Hepatic artery reconstruction with gonodal vein interposition ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) - 翻译此页

作者: A Dinckan - 2012 - 相关文章

2012年8月28日 - **Hepatic artery reconstruction** with gonodal vein interposition: **First** ... After retrograde perfusion of the **graft**, the **right hepatic artery** was ... sigmoid artery, recipient inferior mesenteric vein, and **jejunal arterial** arcade of Roux-en - Y limb [1-5]. ... An **alternative** method of arterial **reconstruction** in pediatric living ...

Right gastroepiploic artery as an alternative for ... - PubFacts

www.pubfacts.com/.../**Right-gastroepiploic-artery-as-an-alternat**... - 翻译此页

An adequate blood flow is directly related to **graft** survival in living donor liver ... An **alternative** method of arterial **reconstruction** in pediatric living donor liver ... **Right gastroepiploic artery** is the **first alternative** inflow source for **hepatic arterial** ... **Jejunal artery** can be a useful option for arterial **reconstruction** in living donor liver ...

Jejunal artery can be a useful option for arterial ... - PubFacts

www.pubfacts.com/.../**Jejunal-artery-can-be-a-useful-option-for**... - 翻译此页

Among these cases, **hepatic artery reconstruction** using the **jejunal artery** was ... **Right gastroepiploic artery** is the **first alternative** inflow source for **hepatic arterial** ...

[PDF] Arterial Anastomosis in Living Donor Liver ... - InTech

http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3616174/pdf/28279 - 翻译此页

网页 图片 视频 新闻 更多 ▾ 搜索工具

找到约 201,000 条结果 (用时 0.73 秒)

Google 学术: First jejunal artery, an alternative graft for right hepatic artery reconstruction

... intestinal, pancreatic, and hepatic grafts from the same ... - Abu-Elmagd - 被引用次数: 119

Biliary reconstruction and complications of right lobe ... - Fan - 被引用次数: 169

... techniques and innovations in living related liver ... - Tanaka - 被引用次数: 458

Right Gastroepiploic Artery as an Alternative for Arterial ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: K Steinbrück - 2014 - 相关文章

2014年11月16日 - The use of hepatic artery for graft revascularization was judged impossible. artery is the first alternative inflow source for hepatic arterial reconstruction in ... Jejunal artery can be a useful option for arterial reconstruction in ...

Hepatic artery reconstruction with gonadal vein interposition ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: A Dinckan - 2012 - 相关文章

2012年8月28日 - Hepatic artery reconstruction with gonadal vein interposition: First ... After retrograde perfusion of the graft, the right hepatic artery was ... sigmoid artery,