

ANSWERING REVIEWERS



May 25, 2013

Dear Editor,

Please find enclosed the edited manuscript in Word format (file name: 3253-review.doc).

Title: Practice guideline of ultrasound guided percutaneous microwave ablation for hepatic malignancy

Author: Ping Liang, Jie Yu, Ming-De Lv, Bao-Wei Dong, Xiao-Ling Yu, Xiao-Dong Zhou, Bing Hu, Ming-Xing Xie, Wen Cheng, Wen He, Jian-Wen Jia, Guo-Rong Lu, Society of Chinese Interventional Ultrasound

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 3253

The manuscript has been improved according to the suggestions of reviewers:

1 Format has been updated.

2 Revision has been made according to the suggestions of the reviewer

(1) The process and degree of expert agreement were added. Concise recommendation statements of guidelines and evidence level evaluation were included.

(2) We have made revision for “diagnosis and indications and contraindications”.

(3) We have added video illustration for Technique procedure.

(4) We have added comparison between radiofrequency ablation and MWA.

(5) We have made revision for Introduction section.

(6) We have made revision for Mechanism and Equipment section.

(7) Drafting grammatical and spelling errors have been revised.

3 References and typesetting were corrected.

Thank you again for publishing our manuscript in the *World Journal of Gastroenterology*.

Sincerely yours,

Ping Liang, MD

Department of Interventional Ultrasound

Chinese PLA General Hospital

28 Fuxing Road, Beijing

100853, China

Telephone number: 86-10-66939530

Fax number: 86-10-88210006

E-mail: liangping301@hotmail.com