

Mitochondrial carnitine palmitoyl transferase-II inactivity aggravates lipid accumul

全部 图片 视频 新闻 购物 地图 图书

找到约 1,830 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Overexpression of Carnitine Palmitoyltransferase-1 in Skeletal ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2646053/>

RESEARCH DESIGN AND METHODS—Rats were fed a standard (chow) or high -fat diet for ... Several factors may contribute to increased lipid deposition in muscle. ... without any change in oxidation could lead to cytosolic lipid accumulation (14). ... Carnitine palmitoyltransferase 1 (CPT1) is a mitochondrial transmembrane ...

[Cpt1a carnitine palmitoyltransferase 1A \[\(Norway rat\)\] - NCBI](#)

<https://www.ncbi.nlm.nih.gov/gene/25757>

8 Oct 2016 ... carnitine O-palmitoyltransferase 1, liver isoform, CPT I, CPT1-L, ... CPT1 expression leading to reduction in the accumulation of lipid intermediates in skeletal muscle. ... mitochondria without changing the L-carnitine content in the rat ... domain 2 of carnitine palmitoyltransferase 1A (CPT1A), to elucidate the ...

[CARNITINE HOMEOSTASIS, MITOCHONDRIAL FUNCTION, AND ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2905823/>

30 Sep 2016 ... Carnitine palmitoyl transferase 2 (CPT-2) deficiency: involves the ... Cultured neonatal rat cardiac myocytes were studied to assess mitochondrial ... into the mitochondria, alter lipid accumulation in the skeletal muscle [47], and also ... L- carnitine inhibits hepatocarcinogenesis via protection of mitochondria.

[hepatic carnitine palmitoyltransferase: Topics by Science.gov](#)

www.science.gov/.../h/hepatic+carnitine+palmitoyltransferase.html

Mitochondrial fatty acid beta-oxidation is important for energy production, which is stressed ... Total lipid contents of liver and skeletal muscle were not affected by treatment. ... Purple Tea and Its Extract Suppress Diet-induced Fat Accumulation in Mice and ... Crystal Structure of Rat Carnitine Palmitoyltransferase II (CPT-II).

[hepatic carnitine palmitoyltransferase: Topics by WorldWideScience ...](#)

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 29708

Manuscript Type: ORIGINAL ARTICLE

Basic study

Mitochondrial carnitine palmitoyl transferase-II inactivity aggravates lipid accumulation in rat hepatocarcinogenesis

Juan-Juan Gu, Min Yao, Jie Yang, Yin Cai, Wen-Ji Zheng, Li Wang, Deng-Bing Yao, Deng-Fu Yao

Match Overview

1	Internet 164 words crawled on 09-Sep-2016 www.wjgnet.com	4%
2	Crossref 106 words Dengbing Yao. "Thermal instability of compound variants of carnitine palmitoyltransferase II and impaired mitochondi ...	3%
3	Internet 48 words crawled on 29-Sep-2016 en.wikipedia.org	1%
4	Crossref 19 words Thuillier, L. "Genotype/phenotype correlation in carnitine palmitoyl transferase II deficiency: lessons from a compou ...	<1%
5	Crossref 17 words Wei Wu, Jun-Ling Yang, Yi-Lang Wang, Han Wang, Min Yao, Li Wang, Juan-Juan Gu, Yin Cai, Yun Shi, Deng-Fu Yao. "	<1%
6	Crossref 17 words Younossi, Zobair M., Li Zheng, Maria Stepanova, Linda Henry, Chapy Venkatesan, and Alita Mishra. "Trends in Outpatie	<1%
7	Crossref 16 words A. SLAMA. "Complementation Analysis of Carnitine Palmitoyltransferase I and II Defects", Pediatric Research, 10/1996	<1%

Mitochondrial carnitine palmitoyl transferase-II inactivity aggravates lipid accumul

全部 图片 视频 新闻 购物 地图 图书

找到约 1,830 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Overexpression of Carnitine Palmitoyltransferase-1 in Skeletal ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2646053/>

RESEARCH DESIGN AND METHODS—Rats were fed a standard (chow) or high -fat diet for ... Several factors may contribute to increased lipid deposition in muscle. ... without any change in oxidation could lead to cytosolic lipid accumulation (14). ... Carnitine palmitoyltransferase 1 (CPT1) is a mitochondrial transmembrane ...

[Cpt1a carnitine palmitoyltransferase 1A \[\(Norway rat\)\] - NCBI](#)

<https://www.ncbi.nlm.nih.gov/gene/25757>

8 Oct 2016 ... carnitine O-palmitoyltransferase 1, liver isoform, CPT I, CPT1-L, ... CPT1 expression leading to reduction in the accumulation of lipid intermediates in skeletal muscle. ... mitochondria without changing the L-carnitine content in the rat ... domain 2 of carnitine palmitoyltransferase 1A (CPT1A), to elucidate the ...

[CARNITINE HOMEOSTASIS, MITOCHONDRIAL FUNCTION, AND ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2905823/>

30 Sep 2016 ... Carnitine palmitoyl transferase 2 (CPT-2) deficiency: involves the ... Cultured neonatal rat cardiac myocytes were studied to assess mitochondrial ... into the mitochondria, alter lipid accumulation in the skeletal muscle [47], and also ... L- carnitine inhibits hepatocarcinogenesis via protection of mitochondria.

[hepatic carnitine palmitoyltransferase: Topics by Science.gov](#)

www.science.gov/.../h/hepatic+carnitine+palmitoyltransferase.html

Mitochondrial fatty acid beta-oxidation is important for energy production, which is stressed ... Total lipid contents of liver and skeletal muscle were not affected by treatment. ... Purple Tea and Its Extract Suppress Diet-induced Fat Accumulation in Mice and ... Crystal Structure of Rat Carnitine Palmitoyltransferase II (CPT-II).

[hepatic carnitine palmitoyltransferase: Topics by WorldWideScience ...](#)

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 1,560 条结果 (用时 0.75 秒)

Carnitine and carnitine palmitoyltransferase in fatty acid oxidation and ...

<https://www.ncbi.nlm.nih.gov/pubmed/7128831> - 翻译此页

作者：CL Hoppel - 1982 - 被引用次数：65 - 相关文章

Long-chain acyl-CoA derivatives do not penetrate the **mitochondrial** inner membrane. **Carnitine palmitoyltransferase** A (CPT-A), located on the external surface of ... **mitochondria** obtained from a patient with a **lipid**-storage myopathy suggests ...

缺少字词：inactivity aggravates accumulation rat hepatocarcinogenesis

CARNITINE HOMEOSTASIS, MITOCHONDRIAL FUNCTION, AND ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者：S Sharma - 2009 - 被引用次数：44 - 相关文章

2016年9月30日 - **Carnitine palmitoyl transferase 2** (CPT-2) deficiency: involves the Cultured neonatal **rat** cardiac myocytes were studied to assess **mitochondrial** into the **mitochondria**, alter **lipid accumulation** in the skeletal muscle [47], and also L-carnitine inhibits **hepatocarcinogenesis** via protection of **mitochondria**.

Cpt1a carnitine palmitoyltransferase 1A [(Norway rat)] - NCBI

<https://www.ncbi.nlm.nih.gov/gene/25757> - 翻译此页

2016年10月8日 - carnitine O-palmitoyltransferase 1, liver isoform, CPT I, CPT1-L, ... CPT1 expression leading to reduction in the **accumulation** of **lipid** intermediates in skeletal muscle. ... **mitochondria** without changing the L-carnitine content in the **rat** ... domain 2 of **carnitine palmitoyltransferase** 1A (CPT1A), to elucidate the ...

hepatic carnitine palmitoyltransferase: Topics by Science.gov

www.science.gov/topicpages/h/hepatic+carnitine+palmitoyltransferase.html ▾ 翻译此页

Mitochondrial fatty acid beta-oxidation is important for energy production, which is stressed Total **lipid** contents of liver and skeletal muscle were not affected by treatment. Purple Tea and Its Extract Suppress Diet-induced Fat **Accumulation** in Mice and Crystal Structure of **Rat Carnitine Palmitoyltransferase II** (CPT-II).