

[网页](#) [图片](#) [视频](#) [新闻](#) [购物](#) [地图](#) [图书](#)

找到约 36,600 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[The role of cytokines in liver failure and regeneration: potential new ...](#)www.sciencedirect.com/science/article/pii/S0167488902003269

The recent findings on the role of IL-6 in liver regeneration and the activity of the ... A panel of **growth factors** including HGF, epidermal **growth factor** (EGF), TGF- α ... **Acute hepatic failure** is a devastating **liver disease** with a progressive course. This clear difference in the **therapeutic efficacy** of hyper-IL-6 compared to IL-6 ...

[Therapeutic effect of hepatocyte growth factor-secreting ...](#)www.ncbi.nlm.nih.gov/pmc/articles/PMC4150933/

22 Aug 2014 ... **Chronic liver damage** leads to liver fibrosis, which is characterized by the ... A **therapeutic effect** of transplanting **hepatocyte growth factor** ... MSC-derived **interleukin-10** and tumor necrosis factor- α inhibit the ... DMN-conditioned **rats** were injected with saline or with MSCs or MSCs/HGF (1×10^7 cells per rat).

[Gene therapy for liver regeneration: Experimental studies and ...](#)www.ncbi.nlm.nih.gov/pmc/articles/PMC2928455/

28 Aug 2010 ... Transfer of genetic materials, such as **hepatocyte growth factor**, ... Despite the success of proof of principle studies of gene **therapy** to **enhance liver** regeneration, ... **interleukin-6** (IL-6), and cell cycle progression by the growth factors ... 40% transduction in **livers** made cirrhotic by **chronic** intoxication with ...

[Patent WO1999062534A1 - IL-6/sIL-6R COMPLEX FOR ...](#)www.google.com/patents/WO1999062534A1?cl=en

A method for treating an injury of a liver of a subject with a composition featuring a ... from the group consisting of **acute liver failure** and **chronic liver failure**. ... The method of claim 10, wherein said **Hyper-IL-6** chimera gene expression is ... For example, experiments in which **recombinant HGF** (**hepatocyte growth factor**) was ...

[HGF - hepatocyte growth factor \(hepapoietin A; scatter factor\) - iHOP](#)

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 23377

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Recombinant adenovirus containing Hyper-interleukin-6 and hepatocyte growth factor ameliorates acute-on-chronic liver failure in rats

Dan-Dan Gao, Jia Fu, Bo Qin, Wen-Xiang Huang, Chun Yang, Bei Jia

Abstract

AIM: To investigate the protective efficacy of recombinant adenovirus containing Hyper-interleukin-6 (Hyper IL-6, HIL-6) and hepatocyte growth factor (HGF) (Ad-HGF-HIL-6) compared to that of recombinant adenovirus HIL-6 or HGF (Ad-HIL-6 or Ad-HGF) in rats with acute-on-chronic liver failure

Match Overview

1	CrossCheck 119 words Wang, Lu-Wen. "Ethyl pyruvate protects against experime ... al acute-on-chronic liver failure in rats", World Journal of Ga	2%
2	CrossCheck 114 words Brunssen, Susan H., Sheryl S. Moy, Arrel D. Toews, Christo pher A. McPherson, and G. Jean Harry. "Interleukin-6 (IL-6)	2%
3	CrossCheck 62 words Toshimi Kaido. "Portal branch ligation with a continuous l ... patocyte growth factor supply makes extensive hepatectom	1%
4	Internet 45 words crawled on 12-Jan-2015 www.hek293.com	1%
5	CrossCheck 40 words P J Wysocki. "Gene-modified tumor vaccine secreting a de signer cytokine Hyper-Interleukin-6 is an effective therapy ...	1%

[全部](#) [图片](#) [视频](#) [新闻](#) [购物](#) [地图](#) [图书](#)

找到约 27,300 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[The discovery of Hepatocyte Growth Factor \(HGF\) and its ...](#)www.ncbi.nlm.nih.gov/pmc/articles/PMC3081175/

Under reducing conditions, it gives two bands with molecular weights of 69 kDa and 34 kDa ... HGF was originally discovered as a mitogen of adult rat hepatocytes ... and occurs earlier in the liver than in distant organs in rats during acute hepatitis. ... interleukin (IL)-1, IL-6, interferon- γ and tumor necrosis factor- α (TNF- α) are ...

[Intramuscular injection of adenoviral hepatocyte growth factor at a ...](#)www.ncbi.nlm.nih.gov/pmc/articles/PMC4020479/

6 Mar 2014 ... Hepatocyte growth factor (HGF) exerts various biological activities in ... factor, inflammatory bowel disease, gene therapy, adenoviral vector, ... of rat HGF into the liver, and Kanbe et al (23) reported the amelioration of ... Recombinant Ad ... TNF- α , interleukin (IL)-1 β , IL-6, interferon (IFN)- γ , IL-2, IL-4 and IL-5 ...

[Paradoxical effects of short- and long-term interleukin-6 exposure on ...](#)onlinelibrary.wiley.com/doi/10.1002/hep.21087/full

These data demonstrate that IL-6 can function acutely to improve hepatic regeneration ... In conclusion, elevated IL-6 in certain chronic liver diseases contributes to an ... IL-6, interleukin-6; PH, partial hepatectomy; EGFR, epidermal growth factor ... containing recombinant murine IL-6 in sterile saline or control pumps with ...

[Patent WO1999062534A1 - IL-6/sIL-6R COMPLEX FOR ... - Google](#)www.google.com/patents/WO1999062534A1?cl=en

A method for treating an injury of a liver of a subject with a composition featuring a ... from the group consisting of acute liver failure and chronic liver failure. ... The method of claim 10, wherein said Hyper-IL-6 chimera gene expression is For example, experiments in which recombinant HGF (hepatocyte growth factor) was ...

[Therapeutic effect of hepatocyte growth factor-secreting ...](#)

全部 图片 新闻 购物 视频 更多 ▾ 搜索工具

找到约 29,700 条结果 (用时 0.74 秒)

Intramuscular injection of adenoviral hepatocyte growth ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: K YUGE - 2014 - 相关文章

2014年3月6日 - **Hepatocyte growth factor** (HGF) exerts various biological activities in ... factor, inflammatory bowel **disease**, gene therapy, **adenoviral** vector, ... of **rat** HGF into the **liver**, and Kanbe et al (23) reported the **amelioration** of ... **Recombinant** Ad ... **TNF- α** , **interleukin** (IL)-1 β , IL-6, interferon (IFN)- γ , IL-2, IL-4 and IL-5 ...

The discovery of Hepatocyte Growth Factor (HGF) and its ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: T NAKAMURA - 2010 - 被引用次数: 168 - 相关文章

HGF was originally discovered as a mitogen of adult **rat hepatocytes** ... triggers **liver** regeneration was demonstrated in 1992: when **recombinant** ... Among these mediators, **interleukin** (IL)-1, IL-6, interferon- γ and tumor necrosis **factor- α** (TNF- α) are ... **growth**, HGF is required for in situ repair during **acute** renal **failure** (ARF).

Therapeutic effect of hepatocyte growth factor-secreting ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: MD Kim - 2014 - 被引用次数: 11 - 相关文章

2014年8月22日 - **Chronic liver damage** leads to liver fibrosis, which is characterized by the ... A therapeutic effect of transplanting **hepatocyte growth factor** (HGF)-treated ... The **adenoviral** vector encoding human HGF (Ad-HGF) was kindly provided ... **Rats** **with** a collagen level within one standard deviation from the average ...

Patent WO1999062534A1 - IL-6/sIL-6R COMPLEX FOR ...

www.google.com/patents/WO1999062534A1?cl=en - 翻译此页

A method for treating an injury of a liver of a subject **with** a composition featuring a ...