

Triple tube drainage for 'difficult' gastroduodenal perforations: A prospective stud

全部 图片 视频 新闻 购物 地图 图书

找到约 14,100 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Google 学术: Triple tube drainage for 'difficult' gastroduodenal perforations: A prospective study](#)

[History of perforated duodenal and gastric ulcers](#) - Lau - 被引用次数: 57

[Gastroduodenal perforation](#) - Nirula - 被引用次数: 11

[... and treatment of perforated or bleeding peptic ulcers: ...](#) - Di Saverio - 被引用次数: 15

[The successful use of simple tube duodenostomy in large duodenal ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3604678/>

28 Dec 2012 ... Simple duodenal perforations usually result from peptic ulcer disease ... duodenal perforations, ranging from drainage and pyloric exclusion to pancreaticoduodenectomy. ... safe technique in the management of the difficult duodenal injury. ... imaging studies through the duodenostomy tube prior to removal.

[Diagnosis and treatment of perforated or bleeding peptic ulcers ...](#)

<https://wjes.biomedcentral.com/articles/10.1186/1749-7922-9-45>

3 Aug 2014 ... Other causes of gastroduodenal perforation are traumatic, neoplastic, Adding oral contrast and performing triple contrast CT scan may However, in the same study there was no significant difference found in NG tube drainage, Additional file 2: Video 2: Difficult localization of a small PPU: use of ...

[PDF] [PDF \(1535 KB\)](#)

publishing.rcseng.ac.uk/doi/pdf/10.1308/003588413X13511609958578

perforations. Our experience with ERCP related periduodenal perforations and its treatment strategies are presented. the presence of fluid collection, which was drained percuta- It might also be related to the difficulty of detecting the in- ... better and triple tube duodenal decompression, pioneered ... prospective study .

[Controlled tube duodenostomy in the management of giant ...](#)

<http://www.researchgate.net/publication/24220219> Controlled tube duodenostomy

Name of journal: *World Journal of Gastrointestinal Surgery*

ESPS Manuscript NO: 27853

Manuscript Type: Original Article

Observational Study

Triple tube drainage for "difficult" gastroduodenal perforations: A prospective study

Nitin Agarwal, Nishant Kumar Malviya, Nikhil Gupta, Iqbal Singh, Sanjay Gupta

Abstract

AIM

Match Overview

1

Internet 26 words
crawled on 08-May-2015
www.jemds.com

1%

2

Crossref 16 words
C Svanes. "Perforated peptic ulcer over 56 years. Time trends in patients and disease characteristics.", *Gut*, 12/1/1993

1%

Triple tube drainage for 'difficult' gastroduodenal perforations: A prospective stud

全部 图片 视频 新闻 购物 地图 图书

找到约 14,100 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Google 学术: Triple tube drainage for 'difficult' gastroduodenal perforations: A prospective study](#)

[History of perforated duodenal and gastric ulcers](#) - Lau - 被引用次数: 57

[Gastroduodenal perforation](#) - Nirula - 被引用次数: 11

[... and treatment of perforated or bleeding peptic ulcers: ...](#) - Di Saverio - 被引用次数: 15

[The successful use of simple tube duodenostomy in large duodenal ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3604678/>

28 Dec 2012 ... Simple duodenal perforations usually result from peptic ulcer disease ... duodenal perforations, ranging from drainage and pyloric exclusion to pancreaticoduodenectomy. ... safe technique in the management of the difficult duodenal injury. ... imaging studies through the duodenostomy tube prior to removal.

[Diagnosis and treatment of perforated or bleeding peptic ulcers ...](#)

<https://wjes.biomedcentral.com/articles/10.1186/1749-7922-9-45>

3 Aug 2014 ... Other causes of gastroduodenal perforation are traumatic, neoplastic, Adding oral contrast and performing triple contrast CT scan may However, in the same study there was no significant difference found in NG tube drainage, Additional file 2: Video 2: Difficult localization of a small PPU: use of ...

[PDF] [PDF \(1535 KB\)](#)

publishing.rcseng.ac.uk/doi/pdf/10.1308/003588413X13511609958578

perforations. Our experience with ERCP related periduodenal perforations and its treatment strategies are presented. the presence of fluid collection, which was drained percuta- It might also be related to the difficulty of detecting the in- ... better and triple tube duodenal decompression, pioneered ... prospective study .

[Controlled tube duodenostomy in the management of giant ...](#)

<http://www.researchgate.net/publication/24220219> Controlled tube duodenostomy

[全部](#)[图片](#)[视频](#)[购物](#)[新闻](#)[更多 ▾](#)[搜索工具](#)

找到约 13,100 条结果 (用时 0.83 秒)

Google 学术: Triple tube drainage for "difficult" gastroduodenal perforations: A prospective study

History of perforated duodenal and gastric ulcers - Lau - 被引用次数: 57

... and treatment of perforated or bleeding peptic ulcers: ... - Di Saverio - 被引用次数: 15

Perforated peptic ulcer - Søreide - 被引用次数: 17

The successful use of simple tube duodenostomy in large duodenal ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: OC Kutlu - 2013 - 被引用次数: 7 - 相关文章

2012年12月28日 - Simple duodenal perforations usually result from peptic ulcer disease ... duodenal perforations, ranging from drainage and pyloric exclusion to pancreaticoduodenectomy. ... safe technique in the management of the difficult duodenal injury. ... imaging studies through the duodenostomy tube prior to removal.

Diagnosis and treatment of perforated or bleeding peptic ulcers: 2013 ...

<https://wjeb.biomedcentral.com/articles/10.1186/1749-7922-9-45> ▾ 翻译此页

作者: S Di Saverio - 2014 - 被引用次数: 15 - 相关文章

2014年8月3日 - Other causes of gastroduodenal perforation are traumatic, neoplastic, Adding oral contrast and performing triple contrast CT scan may However, in the same study there was no significant difference found in NG tube drainage, Additional file 2: Video 2: Difficult localization of a small PPU: use of ...

Perforated peptic ulcer - The Lancet

www.thelancet.com/journals/lancet/article/PIIS0140...7/fulltext?rss=yes - 翻译此页

2015年9月26日 - Perforated peptic ulcer is a common emergency condition ... drugs make investigation