

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[PDF] Non-alcoholic fatty liver disease: treatment options based on pathogenic considerations

CM Oneta, JF Dufour - Swiss medical weekly, 2002 - smw.ch

... NASH is, in a way, a diagnosis of exclusion. ... Table 3 Therapeutic options. Page 8. ... There are no studies with silymarin in patients with NASH, but according to the data of Velussi et al., who found that silymarin treatment in patients affected by alcoholic cirrhosis and diabetes was ...

☆ 99 被引用次数: 69 相关文章 所有 6 个版本 >>

[PDF] smw.ch

Nonalcoholic fatty liver disease: a spectrum of clinical and pathological severity

CA Matteoni, ZM Younossi, T Gramlich, N Boparai... - Gastroenterology, 1999 - Elsevier

... Because fatty liver alone has been reported to have a benign clinical course, 3 the three types that contained fat plus other features (types 2-4) were ... We identified 772 liver biopsy specimens with fatty liver from our computerized pathology registry. ... Full-size table Table options. ...

☆ 99 被引用次数: 3141 相关文章 所有 13 个版本

[HTML] gastrojournal.org

Liver cirrhosis

D Schuppan, NH Afdhal - The Lancet, 2008 - Elsevier

... Liver transplantation remains the only curative option for a selected group of patients, but pharmacological treatments that can halt progression to decompensated cirrhosis or even ... Figure options. ... The causes of cirrhosis can predict complications and direct treatment decisions. ...

☆ 99 被引用次数: 1297 相关文章 所有 17 个版本

[HTML] nih.gov

Alcoholic liver disease: pathogenesis and new therapeutic targets

B Gao, R Bataller - Gastroenterology, 2011 - Elsevier

... have been successfully developed since the early 1970s, at which time the use of corticosteroids was proposed for the treatment of severe ... More than 95% of heavy drinkers develop fatty liver, but only up to 35% of this population develops more severe forms of ... Figure options. ...

☆ 99 被引用次数: 820 相关文章 所有 17 个版本

[HTML] nih.gov

Name of Journal: World Journal of Gastroenterology

Manuscript NO: 37061

Manuscript Type: LETTER TO EDITOR

Silymarin: An option to treat non-alcoholic fatty liver disease

Colica C *et al.* Silymarin and non-alcoholic fatty liver

Carmela Colica, Luigi Boccuto, Ludovico Abenavoli

Abstract

1 We have read with a great interest the review published by Singh *et al.*, on the treatment options in alcoholic and non-alcoholic fatty liver disease, including various new targeted therapies that are currently under investigation. Recently, we described the health effects **3** of the Mediterranean diet associated to an antioxidant complex rich in silymarin, to improve in overweight patients anthropometric parameters, glucose and lipid metabolism

Match Overview

Match 3 of 5

- | | | |
|---|---|-----|
| 1 | Crossref 100 words
Ludovico Abenavoli. "Anti-oxidant therapy in non-alcohol ... fatty liver disease; the role of silymarin", Endocrine, 04/24/2 | 14% |
| 2 | Crossref 17 words
Abenavoli, Ludovico. "Non-alcoholic fatty liver disease an ... beneficial effects of dietary supplements", World Journal of | 2% |
| 3 | Internet 16 words
crawled on 24-Nov-2017
www.wjgnet.com | 2% |

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☐ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[PDF] Non-alcoholic fatty liver disease: treatment options based on pathogenic considerations

CM Oneta, JF Dufour - Swiss medical weekly, 2002 - smw.ch

... NASH is, in a way, a diagnosis of exclusion ... Table 3 Therapeutic options. Page 8 ... There are no studies with silymarin in patients with NASH, but according to the data of Velussi et al., who found that silymarin treatment in patients affected by alcoholic cirrhosis and diabetes was ...

☆ 99 被引用次数: 69 相关文章 所有 6 个版本 >>

[PDF] smw.ch

Nonalcoholic fatty liver disease: a spectrum of clinical and pathological severity

CA Matteoni, ZM Younossi, T Gramlich, N Boparai... - Gastroenterology, 1999 - Elsevier

... Because fatty liver alone has been reported to have a benign clinical course, 3 the three types that contained fat plus other features (types 2-4) were ... We identified 772 liver biopsy specimens with fatty liver from our computerized pathology registry ... Full-size table Table options ...

☆ 99 被引用次数: 3171 相关文章 所有 13 个版本

[HTML] gastrojournal.org

Liver cirrhosis

D Schuppan, NH Afdhal - The Lancet, 2008 - Elsevier

... Liver transplantation remains the only curative option for a selected group of patients, but pharmacological treatments that can halt progression to decompensated cirrhosis or even ... Figure options ... The causes of cirrhosis can predict complications and direct treatment decisions ...

☆ 99 被引用次数: 1313 相关文章 所有 17 个版本

[HTML] nih.gov

Alcoholic liver disease: pathogenesis and new therapeutic targets

B Gao, R Bataller - Gastroenterology, 2011 - Elsevier

... have been successfully developed since the early 1970s, at which time the use of corticosteroids was proposed for the treatment of severe ... More than 95% of heavy drinkers develop fatty liver, but only up to 35% of this population develops more severe forms of ... Figure options

[HTML] nih.gov



全部

新闻

图片

视频

更多

设置

工具

找到约 320,000 条结果 (用时 0.55 秒)

Current treatment options for nonalcoholic fatty liver disease and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3378283/> ▼ 翻译此页

作者: MD Beaton - 2012 - 被引用次数: 45 - 相关文章

Current **treatment options** for **nonalcoholic fatty liver disease** and such as ursodeoxycholic acid (URSO), vitamin E, **silymarin** (milk thistle) and betaine are ...

Treatment of Nonalcoholic Fatty Liver Disease: Where do we Stand ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4817303/> ▼ 翻译此页

作者: A Dajani - 2016 - 被引用次数: 11 - 相关文章

Nonalcoholic fatty liver disease (NAFLD) is currently the most common liver disease Hoseini Yazdi Z. **Silymarin** in **treatment** of non-alcoholic steatohepatitis: A ... blockers in the **treatment** of NASH/NAFLD: Could they be a first-class **option**?

Treatment options for nonalcoholic fatty liver disease - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3002571/> ▼ 翻译此页

作者: B Lam - 2010 - 被引用次数: 105 - 相关文章

Findings regarding these agents and others, such as **silymarin**, lecithin, and (2006) Effect of multifactorial **treatment** on **non-alcoholic fatty liver disease** in ...

Milk thistle to treat non-alcoholic fatty liver disease: dream or reality ...

www.tandfonline.com/doi/full/10.1586/17474124.2013.842893 ▼ 翻译此页

作者: L Abenavoli - 2013 - 被引用次数: 14 - 相关文章

2014年1月10日 - In this **way**, a two-step hypothesis has been proposed. The first step induces **liver fat** accumulation (**steatosis**), which is still reversible, and the ...

[PDF] The effect of silymarin on non-alcoholic fatty liver disease of children

www.herbmedpharmacol.com/PDF/JHP-6-16.pdf ▼ 翻译此页

作者: F Famouri - 2017 - 被引用次数: 1 - 相关文章

Several **treatment options** have been recommended ... Introduction: **Non-alcoholic fatty liver disease** (NAFLD) is one of the most common liver diseases of adults ...

Silymarin in non alcoholic fatty liver disease - ResearchGate

https://www.researchgate.net/.../236106900_Silymarin_in_non_alcoholic_fa... ▼ 翻译此页

Silymarin treatment is associated with a reduction of insulin resistance and an ... **Nonalcoholic Fatty Liver Disease** and Insulin Resistance: New Insights and ...