

²
Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 15621

Columns: ORIGINAL ARTICLE

Observational Study

⁴¹
Outcomes of liver transplantation for end-stage biliary disease: A comparative study with end-stage liver disease

³⁸
Lai YH *et al.* Outcomes of Liver Transplantation for End-Stage Biliary Disease

Yan-Hua Lai, Wei-Dong Duan, Qiang Yu, Sheng Ye, Nian-Jun Xiao, Don-Xin Zhang,
Zhi-Qiang Huang, Zhan-Yu Yang, Jia-Hong Dong

Yan-Hua Lai, Wei-Dong Duan, Qiang Yu, Sheng Ye, Nian-Jun Xiao, Don-Xin
Zhang, Zhi-Qiang Huang, Jia-Hong Dong, Hospital and Institute of Hepatobiliary
Surgery, Chinese PLA General Hospital, Beijing 100853, China

Match Overview

1	CrossCheck 173 words J. M. Vanatta. "Outcomes of orthotopic liver transplantation for hepatic sarcoidosis: Analysis of the UNOS/OPTN ..."	3%
2	Internet 129 words crawled on 10-Mar-2015 www.wjgnet.com	2%
3	CrossCheck 38 words "Concurrent Sessions Posters", HPB, 2013.	1%
4	Internet 35 words crawled on 18-Mar-2014 efilloop.com	1%
5	CrossCheck 34 words Agopian, Vatche G., Henrik Petrowsky, Fady M. Kaldas, Ali Zarrinpar, Douglas G. Farmer, Hasan Yersiz, Curtis H	<1%
6	Internet 30 words crawled on 12-May-2010 www.hbpdint.com	<1%
7	Internet 23 words crawled on 14-Nov-2014 www.ncbi.nlm.nih.gov	<1%
8	CrossCheck 22 words "Concurrent Sessions Orals", HPB, 2013.	<1%
9	Internet 21 words crawled on 14-Oct-2014 www.esahq.org	<1%

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利☒ 包含引用☒ 创建快讯**Auxiliary partial liver transplantation for end-stage chronic liver disease**

OT Terpstra, SW Schalm, W Weimar... - ... England Journal of ..., 1988 - Mass Medical Soc

... In this report we describe the favorable **outcome** in the first six patients with **end-stage** chronic liver... **liver transplantation** for chronic **liver disease**: A case-control comparison of short-term and long-term **outcomes**. ... The **results** and impact of a medical technology assessment. ...

被引用次数: 115 相关文章 所有 5 个版本 引用 保存

Split-liver transplantation eliminates the need for living-donor liver transplantation in children with end-stage cholestatic liver disease

B Gridelli, M Spada, W Petz, A Bertani... - ..., 2003 - journals.lww.com

... large part thanks to the adoption of the in situ technique, the **outcome** of children ... Here, we report our **results** of pediatric **liver transplantation** in children with ESCLD, with SLT ... by congenital hepatic fibrosis and one by sclerosing cholangitis underwent combined **liver** and kidney ...

被引用次数: 82 相关文章 所有 7 个版本 引用 保存

Biliary atresia: clinical profiles, risk factors, and outcomes of 755 patients listed for liver transplantation

EC Utterson, RW Shepherd, RJ Sokol... - The Journal of ..., 2005 - Elsevier

... are in general over-immunosuppressed, giving support to current attempts to **study** the **effects** of minimization ... other risk factors that did not predict poor patient and graft **outcome** included previous ... States and Canada, and the strength of using a competing-**outcomes** analysis for ...

被引用次数: 99 相关文章 所有 7 个版本 引用 保存

Hepatic resection of hepatocellular carcinoma in patients with cirrhosis: Model of End-Stage Liver Disease (MELD) score predicts perioperative mortality

SH Teh, J Christein, J Donohue, F Que... - Journal of ..., 2005 - Springer

... **RESULTS** ... The fact that identifiable subgroups of patients with **cirrhosis** benefit from resection and may be compa- rable to **outcome** reported after **liver transplantation** further supports multi-institutional **study** to better define selection criteria. ...

被引用次数: 147 相关文章 所有 6 个版本 引用 保存

Nutritional support in children with end-stage liver disease: a randomized crossover trial of a branched-chain amino acid supplement.

SE Chin, RW Shepherd, BJ Thomas... - The American journal ..., 1992 - Am Soc Nutrition

... tional status may adversely affect **outcome** after OLT (3, 4). ... to **transplant** was 90 d for our program and it was expected therefore that most patients would be able to complete the **study**. **Liver transplantation** was not delayed if a donor became available ...

ajaums.ac.ir 中的 [PDF]

nutrition.org 中的 [PDF]

[网页](#) [新闻](#) [图片](#) [视频](#) [购物](#) [更多 ▾](#) [搜索工具](#)

找到约 522,000 条结果 (用时 0.80 秒)

Google 学术 : Outcomes of liver transplantation for end-stage biliary disease: A comparative study with end-stage liver disease

... liver transplantation for end-stage chronic liver disease - Terpstra - 被引用次数 : 115

... -donor liver transplantation in children with end-stage ... - Gridelli - 被引用次数 : 82

... outcomes of 755 patients listed for liver transplantation - Utterson - 被引用次数 : 99

Biliary complications following liver transplantation in the ...

www.ncbi.nlm.nih.gov/pubmed/18161843 ▾ 翻译此页

作者 : TH Welling - 2008 - 被引用次数 : 132 - 相关文章

... following liver transplantation in the model for end-stage liver disease era: effect ...

Biliary complications remain a significant problem following liver ... This represents one of the first MELD era studies of deceased donor liver ... Comparative Study ... Incidence; Liver Failure/surgery*; Liver Transplantation/adverse effects* ...

The model for end-stage liver disease allocation system for ...

www.ncbi.nlm.nih.gov/pubmed/21618688 ▾ 翻译此页

作者 : P Dutkowski - 2011 - 被引用次数 : 44 - 相关文章

(1)Swiss Hepato-Pancreatico-Biliary and Transplant Center, Department of ... for End-Stage Liver Disease (MELD) allocation, and compared the outcome of ...

PDF(100K) - Wiley Online Library

onlinelibrary.wiley.com/doi/10.1002/lt.21354/pdf ▾ 翻译此页

作者 : TH Welling - 2008 - 被引用次数 : 131 - 相关文章

MELD, Model for End-Stage Liver Disease; NA, not applicable; OR, odds ratio; PBC, primary biliary cirrhosis; PNF, primary nonfunction; PSC ... 2007 American