



13814-Review

 Quotes Excluded
 Bibliography Excluded

 23%
 SIMILAR

7
 Name of journal: *World Journal of Hepatology*
 ESPS Manuscript NO: 13814
 Columns: TOPIC HIGHLIGHT

Importance of imaging and recent developments in diagnosis of non-alcoholic fatty liver disease

Mustafa Koplay, Mesut Sivri, Hasan Erdogan, Alaaddin Nayman

Abstract

6
 Nonalcoholic fatty liver disease (NAFLD) is one of the most common causes of chronic liver disease and it is a major, global and public health problem in the world. 27
 It is a spectrum that includes simple steatosis, nonalcoholic steatohepatitis (NASH), fibrosis and cirrhosis. 4
 Recently, NAFLD prevalence in children and adolescence has increased too. The increasing prevalence of it has resulted in the NASH-related with chronic liver disease. Hence, therefore, the early diagnosis and treatment is quite important. 1
 Although liver biopsy is still gold standard for diagnosis and staging of

Match Overview

1	Internet 254 words crawled on 06-Jun-2014 www.ncbi.nlm.nih.gov	4%
2	Internet 151 words crawled on 11-Jun-2013 radiographics.rsna.org	3%
3	CrossCheck 120 words Cheng, Yu-Fan, Chun-Yen Yu, Hsin-You Ou, Leo Leung-C hit Tsang, Tung-Liang Huang, Tai-Yi Chen, Allan Concejer	2%
4	CrossCheck 118 words Polyzos, Stergios A., and Christos S. Mantzoros. "Necess... y for timely noninvasive diagnosis of nonalcoholic fatty live	2%
5	CrossCheck 56 words Chan, Wah-Kheong, Nik Raihan Nik Mustapha, and Sanjiv Mahadeva. "Controlled attenuation parameter for the dete	1%
6	Internet 53 words crawled on 29-Nov-2012 www.medconnect.com.my	1%
	Internet 53 words	