

找到约 950,000 条结果 (用时 0.56 秒)

Patients With Breast Cancer or Lymphoma Have Increased Risk of ...

<https://www.ajmc.com/.../breast-cancer-and-lymphoma-patients-have-increas...> ▼ 翻译此页

2018年3月9日 - Patients who had **breast cancer** or **lymphoma** who were **treated** more than 3 ... to develop congestive **heart failure** than those who **did not have** cancer, ... "We discovered that diabetes also was a strong risk factor, but **we** don't ...

缺少字词: **encounters**

Heart failure more likely for some breast cancer and lymphoma ...

<https://newsnetwork.mayoclinic.org/.../heart-failure-more-likely-for-some-br...> ▼ 翻译此页

2018年2月28日 - Patients who were **treated** for **breast cancer** or **lymphoma** **are** more than ... Congestive **heart failure** is when the heart muscle **does** not pump blood as ... "We discovered that diabetes also was a strong risk factor, but **we** don't ...

缺少字词: **encounters**

Modulation of cardiovascular toxicity in Hodgkin lymphoma: potential ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5558532/> - 翻译此页

作者: FY Anthony - 2015 - 被引用次数: 6 - 相关文章

跳到Adverse CV consequences of HL **treatment** - Increased morbidity and mortality **due** to CVD in ... Heart murmur, symptoms of **heart failure** (e.g., ... HL survivors **treated** with mediastinal radiotherapy **are** at ... **breast cancer**, **can** cause irreversible damage to the heart. ... and is **encountered** in many patients throughout ...

Hodgkin's lymphoma survivors have higher risk for cardiovascular ...

<https://www.sciencedaily.com/releases/2015/04/150427124637.htm> ▼ 翻译此页

2015年4月27日 - Hodgkin **lymphoma** (HL) is a curable **cancer** with 10-year survival rates ... They also studied **treatment-related** risk factors. ... The most frequently occurring cardiovascular disease was

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 45892

Manuscript Type: CASE REPORT

**When lymphoma develops in the setting of heart failure when treating
breast cancer, what should we do?**

Sen Han, Tao An, Wei-Ping Liu, Yu-Qin Song, Jun Zhu

Abstract

Match Overview

1	Internet 76 words crawled on 02-Mar-2019 doaj.org	4%
2	Crossref 33 words Jose Luis Zamorano , Patrizio Lancellotti , Daniel Rodriguez Muñoz , Victor Abovane et al.	2%
3	Internet 20 words crawled on 27-Dec-2016 ehj.prod-oup.highwire.org	1%

国内版

国际版



Secondary lymphoma develops in the setting of heart failure when treating breast



All

Images

Videos

翻译成中文

关闭取词

14,300 Results

Any time ▼

Craig's General Medical Flashcards, General medicine ...

<https://quizlet.com/13088632/craigs-general-medical-flashcards...> ▼

Craig's General Medical Flashcards, General medicine. medicine USMLE general medicine. STUDY. PLAY. Clinical Presentation: abdominal pain, ascites, hepatomegaly ... Most common **breast cancer**. Infiltrating Ductal Carcinoma (In the US, 1/9 women will **develop breast cancer**.) ... ICU **setting, heart failure** resistant to other therapies or post ...

Redefining Heart Failure | JACC: Journal of the American ...

www.onlinejacc.org/content/48/7/1289 ▼

Oct 03, 2006 · **Heart failure** is the most common Medicare diagnosis-related group , and the number of hospitalizations for **heart failure** as a primary or **secondary** diagnosis increased by approximately 50% between 1985 and 1995 . In the outpatient **setting, heart failure** is the second most common cardiovascular diagnosis, surpassed only by **hypertension** .

Cited by: 97

Author: Mark P. Donahue, Douglas A. Marchuk, H...

Publish Year: 2006

277 results for what is heart failure - nice.org.uk

<https://www.nice.org.uk/search?pa=5&ps=50&q=what is heart failure&s...> ▼

Ivabradine for **treating** chronic **heart failure** (TA267) Evidence-based recommendations on ivabradine (Procoralan) for **treating** chronic **heart failure** ... (Avastin) in combination with capecitabine for the first-line treatment of metastatic **breast cancer** . Technology appraisal guidance Published ... **heart** problems, depression and anxiety) from ...

Cisplatin and Combination Chemotherapy in Treating

[国内版](#)[国际版](#)[Chat with Bing](#)

Secondary lymphoma develops in the setting of heart failure when treating breast

[All](#)[Images](#)[Videos](#)[翻译成中文](#)[开启取词](#)

1,240,000 Results

Any time ▾

Prevention of Cardiomyopathy in Patients With Cancer ...

<https://www.acc.org/latest-in-cardiology/articles/2016/09/29/13/25/...> ▾

Sep 30, 2016 · Expert Analysis. The **chemotherapy** agents most commonly associated with the development of **cardiomyopathy** are anthracyclines and trastuzumab. The development of **cardiomyopathy** is clinically significant for two main reasons: It may limit or preclude potentially life-saving **chemotherapy**. Among **cancer** survivors,...

Symptomatic cardiac metastases of breast cancer 27 years ...

<https://wjso.biomedcentral.com/articles/10.1186/1477-7819-11-14> ▾

Jan 23, 2013 · Metastases to the **heart** and pericardium are rare but more common than primary cardiac tumours and are generally associated with a rather poor prognosis. Most cases are clinically silent and are undiagnosed in vivo until the autopsy. We present a female patient with a 27-year-old history of an operated primary **breast cancer** who was presented with dyspnoea, paroxysmal nocturnal dyspnoea ...

Published in: [World Journal of Surgical Oncology](#) · 2013

Authors: [Darko Katalinic](#) · [Ranka Sternpadovan](#) · [Irena Ivanac](#) · [Ivan Aleric](#) · [Damir Tentor](#) · [Nor...](#)

Affiliation: [University of Zagreb](#)

About: [Heart](#) neoplasms · [Pathophysiology](#) · [Mastectomy](#) · [Breast cancer](#) · [Combined Modali...](#)

Chapter 22: Care of Patients with Cancer NCLEX questions ...

<https://quizlet.com/233520526/chapter-22-care-of-patients-with...> ▾

Chapter 22: Care of Patients with **Cancer** NCLEX questions. Polycythemia refers to an increase in the number of red blood cells; typically chemotherapy causes reduction of red blood cells or **anemia**. Dose limiting side effects occur when the dose or frequency of chemotherapy need to be altered or held, such as in the case of severe neutropenia or neurologic dysfunction .

Heart cancer treatment - Treatment in Israel

<https://hmcisrael.com/oncology/heart-cancer-treatment> ▾

Regarding the primary forms of **cardiac cancer**, it should be noted: **Mesothelioma**. This **malignant tumor develops** from the pericardium cells. Like other **malignant** tumors, **mesothelioma** is able to