

全部

图片

视频

新闻

购物

地图

图书

找到约 6,570 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Google 学术: Carbon dioxide insufflation in esophageal endoscopic submucosal dissection reduces mediastinal emphysema: a randomized, double-blind, controlled trial](#)

[... of carbon dioxide insufflation for upper gastrointestinal ...](#) - Nonaka - 被引用次数: 64

[... peroral endoscopic myotomy \(POEM\) for esophageal ...](#) - Eleftheriadis - 被引用次数: 76

[Peroral endoscopic myotomy for treatment of achalasia ...](#) - Lee - 被引用次数: 61

[dose carbon dioxide insufflation reduce mediastinal emphysema ...](#)

<https://www.ueg.eu/...carbon-dioxide-insufflation-reduce-mediastinal-emphysema...esophageal-endoscopic-submucosal-dissection...randomized-...>

DOSE CARBON DIOXIDE INSUFFLATION REDUCE MEDIASTINAL EMPHYSEMA AFTER ESOPHAGEAL ENDOSCOPIC SUBMUCOSAL DISSECTION? A PROSPECTIVE, RANDOMIZED, DOUBLE-BLIND, CONTROLLED TRIAL ... CONTRIBUTE TO COMFORTABLE TOTAL COLONOSCOPY: RANDOMIZED TRIAL

[PubMed Result](#)

www.ncbi.nlm.nih.gov/pubmed?db=pubmed&cmd=link...uid...

The efficacy and safety of carbon dioxide insufflation during colonoscopy with ... T ... Effectiveness of CO2-insufflated endoscopic submucosal dissection with the ... early esophageal or gastric cancer: a randomized case control prospective study ... A pilot study to

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 25427

Manuscript Type: ORIGINAL ARTICLE

Randomized Controlled Trial

Carbon dioxide insufflation in esophageal endoscopic submucosal dissection reduces mediastinal emphysema: A randomized, double-blind, controlled trial

Yuki Maeda, Dai Hirasawa, Naotaka Fujita, Tetsuya Ohira, Yoshihiro Harada, Taku Yamagata, Yoshiki Koike, Kenjiro Suzuki

Abstract

Match Overview

1	Internet 136 words crawled on 04-Jun-2014 intl-ueg.sagepub.com	4%
2	Internet 15 words crawled on 02-Mar-2016 www.wjgnet.com	<1%

全部

图片

视频

新闻

购物

地图

图书

找到约 6,890 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Google 学术: Carbon dioxide insufflation in esophageal endoscopic submucosal dissection reduces mediastinal emphysema: A randomized, double-blind, controlled trial](#)

[... of carbon dioxide insufflation for upper gastrointestinal ...](#) - Nonaka - 被引用次数: 65

[... peroral endoscopic myotomy \(POEM\) for esophageal ...](#) - Eleftheriadis - 被引用次数: 77

[Peroral endoscopic myotomy for treatment of achalasia ...](#) - Lee - 被引用次数: 62

[PubMed Result - NCBI](#)

www.ncbi.nlm.nih.gov/pubmed?db=pubmed&cmd=link...uid...

The efficacy and safety of carbon dioxide insufflation during colonoscopy with ... in moderately sedated outpatients: a randomized, double-blind, controlled trial. during endoscopic retrograde cholangiopancreatography reduces bowel ... after esophageal endoscopic submucosal dissection with carbon dioxide insufflation.

[Safety and efficacy of carbon dioxide insufflation during gastric ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4499365/ ▼

14 Jul 2015 ... Endoscopic submucosal dissection (ESD) for gastric neoplasms ... Therefore, CO₂ insufflation is expected to reduce the pain and ... The safety and efficacy of CO₂ insufflation during ESD for lesions of the esophagus, A randomized, controlled, double-blind trial of air insufflation versus carbon dioxide ...

全部 图片 新闻 视频 购物 更多 ▾ 搜索工具

找到约 6,660 条结果 (用时 0.83 秒)

Google 学术 : Carbon dioxide insufflation in esophageal endoscopic submucosal dissection reduces mediastinal emphysema: A randomized, double-blind, controlled trial

... of carbon dioxide insufflation for upper gastrointestinal ... - Nonaka - 被引用次数 : 65

... peroral endoscopic myotomy (POEM) for esophageal ... - Eleftheriadis - 被引用次数 : 79

Peroral endoscopic myotomy for treatment of achalasia ... - Lee - 被引用次数 : 62

PubMed Result - NCBI

www.ncbi.nlm.nih.gov/pubmed?db=pubmed&cmd=link...pubmed... - 翻译此页

The efficacy and safety of carbon dioxide insufflation during colonoscopy with ... in moderately sedated outpatients; a randomized, double-blind, controlled trial. ... during endoscopic retrograde cholangiopancreatography reduces bowel ... after esophageal endoscopic submucosal dissection with carbon dioxide insufflation.

Safety and efficacy of carbon dioxide insufflation during gastric ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者 : J Takada - 2015 - 相关文章

2015年7月14日 - Endoscopic submucosal dissection (ESD) for gastric neoplasms ... Therefore, CO2 insufflation is expected to reduce the pain and ... The safety and efficacy of CO2 insufflation during ESD for lesions of the esophagus, A randomized, controlled, double-blind trial of air insufflation versus carbon dioxide ...

Efficacy of carbon dioxide insufflation during gastric endoscopic ...

www.pubfacts.com/.../Efficacy-of-carbon-dioxide-insufflation-during-gastri... ▾ 翻译此页

Endoscopic submucosal dissection (ESD) is commonly performed under air ... CO2 insufflation during gastric ESD significantly reduced abdominal pain ... A prospective, randomized, double-blind, controlled trial on the efficacy of carbon dioxide ... A pilot study to assess mediastinal emphysema