



时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☐ 创建快讯

您的搜索 - Predictive and prognostic value of serum AFP level and its dynamic changes for serum AFP elevated Advanced Gastric Cancer (AFPAGC) - 与所有文章均不相符。

建议：

请检查输入字词有无错误。

请尝试其他的查询词

请改用较常见的字词。

请减少查询字词的数量。

请向所有网络查询

Name of journal: *World Journal of Gastroenterology*

Manuscript NO: 36846

Manuscript Type: Original Article

Retrospective Study

Predictive and prognostic value of serum AFP level and its dynamic changes for serum AFP elevated advanced gastric cancer

Wang YK *et al.* Optimal management of AFPAGC

Ya-Kun Wang, Xiao-Tian Zhang, Xi Jiao, Lin Shen

Abstract

AIM

Match Overview

1	Crossref 19 words Wei Kang, "Emerging role of Hippo pathway in gastric ... d other gastrointestinal cancers", World Journal of Gastr	<1%
2	Internet 18 words crawled on 11-Jun-2017 www.wjgnet.com	<1%
3	Internet 18 words crawled on 28-Oct-2017 www.rug.nl	<1%
4	Internet 15 words crawled on 07-Aug-2017 www.dovepress.com	<1%
5	Crossref 15 words Zhang, Yanlin, Zanmei Zhao, Li Guan, Lijun Mao, Shuqia ng Li, Xiaoxu Guan, Ming Chen, Lixia Guo, Lihua Ding, C	<1%
6	Internet 15 words crawled on 31-Aug-2017 uu.diva-portal.org	<1%
7	Crossref 14 words An Ren, "Gastric hepatoid adenocarcinoma: A computi ... tomography report of six cases", World Journal of Gastro	<1%
8	Crossref 13 words Yosuke Adachi, Junko Tsuchihashi, Norio Shiraishi, Kaz uhiko Yoneda, Tetsuaki Etoh, Seigo Kitano, "AFP Pred	<1%

时间不限
2017以来
2016以来
2013以来
自定义范围...

按相关性排序
按日期排序

不限语言
中文网页
简体中文网页

☒ 包括专利
☒ 包含引用

☐ 创建快讯

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

Golgi protein 73 (GOLPH2) is a valuable serum marker for hepatocellular carcinoma
Y Mao, H Yang, H Xu, X Lu, X Sang, S Du, H Zhao... - Gut, 2010 - gut.bmj.com
... 5%, placing it among the cancers with the worst prognosis. 2 5 8 The prognosis can be ... All values were reported as median (range, 25th and 75th percentiles) unless otherwise stated ... To determine the optimal cut-off value for GP73 in the diagnosis of HCC, the receiver operating ...
☆ 99 被引用次数: 274 相关文章 所有 10 个版本

[PDF] liver-surgery.net

Serum LINE-1 hypomethylation as a potential prognostic marker for hepatocellular carcinoma
P Tangkijvanich, N Hourpai, P Rattanatanyong... - Clinica chimica acta, 2007 - Elsevier
... LINE-1 hypomethylation assay may be more useful and feasible for predicting tumor progression ... analyses revealed that this molecular marker was an independent, unfavorable predictor of long ... Apart from its prognostic role, it will be interesting to determine the usefulness of ...
☆ 99 被引用次数: 103 相关文章 所有 6 个版本

[HTML] EASL–EORTC clinical practice guidelines: management of hepatocellular carcinoma
European Association For The Study Of ... - Journal of ..., 2012 - journal-of-hepatology.eu
☆ 99 被引用次数: 2224 相关文章 所有 45 个版本

[HTML] journal-of-hepatology.eu

Biology of hepatocellular carcinoma
RWC Pang, JW Joh, PJ Johnson, M Monden... - Annals of surgical ..., 2008 - Springer
... the total AFP not only in the diagnosis of HCC, but also in predicting the prognosis ... Several studies have identified gene expression profiles predictive of the recurrence or prognosis of HCC ... 1) was a significant predictor of poor disease-free survival after resection of small HCC ...
☆ 99 被引用次数: 187 相关文章 所有 9 个版本

[HTML] Diagnosis of hepatocellular carcinoma

[HTML] nih.gov



全部

新闻

图片

地图

更多

设置

工具

找到约 28,500 条结果 (用时 0.57 秒)

Diagnosis of hepatocellular carcinoma - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2023919/> ▼ 翻译此页

作者: ES Bialecki - 2005 - 被引用次数: 147 - 相关文章

Hepatocellular carcinoma (HCC) is responsible for a large proportion of cancer ... Serum AFP used alone can be helpful if levels are markedly elevated, which as a result of low sensitivity and positive predictive value with coexisting cirrhosis. Cancer of the Liver Italian Program (CLIP) investigators A new prognostic ...

The Prognostic Value of Alpha-Fetoprotein Response for Advanced ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4735679/> ▼ 翻译此页

作者: L Liu - 2016 - 被引用次数: 8 - 相关文章

2016年2月2日 - Hepatocellular carcinoma (HCC) is the sixth most common cancer worldwide with ... However, the prognostic value of the AFP response in patients with ... The serum AFP concentration was measured at baseline (before the initiation of ... A Mann-Whitney U test was used to compare continuous variables, ...

缺少字词: gastric

Alpha-fetoprotein (AFP) elevation gastric adenocarcinoma and ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/25773802> ▼ 翻译此页

作者: AM Tatli - 2015 - 被引用次数: 6 - 相关文章

... (AFP) elevation gastric adenocarcinoma and importance of AFP change in tumor ... BACKGROUND: Elevated serum alpha-fetoprotein (AFP) levels in adults are ... of the treatment and marker response of patients with metastatic gastric cancer ... antigen (CEA) response of the patients with their radiologic responses was ...

缺少字词: predictive prognostic value dynamic

Performance of serum α -fetoprotein levels in the diagnosis of ...

<https://www.sciencedirect.com/science/article/pii/S1365182X15315689> - 翻译此页

作者: SL Chan - 2014 - 被引用次数: 10 - 相关文章

Recent clinical practice has shifted its emphasis to the identification of typical ... of contrast enhancement on dynamic imaging in the diagnosis of HCC. ... Serum AFP is elevated in 60–80% of patients with HCC, and is useful in Fatty change, 4 ... α -fetoprotein (AFP) values in the diagnosis of hepatocellular carcinoma in ...

[PDF] Performance of serum α -fetoprotein levels in the diagnosis of ... - HPB

[www.hpbonline.org/article/S1365-182X\(15\)31568-9/pdf](http://www.hpbonline.org/article/S1365-182X(15)31568-9/pdf) ▼ 翻译此页