

## Match Overview

1	<b>Crossref</b> 23 words Emmanuel Novy, Lucie Carrara, Thomas Remen, Jean-Baptiste Chevaux, Marie-Reine Losser, Guillaume Louis, Phili	<1%
2	<b>Internet</b> 20 words crawled on 12-Oct-2020 <a href="https://onlinelibrary.wiley.com">onlinelibrary.wiley.com</a>	<1%
3	<b>Internet</b> 13 words crawled on 05-Jan-2021 <a href="https://www.eventscribe.com">www.eventscribe.com</a>	<1%
4	<b>Internet</b> 13 words crawled on 10-Nov-2020 <a href="https://www.hindawi.com">www.hindawi.com</a>	<1%
5	<b>Internet</b> 12 words crawled on 23-Sep-2019 <a href="https://www.esge.com">www.esge.com</a>	<1%
6	<b>Crossref</b> 12 words Gen Tohda, Masahiro Ohtani, Masaki Dochin. "Efficacy and safety of emergency endoscopic retrograde cholangiop ...	<1%
7	<b>Crossref Posted Content</b> 12 words Yoshitake Ueda, Norio Shiraishi, Takahide Kawasaki, Tomonori Akagi et al. "Short- and long-term outcomes of laparos	<1%
8	<b>Internet</b> 12 words crawled on 28-Dec-2020 <a href="https://www.annalscts.com">www.annalscts.com</a>	<1%

**Name of Journal:** *World Journal of Hepatology*

**Manuscript NO:** 62253

**Manuscript Type:** ORIGINAL ARTICLE

*Retrospective Cohort Study*

**Elderly patients ( $\geq 80$  years) with acute cholangitis have similar outcomes as non-elderly ( $< 80$  years): Propensity score-matched analysis**

Outcomes of acute calculous cholangitis in elderly *vs* non-elderly patients

**Abstract**

**BACKGROUND**

Acute cholangitis (AC) is a disease spectrum with varying extent of severity. Age  $\geq 75$  years forms part of the criteria for moderate (Grade II) severity in both the Tokyo Guidelines (TG13 and TG18). Aging is associated with reduced physiological reserves, frailty, and sarcopenia. However, there is evidence that age itself is not the determinant of inferior outcomes in elective and emergency biliary diseases. There is a paucity of



Elderly patients ( $\geq 80$  years) with acute cholangitis have similar outco



ALL

IMAGES

VIDEOS

8,660 Results

Any time ▾

## Acute Cholecystitis in Very Elderly Patients: Disease ...

<https://www.hindawi.com/journals/srp/2019/9709242> ▾



Abstract

Introduction

Patients and Methods

Results

Discuss



**Background.** The aim of this study was to evaluate the characteristics, management, and outcomes of acute cholecystitis in patients  $\geq 80$  years. **Methods.** This was a retrospective analysis of data from a prospective single-center patient registry. **Results.** The study population was composed of 348 patients, which were divided into two groups: those younger (Group A) and those older (Group B) than the median age (85.4 years). Although demographic and clinical characteristics of the two groups were similar, the ...

[See more on hindawi.com](#)

Cited by: 1

Author: Alfredo Escartín, Marta González, Elena ...

Publish Year: 2019

## Effect of Age on Clinical Outcomes in Elderly Patients ...

<https://www.sciencedirect.com/science/article/pii/S1443950620315559>

Jan 19, 2021 · To evaluate the effect of age in an all-comers population undergoing percutaneous coronary intervention (PCI). Age is an important consideration in det...

## Long- and short-term outcomes of ERCP for bile duct stones ...

[europepmc.org/articles/PMC4713177](https://europepmc.org/articles/PMC4713177)

Jan 01, 2016 · Long- and short-term **outcomes** of ERCP for bile duct stones in **patients over 80 years** old compared to younger **patients: a propensity score analysis** Akira Kanamori , 1 Seiki Kiriyaama , 1 Makoto Tanikawa , 1 Yasuhiro Hisanaga , 1 Hidenori Toyoda , 1 Toshifumi Tada , 1 Syusuke Kitabatake , 1 Yuji Kaneoka , 2 Atsuyuki Maeda , 2 and Takashi Kumada 1

Cited by: 5

Author: Akira Kanamori, Seiki Kiriyaama, Makoto ...

Publish Year: 2015

## 10 Causes of Abdominal Pain in the Elderly

<https://reference.medscape.com/features/slideshow/abdominal-pain-elderly> ▾

**Acute, atraumatic abdominal pain** is a common complaint in **elderly patients** presenting to the emergency department (ED). [1,2] As the US population ages, the number of these presentations is expected to continue to rise. In 2014, the life expectancy of a 65 year old in the United States was 19.3 years, and that of a 75 year old was 12.2 years.



[国内版](#)[国际版](#) Microsoft BingElderly patients ( $\geq 80$  years) with acute cholangitis have similar outc[ALL](#)[IMAGES](#)[VIDEOS](#)

8,740 Results

Any time ▼

## [Acute Cholecystitis in Very Elderly Patients: Disease ...](#)

<https://www.hindawi.com/journals/srp/2019/9709242> ▼[Abstract](#)[Introduction](#)[Patients and Methods](#)[Results](#)[Discu](#)

Background. The aim of this study was to evaluate the characteristics, management, and outcomes of acute cholecystitis in patients  $\geq 80$  years. Methods. This was a retrospective analysis of data from a prospective single-center patient registry. Results. The study population was composed of 348 patients, which were divided into two groups: those younger (Group A) and those older (Group B) than the median age (85.4 years). Although demographic and clinical characteristics of the two groups were similar, the ...

[See more on hindawi.com](#)**Cited by:** 1**Author:** Alfredo Escartín, Marta González, Elena Cu...**Publish Year:** 2019

## [Management of acute cholecystitis in elderly patients: A ...](#)

<https://www.sciencedirect.com/science/article/pii/S1590865821000177>

Jan 23, 2021 · 1. Introduction. The improvement of health conditions in Western countries has led, in the recent **years**, to an increasing age of the population, and to a growing portion of people **older** than 65 **years**. This has brought to an increased number of emergency department (ED) admissions for chronic and **acute** conditions such as cardiovascular accidents, respiratory failure, renal disorders, and ...

**Author:** Fausto Rosa, Marcello Covino, Valerio C...**Publish Year:** 2021[PEOPLE ALSO ASK](#)

What is the etiology of abdominal pain in senior patients?





ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

8,830 Results

Any time ▾

## Acute Cholecystitis in Very Elderly Patients: Disease ...

<https://www.hindawi.com/journals/srp/2019/9709242> ▾**Abstract**

Introduction

Patients and Methods

Results

Discu



Background. The aim of this study was to evaluate the characteristics, management, and outcomes of acute cholecystitis in patients  $\geq 80$  years. Methods. This was a retrospective analysis of data from a prospective single-center patient registry. Results. The study population was composed of 348 patients, which were divided into two groups: those younger (Group A) and those older (Group B) than the median age (85.4 years). Although demographic and clinical characteristics of the two groups were similar, the ...

[See more on hindawi.com](#)

Cited by: 2

Author: Alfredo Escartín, Marta González, Elena Cu...

Publish Year: 2019

## Conservative management of acute calculous cholecystitis ...

<https://journals.lww.com/md-journal/Fulltext/2018/...>**1 Introduction**

2 Case Presentation

3 Discussion

4 Conclusion



The prevalence of acute calculous cholecystitis (ACC) in the European female population aged 30 to 69 years is 18.8%, with biliary colic present in 1% to 4% a year. In Poland, cholecystolithiasis occurs in 30% of people older than 75 years and, within this group as many as 50% of patients are at increased risk of gallstone. The main reasons for this are aging processes that lead to an increase in cholesterol content in the bile, a decrease in gallbladder motility, a decrease in serum concentration of cholecystokinin, and a ...

[See more on journals.lww.com](#)

## 2017 WSES and SICG guidelines on acute calcolous ...

<https://wjcs.biomedcentral.com/articles/10.1186/s13017-019-0224-7> ▾

Mar 04, 2019 · A simple way to consider age in predicting postoperative complications was reported in a small cohort retrospective study of **elderly patients** above **80 years** of age with ACC, by Novello et al.:...

Cited by: 12

Author: Michele Pisano, Marco Ceresoli, Stefania C...

Publish Year: 2019