

Helicobacter pylori inhibits the cleavage of TRAF1 via a CagA-dependent mæ



全部 图片 视频 新闻 购物 地图 图书

找到约 458 条结果

时间不限

- 过去 1 小时内
- 过去 24 小时内
- 过去 1 周内
- 过去 1 个月内
- 过去 1 年内

所有结果

精确匹配

[The Upregulation of TRAF1 Induced by Helicobacter pylori Plays an ...](#)

https://www.researchgate.net/.../300926550_The_Upregulation_of_TRAF1_Induced_by_Helicobacter_pylori_Plays_an_Antiapoptotic_Effect_on_the_...

11 Apr 2016 ... Helicobacter pylori, TRAF1, NF- κ B, CagA, ... upregulation of TRAF1 via activation of NF- κ B. CagA-dependent manner. ... TRAF1 Inhibits Cell Apoptosis of H. pylori-Infected Cell Wan et al. tosis was analyzed by Western blotting with antibodies that recognized uncleaved and cleaved caspase-9, 8, ...

[Role of Helicobacter pylori infection in pathogenesis of gastric ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4753193/

15 Feb 2016 ... CagA and CagM are important for assessing virulence of H. pylori strains. ... restrain T cell activation in vitro and inhibit T cell proliferation independent of NFAT ... BabA binding to Leb contributes to gene mutations through ... CagA in a phosphorylation independent manner during H. pylori infection[46].

[A Tale of Two Toxins: Helicobacter Pylori CagA and VacA Modulate ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3109773/

23 Nov 2010 ... CagA is arguably the most well studied virulence factor of H. pylori. One of the most noticeable CagA dependent effects on host cells is the disruption of manner, CagA can inhibit apoptosis of B cells through inhibition of the Once secreted, VacA undergoes proteolytic cleavage to yield two smaller

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 28286

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Helicobacter pylori inhibits the cleavage of TRAF1 via a CagA-dependent manner

Wan XK *et al.* *H. pylori* inhibits TRAF1 cleavage

Match Overview

| | | |
|---|--|----|
| 1 | Crossref 60 words Wan, Xiu-Kun, Sheng-Ling Yuan, Hao-Xia Tao, Li-Peng Diao, Yan-Chun Wang, Cheng Cao, and Chun-Jie Liu. "T | 2% |
| 2 | Crossref 57 words Jang, H.D.. "Caspase-Cleaved TRAF1 Negatively Regulates the Antiapoptotic Signals of TRAF2 during TNF-In.... | 2% |
| 3 | Internet 41 words crawled on 26-Jun-2016 www.wjgnet.com | 1% |
| 4 | Internet 37 words crawled on 10-Apr-2016 medicine-greece.blogspot.com | 1% |
| 5 | Crossref 28 words J. M. Zapata. "TRAF1: Lord Without A RING", <i>Science's S TKE</i> , 05/21/2002. | 1% |
| 6 | Publications 26 words Maeda, S. Yoshida, H. Mitsuno, Y. Hirata. "Analysis of a ... optotic and antiapoptotic signalling pathways induced by | 1% |

Helicobacter pylori inhibits the cleavage of TRAF1 via a CagA-dependent manne



全部 图片 视频 新闻 地图 图书

找到约 658 条结果

时间不限

- 过去 1 小时内
- 过去 24 小时内
- 过去 1 周内
- 过去 1 个月内
- 过去 1 年内

所有结果

精确匹配

[The Upregulation of TRAF1 Induced by Helicobacter pylori Plays an ...](https://www.researchgate.net/.../300926550_The_Upregulation_of_TRAF1_Induced_by_Helicobacter_pylori_Plays_an_Antiapoptotic_Effect_on_the_...)
https://www.researchgate.net/.../300926550_The_Upregulation_of_TRAF1_Induced_by_Helicobacter_pylori_Plays_an_Antiapoptotic_Effect_on_the_...
 upregulation of TRAF1 via activation of NF- κ B in a CagA-dependent manner. ... TRAF1 Inhibits Cell Apoptosis of H. pylori-Infected Cell Wan et al. ... blotting with antibodies that recognized uncleaved and cleaved caspase-9, 8, and 3. (E) AGS ...

[A Tale of Two Toxins: Helicobacter Pylori CagA and VacA Modulate ...](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3109773/)
www.ncbi.nlm.nih.gov/pmc/articles/PMC3109773/ ▾
 23 Nov 2010 ... CagA is arguably the most well studied virulence factor of H. pylori. ... One of the most noticeable CagA dependent effects on host cells is the disruption of ... manner; CagA can inhibit apoptosis of B cells through inhibition of the ... Once secreted, VacA undergoes proteolytic cleavage to yield two smaller ...

[Effect of Helicobacter pylori on gastric epithelial cells - NCBI](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4177462/)
www.ncbi.nlm.nih.gov/pmc/articles/PMC4177462/ ▾
 28 Sep 2014 ... Binding of H. pylori to Le^b on the epithelial surfaces via BabA enhances the type ... Once CagA is delivered into host epithelial cells, it undergoes tyrosine ... Activation of Csk, in turn, inhibits Src in a negative feedback loop. ... or CDK6 (2), is induced by H. pylori in a partially cag PAI-dependent manner (1).

[Piperine treatment suppresses Helicobacter pylori toxin entry in to ...](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4846933/)
www.ncbi.nlm.nih.gov/pmc/articles/PMC4846933/
 15 Feb 2016 ... The possible reason behind the H. pylori inhibition mechanism of ... Cytotoxic protein CagA is translocated into the gastric epithelial cells via type IV ... Piperine suppressed CagA injection in AGS cells in a dose dependent manner. ... Effect of piperine on H. pylori mediated E-cadherin cleavage and ...

[PDF] Role of Helicobacter pylori infection in pathogenesis of gastric ...



全部 图片 新闻 视频 购物 更多 ▾ 搜索工具

找到约 606 条结果 (用时 0.53 秒)

The Upregulation of TRAF1 Induced by Helicobacter pylori Plays an ...

https://www.researchgate.net/.../300926550_The_Upregulation_of_TRAF1_... - 翻译此页
upregulation of TRAF1 via activation of NF- κ B in a CagA-dependent manner. TRAF1 Inhibits Cell Apoptosis of *H. pylori*-Infected Cell Wan et al. blotting with antibodies that recognized uncleaved and cleaved caspase-9, 8, and 3. (E) AGS ...

A Tale of Two Toxins: Helicobacter Pylori CagA and VacA Modulate ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: KR Jones - 2010 - 被引用次数: 47 - 相关文章

2010年11月23日 - CagA is arguably the most well studied virulence factor of *H. pylori*. One of the most noticeable CagA dependent effects on host cells is the disruption of manner; CagA can inhibit apoptosis of B cells through inhibition of the Once secreted, VacA undergoes proteolytic cleavage to yield two smaller ...

缺少字词: traf1

Piperine treatment suppresses Helicobacter pylori toxin entry in to ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: N Tharmalingam - 2016 - 相关文章

2016年2月15日 - The possible reason behind the *H. pylori* inhibition mechanism of ... Cytotoxic protein CagA is translocated into the gastric epithelial cells via type IV Piperine suppressed CagA injection in AGS cells in a dose dependent manner. ... Effect of piperine on *H. pylori* mediated E-cadherin cleavage and ...

缺少字词: traf1

[PDF] Role of Helicobacter pylori infection in pathogenesis of gastric ...

www.wjgnet.com/esps/DownloadFile.aspx?Type=Digital...1... ▾ 翻译此页

作者: RG Zhang - 2016 - 被引用次数: 5 - 相关文章

2016年2月15日 - of the pathogenesis of *Helicobacter pylori* (*H. pylori*) infection for and inhibit T cell proliferation independent of NFAT. (nuclear factor ... transported into epithelial cells through T4SS, CagA interacts ... CagA in a phosphorylation independent manner during *H. pylori* ... CagA