

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 62041

Manuscript Type: CASE REPORT

Anesthetic management on bilateral pheochromocytoma resections of Von Hippel-Lindau disease: A case report

Wang *et al.* Anesthetic management on pheochromocytoma of VHL

Lu Wang, Yi Feng, Lu-Yang Jiang

Abstract

BACKGROUND

The Von Hippel-Lindau disease, a.k.a. VHL syndrome, is a class of autosomal dominant

Match Overview

1 Internet 17 words
crawled on 03-Oct-2019
www.wjgnet.com

1%

The anesthetic management on bilateral pheochromocytoma resect



ALL

IMAGES

VIDEOS

34,700 Results

Any time ▾

Open links in new tab



Anesthetic Management of von Hippel-Lindau Syndrome for ...

[https://journals.lww.com/anesthesia-analgesia/...](https://journals.lww.com/anesthesia-analgesia/)

This case report describes the anesthetic management of a patient admitted for excision of cerebellar mass who was incidentally found to have VHLS with bilateral pheochromocytoma. Case Report A 22-yr-old man weighing 32 kg presented with a 5-mo history of headache and vomiting, along with blurring of vision and unstable gait for 1 mo. Headache ...

Pheochromocytoma resection: Current concepts in ...

<https://www.joacp.org/article.asp?issn=0970-9185;...>

, For patients with bilateral adrenal PCC as well as those with multiple endocrine neoplasia-2 and Von-Hippel-Lindau syndromes with unilateral masses, bilateral cortical-sparing adrenalectomy has been proposed because of the high incidence of synchronous and metachronous disease ...

Cited by: 23

Author: Harish Ramakrishna

Publish Year: 2015

Anesthesia for Pheochromocytoma | Anesthesia Key

<https://aneskey.com/anesthesia-for-pheochromocytoma> ▾

Genetic syndrome % Pheo Features VHL type 2 a–c 10–20 CNS hemangioblastoma von Hippel–Lindau syndrome Renal carcinoma Chromosome 3 Endolymphatic sac tumors Epididymal cystadenomas Pancreatic and renal cysts Retinal angiomas Affects also children and adolescents Pheochromocytoma Often bilateral and extra-adrenal location Usually benign; mainly noradrenergic but some adrenergic ...

[PDF] Laparoscopic Bilateral Pheochromocytoma Resection in ...

www2.pedsanesthesia.org/meetings/2012winter...

Laparoscopic)Bilateral)PheochromocytomaResectionin an Obese

Teen)with)von)Hippel:Lindau)disease))) Moderators:!!Dr.Julia!Chen,!MD!!

Assistant!Professor!of!Anesthesiology!

Treatment of pheochromocytoma in adults - UpToDate

<https://www.uptodate.com/contents/treatment-of-pheochromocytoma-in-adults> ▾

Nov 25, 2019 · INTRODUCTION. Pheochromocytoma is a rare neuroendocrine tumor, occurring in less than 0.2 percent of patients with hypertension [1]. In approximately 60 percent of patients, the tumor is

identically during computed tomography (CT) or magnetic resonance imaging (MRI) of the

ALL

IMAGES

VIDEOS

49,400 Results

Any time ▾

Anesthetic Management of von Hippel-Lindau Syndrome for ...

[https://journals.lww.com/anesthesia-analgia/...](https://journals.lww.com/anesthesia-analgia/)

This **case report** describes the **anesthetic management** of a patient admitted for excision of cerebellar mass who was incidentally found to have VHLS with **bilateral pheochromocytoma**. **Case Report** A 22-yr-old man weighing 32 kg presented with a 5-mo history of **headache and vomiting**, along with blurring of vision and unstable gait for 1 mo. **Headache** was paroxysmal ...

Pheochromocytoma resection: Current concepts in anesthetic ...

<https://www.joacp.org/article.asp?issn=0970-9185;...>

As mentioned earlier, **pheochromocytoma resection** is widely considered to be among the most challenging in **anesthetic** practice, with the primary goal being the delivery of an anesthetic which provides stable hemodynamics in the face of catecholamine surges (especially at laryngoscopy, peritoneal insufflation, surgical stimulation, and tumor handling) followed by the opposite ...

Cited by: 25

Author: Harish Ramakrishna

Publish Year: 2015

PEOPLE ALSO ASK

Is pheochromocytoma perioperative? ▾

What are the symptoms of pheochromocytoma? ▾

Von Hippel–Lindau disease

Rare Genetic Disorder

Von Hippel–Lindau disease, also known as Von Hippel–Lindau syndrome, is a rare genetic disorder with multisystem involvement. It is characterized by visceral cysts and benign tumors with potential for subsequent malignant transformation. It is a type of phakomatosis that results from a mutation in the Von Hippel–Lindau tumor suppressor gene on chromosome 3p25.3.

 Wikipedia

People also search for

Tuberous Sclerosis

Multiple endocrine neoplasia

Neurofibromatosis type I

Neurofibromatosis

Li–Fraumeni syndrome

See more

ALL IMAGES VIDEOS

51,900 Results Any time ▾ Open links in new tab 

Anesthetic Management of von Hippel-Lindau Syndrome for ...

<https://journals.lww.com/anesthesia-analgesia/...>

This **case report** describes the **anesthetic management** of a patient admitted for excision of cerebellar mass who was incidentally found to have VHLS with **bilateral pheochromocytoma**. **Case Report** A 22-yr-old man weighing 32 kg presented with a 5-mo history of **headache and vomiting**, along with blurring of vision and unstable gait for 1 mo. **Headache** was paroxysmal and not associated with sweating.

Anesthetic Management of von Hippel-Lindau Syndrome for ...

<https://www.academia.edu/5873628/Anesthetic...> ▾

Anes- **pheochromocytoma** (often **bilateral**) are also associ- thesia was induced with meperidine 30 mg, thiopental ated with the disease (1). This **casereport** describes the 4 mg/kg, and lidocaine 80 mg. Vecuronium 6 mg was ad- **anesthetic management** of a patient admitted for ex- ministered to facilitate endotracheal intubation.

PEOPLE ALSO ASK

- Is pheochromocytoma perioperative? ▾
- What are the symptoms of pheochromocytoma? ▾
- Is pheochromocytoma Nightmare? ▾

Feedback

Laparoscopic Adrenalectomy in a Patient of Von Hippel ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4225904>

Anaesthetic management of VHL with **pheochromocytoma** is by itself a challenge this case was more challenging by presence of a VP shunt. The case was successfully managed by vigilant clinical and invasive haemodynamic monitoring without worsening the co-existing neurological disorder.

Author: Mungasuvalli Nc, Seenappa Pujari, Chin... **Publish Year:** 2014

Pheochromocytoma resection: Current concepts in anesthetic ...

<https://www.joacp.org/article.asp?issn=0970-9185;...>

As mentioned earlier, **pheochromocytoma resection** is widely considered to be among the most challenging in **anesthetic** practice, with the primary goal being the delivery of an anesthetic which provides stable hemodynamics in the face of catecholamine surges (especially at laryngoscopy, peritoneal insufflation, surgical stimulation, and tumor handling) followed by the opposite scenario ...

Cited by: 25 **Author:** Harish Ramakrishna

Search Tools

Turn off Hover Translation (关闭取词)