

国内版

国际版



Prognostic value of pretreatment enhanced CT charact



ALL

IMAGES

VIDEOS

20,800 Results

Any time ▾

Prognostic value of the primary lesion apparent diffusion ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4505330>

Jul 17, 2015 · A high **pretreatment** ADC was associated with advanced T classification, the **pretreatment** ADC of the primary lesion was an independent **prognostic** indicator of LRFS and DFS, and combining the **pretreatment** ADC with the current T classification resulted in superior **prognostic value** for local failure compared to T classification alone **in patients** ...

Cited by: 19

Author: Yuan Zhang, Xu Liu, Yun Zhang, Wen F...

Publish Year: 2015

Prognostic significance of SUV on PET/CT in patients with ...

https://www.researchgate.net/publication/24263111_Prognostic_significance_of_SUV_on...

Request PDF | **Prognostic** significance of SUV on PET/CT **in patients with esophageal** cancer: A systematic review and meta-analysis | **Esophageal** cancer is the third most common gastrointestinal ...

(PDF) Prognostic value of baseline FDG uptake on PET-CT in ...

https://www.researchgate.net/publication/262383420_Prognostic_value_of_baseline_FDG...

Prognostic value of baseline FDG uptake on PET-CT **in esophageal carcinoma**. ... on **pretreatment** PET scans as a **prognostic** tool for **patients with esophageal** cancer, especially in those who have ...

(PDF) Predictive value of pretreatment MRI texture ...

https://www.researchgate.net/publication/330231097_Predictive_value_of_pretreatment...

The **prognostic** and predictive **value** of vascular response parameters measured by dynamic contrast-**enhanced-CT**, -MRI and -US **in patients** with metastatic renal cell **carcinoma** ...



12,600 Results Any time ▾

Prognostic value of pretreatment inflammatory biomarkers ...

<https://onlinelibrary.wiley.com/doi/full/10.1111/1759-7714.13164>

Introduction. **Esophageal carcinoma** is the sixth leading cause of **cancer**-related deaths worldwide and the third most common **cancer** in China. 1, 2 The common types of **esophageal cancer** are squamous cell **carcinoma** and adenocarcinoma and primary small cell **carcinoma** of the **esophagus** (PSCCE) which is a relatively rare histological subtype, accounting for only 0.5–2.8% of all **esophageal** ...

Cited by: 1 **Author:** Nan Wang, Xue Li, Hui Luo, Yanan Sun, ...

Publish Year: 2019

Texture analysis of pretreatment [18F]FDG PET/CT for the ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6738371>

Background. The aim of this **study** was to evaluate the **prognostic value** of positron emission **tomography** (PET) parameters and the PET texture features of fluorine 18-fluorodeoxyglucose ([18 F]FDG) uptake on pretreatment PET/**computed tomography** (CT) in patients with locally advanced salivary gland **carcinoma** treated with interstitial brachytherapy.

Author: Wen-Jie Wu, Zhen-Yu Li, Shuang Don... **Publish Year:** 2019

Prognostic values of mid-radiotherapy 18F-FDG PET/CT in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6362604>

The use of 18 F-fluoro-2-deoxyglucose positron emission **tomography/computed tomography** (18 F-FDG PET/CT) as an imaging modality has been steadily increasing in patients with most types of solid **tumors**, including **esophageal cancer**. The use of FDG uptake, which is indicative of **tumor** metabolism, has also been explored for its **prognostic** utility.

Cited by: 1 **Author:** Nalee Kim, Hojin Cho, Mijin Yun, Kyung ...

Publish Year: 2019

(PDF) The Prognostic Value of Pretreatment Gallium-68 ...

https://www.researchgate.net/publication/335979110_The_Prognostic_Value_of...

Purpose of the **study**: The purpose of this **study** was to evaluate the potential value of gallium-68 (Ga-68)-DOTATATE positron emission **tomography/computed tomography** (PET/CT) in predicting the ...

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 56550

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Prognostic value of pretreatment-enhanced computed tomography in esophageal neuroendocrine carcinoma: Multi-center follow-up study

Zhou Y *et al.* CT predicts survival for esophageal NEC

Yue Zhou, Ping Hou, Kai-Ji Zha, Feng Wang, Kun Zhou, Wei He, Jian-Bo Gao

Abstract

BACKGROUND

The rare incidence of esophageal neuroendocrine carcinoma (NEC), and low treatment experience results in insufficient clinical observations and unsuitable guidelines for its management.

Match Overview

1	Crossref 49 words Yue Zhou, Ping Hou, Kai-Ji Zha, Dan Liu, Feng Wang, Kun Zhou, Jianbo Gao "Spectral Computed Tomography for th	1%
2	Crossref 41 words Shengnan Ren, Xiaofei Zhu, Anyu Zhang, Danni Li, Changling Zuo, Huijun Zhang "Prognostic value of 18F-FDG PET	1%
3	Crossref 36 words E P M van Vleet "Staging Investigations for oesophageal ... ncor: a meta-analysis", <i>British Journal of Cancer</i> , 02/12/20	1%
4	Internet 28 words crawled on 03-Jun-2020 people.bvnlid.org	1%
5	Internet 26 words crawled on 15-Aug-2019 www.dowexpress.com	1%
6	Crossref 24 words G Zhang, B Wu, X Wang, J Li "A competing-risk homoge m and recursive partitioning analysis for cause-specific r	1%
7	Internet 16 words crawled on 01-Nov-2019 fipublishing.blob.core.windows.net	<1%
8	Internet 14 words crawled on 28-May-2020 www.oncotarget.com	<1%
9	Internet 14 words crawled on 18-May-2020 www.spandidos-publications.com	<1%
10	Internet 14 words	<1%



ALL

IMAGES

VIDEOS

12,600 Results

Any time ▾

[Prognostic value of pretreatment inflammatory biomarkers ...](#)

<https://onlinelibrary.wiley.com/doi/full/10.1111/1759-7714.13164>

Introduction. **Esophageal carcinoma** is the sixth leading cause of **cancer**-related deaths worldwide and the third most common **cancer** in China. 1, 2 The common types of **esophageal cancer** are squamous cell **carcinoma** and adenocarcinoma and primary small cell **carcinoma** of the **esophagus** (PSCCE) which is a relatively rare histological subtype, accounting for only 0.5–2.8% of all **esophageal ...**

Cited by: 1**Author:** Nan Wang, Xue Li, Hui Luo, Yanan Sun, ...**Publish Year:** 2019

[Prognostic values of mid-radiotherapy 18F-FDG PET/CT in ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6362604>

The use of 18 F-fluoro-2-deoxyglucose positron emission **tomography/computed tomography** (18 F-FDG PET/CT) as an imaging modality has been steadily increasing in patients with most types of solid **tumors**, including **esophageal cancer** . The use of FDG uptake, which is indicative of **tumor** metabolism, has also been explored for its **prognostic** utility.

Cited by: 1**Author:** Nalee Kim, Hojin Cho, Mijin Yun, Kyung ...**Publish Year:** 2019

[Texture analysis of pretreatment \[18F\]FDG PET/CT for the ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6738371>

Background. The aim of this **study** was to evaluate the **prognostic value** of positron emission **tomography** (PET) parameters and the PET texture features of fluorine 18-fluorodeoxyglucose ([18 F]FDG) uptake on pretreatment PET/**computed tomography** (CT) in patients with locally advanced salivary gland **carcinoma** treated with interstitial brachytherapy.

Author: Wen-Jie Wu, Zhen-Yu Li, Shuang Do... **Publish Year:** 2019

[The Prognostic Value of Pretreatment Gallium-68 DOTATATE ...](#)

[https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6738371](#)