

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 16105

Columns: ORIGINAL ARTICLE

Basic Study

**Conjugation of toll-like receptor-7 agonist to gastric cancer antigen
MG7-Ag exerts antitumor effects**

Wang XD *et al.* TLR7 agonist exerts antitumor effects

Xiao-Dong Wang, Ning-Ning Gao, Yu-Wen Diao, Yu Liu, Dong Gao, Wang Li,
Yan-Yan Wan, Jing-Jing Zhong, Guang-Yi Jin

Xiao-Dong Wang, Ning-Ning Gao, Yu-Wen Diao, Yu Liu, Dong Gao, Wang
Li, Yan-Yan Wan, Jing-Jing Zhong, Guang-Yi Jin, School of Medicine,
Shenzhen University, Shenzhen 518060, Guangdong Province, China

Match Overview

1	Internet 117 words crawled on 04-May-2015 www.wjgnet.com	2%
2	Internet 29 words crawled on 16-Jun-2014 www.pibb.ac.cn	<1%
3	Internet 21 words crawled on 02-Nov-2013 www.pnas.org	<1%



Conjugation of toll-like receptor-7 agonist to gastric cancer antigen MG7-Ag ▾



学术搜索

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利

☒ 包含引用

创建快讯

您的搜索 - **Conjugation of toll-like receptor-7 agonist to gastric cancer antigen MG7-Ag exerts antitumor effects** - 与所有文章均不相符。

建议:

请检查输入字词有无错误。

请尝试其他的查询词

请改用较常见的字词。

请减少查询字词的数量。

[请向所有网络查询](#)

[关于 Google 学术搜索](#)

[隐私权](#)

[条款](#)

[提供反馈](#)

Web

Images

Videos

News

Shopping

Maps

Books

About 808 results

Any time

Past hour

Past 24 hours

Past week

Past month

Past year

All results

Verbatim

[Toll-Like Receptor-4 Modulation for Cancer Immunotherapy](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4110442/)www.ncbi.nlm.nih.gov/pmc/articles/PMC4110442/ ▼

Jul 25, 2014 ... **Toll-like receptors** (TLRs) are evolutionarily conserved pattern recognition molecules. ... viral hepatitis (4) infections lead to **gastric** and liver cancers, respectively. TLR4 can induce an efficient **cancer antigen**-specific cytotoxic T cell ... It is possible that TLR4 **exerts** pro- or anti-**cancer effects**, depending on ...

[Trial Watch - National Center for Biotechnology Information](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4091055/)www.ncbi.nlm.nih.gov/pmc/articles/PMC4091055/ ▼

Aug 1, 2014 ... **Toll-like receptor** agonists in oncological indications Rather, TICAM1-transduced signals activate interferon regulatory factor **7** (IRF7), ... TLRs have been shown to negatively impact the response of **cancer** were found to **exert** synergistic **antitumor effects**, in vitro and in vivo. O'Neill LA, Bowie **AG**.

[Improvement of different vaccine delivery systems for cancer therapy](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3024302/)www.ncbi.nlm.nih.gov/pmc/articles/PMC3024302/ ▼

Jan 7, 2011 ... Many tumor-associated **antigens** are excellent targets for immune therapy and vaccine design. lymphocyte activity and best **anti-tumor effects** in lung cancer animal immunostimulatory DNA binds to and activates **Toll-like receptors** a **gastric cancer antigen MG7** and a CpG sequence motif containing ...

[\[PDF\] General Principles of Tumor Immunotherapy Basic ... - ResearchGate](http://www.researchgate.net/profile/.../00b49519617e9c837d000000.pdf)www.researchgate.net/profile/.../00b49519617e9c837d000000.pdf

A PERSPECTIVE ON CANCER IMMUNOLOGY AND IMMUNOTHERAPY, **7** ... molecules of pathogens, such as **toll-like receptors** (TLRs) that signal upon binding LIGHT is thought to **exert** its **anti-tumor effects** through apoptosis induction, as oral DNA vaccine against **MG7-Ag** of **gastric cancer** using attenuated ...

[Immunotherapy - UFRGS](http://www.ufrgs.br/immunovet/molecular_immunology/immunotherapy.html)www.ufrgs.br/immunovet/molecular_immunology/immunotherapy.html ▼