

Name of Journal: *World Journal of Orthopedics*

ESPS Manuscript NO: 24988

Manuscript Type: Retrospective Cohort Study

Criteria for Level 1 and Level 2 trauma codes: Are pelvic ring injuries undertriaged?

**Brittany E. Haws, BS; Scott Wuertzer, MD; Laura Raffield, PhD; Leon Lenchik, MD;
Anna N. Miller, MD**

Match Overview

1	CrossCheck 55 words Haws, Brittany E., Scott Wuertzer, Leon Lenchik, and Anna N. Miller. "Misclassification of Pelvic Ring Injuries in t...	2%
2	Internet 42 words crawled on 26-Nov-2014 www.biomedcentral.com	1%
3	Internet 28 words crawled on 21-Oct-2010 pediatrics.aappublications.org	1%
4	Internet 22 words crawled on 26-Jun-2015 www.science.gov	1%
5	CrossCheck 22 words Robert A. Cherry. "Trauma Team Activation and the Im[...] ct on Mortality", The Journal of Trauma Injury Infection an	1%
6	Internet 20 words crawled on 08-Jul-2014 emcongress.org	1%

学术搜索

找到约 29 条结果 (用时0.07秒)

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

Geriatric trauma: demographics, injuries, and mortality

JM Keller, MF Sciadini, E Sinclair... - ... of orthopaedic trauma, 2012 - journals.lww.com

... See Instructions for Authors for a complete description of levels of evidence. ... The ICD-9 groups with a significance level of $P > 0.2$ ($n = 39$ of 53 groups) were excluded from further analysis, leaving 14 groups for inclusion in the ... Old age as a criterion for trauma team activation. ...

被引用次数: 41 相关文章 所有 5 个版本 引用

Defining the major trauma patient and trauma severity.

WW YOUNG, JC YOUNG, SJ SMITH... - Journal of Trauma and ..., 1991 - journals.lww.com

... These resource requirements for each patient type are trans- lated into cost-based relative weights and ... This criterion was added to try to identify major femur/pelvic injuries that were ... tertiary patients by place of service Percentage of Single Injury Tertiary Criteria Patients Nlfsntgir ...

被引用次数: 38 相关文章 所有 9 个版本 引用

The overutilization of resources in patients with acute upper extremity trauma and infection

TL Hartzell, P Kuo, KR Eberlin, JM Winograd... - The Journal of hand ..., 2013 - Elsevier

... 7 In 2003, EMTALA requirements were updated and lower-level hospitals were given further discretion ... and amputation proximal to the wrist and ankle), 5 and 20 the criteria are broad ... 2% undertriage and 3% overtriage rate, which suggests the benefits of guidelines focused on ...

被引用次数: 11 相关文章 所有 6 个版本 引用

Direct transport of geriatric trauma patients with pelvic fractures to a Level I trauma center within an organized trauma system: impact on two-week incidence of in-

T Garwe, ZV Roberts, RM Albrecht, AE Morgan... - The American Journal of ..., 2012 - Elsevier

... triage guidelines do not recommend old age as the sole criterion for triage ... However, recently published federal guidelines recommend direct triage to tertiary trauma centers ... have no substantial injury after evaluation using physiologic, anatomic, and mechanism of injury criteria. ...

被引用次数: 3 相关文章 所有 6 个版本 引用

researchgate.n

Your search - **allintitle: Criteria for Level 1 and Level 2 trauma codes Are pelvic ring injuries undertriaged** - did not match any articles.

Suggestions:

Make sure all words are spelled correctly.

Try different keywords.

Try more general keywords.

Try fewer keywords.

[Try your query on the entire web](#)

[About Google Scholar](#)

[Privacy](#)

[Terms](#)

[Provide feedback](#)

[全部](#)[图片](#)[新闻](#)[视频](#)[地图](#)[更多 ▾](#)[搜索工具](#)

找到约 246 条结果 (用时 0.77 秒)

您是不是要找: **Criteria for level 1 and level 2 trauma codes: Are pelvic ring injuries *undertriage*?**

[PDF] Resources for Optimal Care of the Injured Patient 2014

<https://www.facs.org/.../trauma/.../resources%20for%20optimal%20care%202014%20...> ▾

1996年9月11日 - 1. RESOURCES FOR OPTIMAL CARE OF THE INJURED PATIENT 2014 II
criteria were reviewed and revised to ensure that both types of ... The Level II trauma center is a hospital
that also is expected to with neurologic and vascular injury, and multisystem trauma patients with
unstable pelvic ring ...

[PDF] Guide to Development - Michigan Trauma Coalition

mitrauma.org/wp.../StateWideTraumaSyst_GuidetoDevelopment_ML.pdf ▾ [翻译此页](#)

Appendix I- Michigan Level IV Essential Components..... 103 ... or facility with resources to
care for the injured patient is incorporated. Effective trauma.

[PDF] AAST Poster Pages - The American Association for the Surgery of ...

www.aast.org/asset.axd?id=c4fbb28d-15ab-4b84-8ac1...t.../asset.axd ▾ [翻译此页](#)

objective criteria to allocate patients at our burn center to one of four trajectories: early rapid decline, late
... first week of injury, cardiogenic shock or lung injury in weeks 1-2, and sepsis/multi-organ Objective:
Monitor systems-level complexity to identify decompensation. vessel 4. pelvic fracture with ring
disruption.

[PDF] 20110720_S3-LL Polytrauma ... - AWMF

www.awmf.org/...D.../012-019e_S3_Severe_and_Multiple_Injuries_2015-01.pdf ▾

S3 Guideline on Treatment of Patients with Severe and Multiple Injuries. - ii - Table 1: AWMF table of
levels for guideline development [4]. The primary goal of trauma/emergency room activation criteria