

找到约 24,000 条结果 (用时 0.62 秒)

Aorta and Great Vessels: Percutaneous Biliary Drainage

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: B Funaki - 2007 - 相关文章

Percutaneous **biliary drainage** was one of the first nonvascular interventional ...

Often, I use ultrasound for left-sided **punctures** in adults aiming for the segment 3 **portal** ... **Percutaneous transhepatic biliary drainage** in a 71-year-old woman with ... with **nondilated ducts** may be indicated in **patients** with **bile duct** injuries (e.g., ...

[PDF] Cholangiocarcinoma: Introduction - Johns Hopkins Medi...

www.hopkinsmedicine.org/.../biliary.../cholangiocarcinoma.pdf ▾ 翻译此页

A, Extrahepatic tumor; B, **intrahepatic** tumor resulting in **biliary duct dilation**. ... metastatic nodules throughout the liver with **dilation** of **bile ducts peripheral** to the mass. ... The liver receives its blood supply from the **portal vein** and ... This group of **patients** would benefit from **percutaneous transhepatic** cholangiography.

for CBD stones - GastroHep

www.gastrohep.com/ebooks/ebook.asp?book=1405120789... ▾ 翻译此页

Common **bile duct** (CBD) stones can be classified into primary stones (those that ... the biliary tree, the status of the common **bile duct**, **intrahepatic bile ducts**, ... **patient** age, pancreatic duct opacification, and a **non-dilated** common **bile duct** [17]. ... A **percutaneous transhepatic biliary drain** (PTBD) can be considered when ...

[PDF] Interventional Radiology in the Treatment of the

www.researchgate.net/.../0a85e52d9188bac2c3000000.pdf ▾ 翻译此页

作者: AJ Towbin - 2004 - 被引用次数: 1 - 相关文章

of **patients** that in many ways is the most challenging in all of pediatric intervention. ... transplant the hepatic artery, the **portal vein**, the inferior vena cava, the common **bile**

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 18197

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Peripheral portal vein-oriented non-dilated bile duct puncture for
percutaneous transhepatic biliary drainage

Hiroaki Shimizu, Atsushi Kato, Tsukasa Takayashiki, Satoshi Kuboki, Masayuki
Ohtsuka, Hideyuki Yoshitomi, Katsunori Furukawa, Masaru Miyazaki

Abstract

AIM: To evaluate the efficacy of peripheral portal vein (PV)-oriented non-dilated
bile duct (BD) puncture for percutaneous transhepatic biliary drainage (PTBD).

Match Overview

- | Match Number | Source | Words | Similarity |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| 1 | CrossCheck | 36 words | 1% |
| | Weber, A. "Complications of percutaneous transhepatic biliary drainage in patients with dilated and nondilated intrahepatic biliary ducts." <i>Journal of Gastroenterology and Hepatology</i> 1999;14(12):1511-1516. | | |
| 2 | CrossCheck | 23 words | <1% |
| | Carels, Robert A., James Rossi, Jessica Borushok, Maija B. Taylor, Allison Kiefner-Burmeister, Nicole Cross, Nova H. ... | | |
| 3 | Internet | 17 words | <1% |
| | crawled on 06-Aug-2015 www.springer.com | | |
| 4 | Internet | 15 words | <1% |
| | crawled on 30-Jul-2015 w.bedfordrugby.co.uk | | |
| 5 | CrossCheck | 10 words | <1% |
| | Andreas Weber. "Long-term outcome of endoscopic and/or percutaneous transhepatic therapy in patients with biliary ..." | | |



Peripheral portal vein-oriented non-dilated bile duct puncture for percu



网页

图片

视频

新闻

更多

搜索工具

找到约 16,800 条结果 (用时 0.64 秒)

Ultrasound and fluoroscopy guided percutaneous ...

www.ncbi.nlm.nih.gov/pubmed/18253782 ▾ 翻译此页

作者: W Lee - 2008 - 被引用次数: 28 - 相关文章

... transhepatic biliary drainage in patients with nondilated bile ducts. ... We punctured along the course of the targeted bile duct or portal vein when the bile duct ... peripheral bile duct successfully, even when its course was not visualized well ...

Aorta and Great Vessels: Percutaneous Biliary Drainage

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: B Funaki - 2007 - 相关文章

Percutaneous biliary drainage was one of the first nonvascular interventional ... Often, I use ultrasound for left-sided punctures in adults aiming for the segment 3 portal ...

Percutaneous transhepatic biliary drainage in a 71-year-old woman with ... In patients with nondilated ducts, it may be difficult or impossible to access a ...

Transplant Interventions: Interventional Radiology in the ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: AJ Towbin - 2004 - 被引用次数: 2 - 相关文章

Intrahepatic bile ducts may not be dilated in pediatric patients even when they are ...

Percutaneous transhepatic biliary dilatation and drain placement. ... In the single-stick technique, the primary puncture site is used for both PTC and drain placement. The most common venous complications include portal vein stenosis or ...

[PDF] Download pdf - netkey.at

pdf.posterimg.netkey.at/download/index.php?module... ▾ 翻译此页

Percutaneous Transhepatic Biliary Drainage in One Single. Institute ... In patients with non-dilated or minimally dilated IHD, the central duct. (usually the first or ...



[网页](#) [图片](#) [视频](#) [新闻](#) [更多 ▾](#) [搜索工具](#)

找到约 23,400 条结果 (用时 0.67 秒)

Ultrasound and fluoroscopy guided percutaneous ...

www.ncbi.nlm.nih.gov/pubmed/18253782 ▾ [翻译此页](#)

作者 : W Lee - 2008 - [被引用次数 : 28](#) - [相关文章](#)

... **transhepatic biliary drainage** in patients with **nondilated bile ducts**. ... We **punctured** along the course of the targeted **bile duct** or **portal vein** when the **bile duct** ... **peripheral bile duct** successfully, even when its course was not visualized well ...

Aorta and Great Vessels: Percutaneous Biliary Drainage

www.ncbi.nlm.nih.gov > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者 : B Funaki - 2007 - [相关文章](#)

Percutaneous **biliary drainage** was one of the first nonvascular interventional ... Often, I use ultrasound for left-sided **punctures** in adults aiming for the segment 3 **portal** ... **Percutaneous transhepatic biliary drainage** in a 71-year-old woman with ... In patients with **nondilated ducts**, it may be difficult or impossible to access a ...

Transplant Interventions: Interventional Radiology in the ...

www.ncbi.nlm.nih.gov > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者 : AJ Towbin - 2004 - [被引用次数 : 2](#) - [相关文章](#)

Intrahepatic **bile ducts** may **not** be **dilated** in pediatric patients even when they are ... **Percutaneous transhepatic biliary** dilatation and **drain** placement. ... In the single-stick technique, the primary **puncture** site is used for both PTC and **drain** placement. The most common **venous** complications include **portal vein** stenosis or ...

[PDF] Download pdf - netkey.at

pdf.posterng.netkey.at/download/index.php?module... ▾ [翻译此页](#)

Percutaneous Transhepatic Biliary Drainage in One Single. Institute ... In patients with **non-dilated** or minimally dilated IHD, the central **duct**. (usually the first or ...