

Name of Journal: *World Journal of Psychiatry*

Manuscript NO: 49342

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Outcomes of administrative involuntary hospitalization: A national retrospective cohort study in Japan

Shiina A *et al.* Outcome study of involuntary psychiatric hospitalization

Akihiro Shiina, Aiko Sato, Masaomi Iyo, Chiyo Fujii

Match Overview

- 1 Internet** 99 words
crawled on 11-Mar-2019
journals.plos.org
- 2 Internet** 28 words
crawled on 10-Jan-2017
www.oudconsultancy.nl
- 3 Crossref Posted Content** 22 words
Akihiro Shiina, Yasutaka Ojio, Aiko Sato, Naoya Sugiyama, Masaomi Iyo, Chiyo Fujii. "The recognition and expectation
- 4 Internet** 21 words
crawled on 05-Apr-2018
www.hkmj.org



All

Images

Videos

翻译成中文

关闭取词

16,800 Results

Any time ▾

Therapeutic Impact of Initial Treatment for Chlamydia ...

<https://academic.oup.com/cid/advance-article/doi/10.1093/cid/ciy862/5127151> ▾

Oct 12, 2018 · The **Diagnosis Procedure Combination (DPC)** database was used in this **retrospective cohort study**. This is a **national inpatient** database of **acute-care inpatients** in Japan; details of the database have been described elsewhere . Briefly, about 1000 **hospitals in Japan**, including all 82 academic hospitals, participate in the database and provide data on approximately 8 million **inpatient admissions** ...

[PDF] Outcomes after early and delayed rehabilitation for ...

<https://respiratory-research.biomedcentral.com/track/pdf/10.1186/s12931-017-0552-7?...>

nationwide retrospective cohort study in Japan Hiroki Matsui^{1*}, Taisuke Jo², Kiyohide Fushimi³ and Hideo Yasunaga¹ Abstract Background: The effectiveness of early pulmonary rehabilitation (PR) for exacerbation of chronic obstructive pulmonary disease (COPD) remains controversial. The present **study** aimed to compare the **outcomes** between

Cited by: 4

Author: Hiroki Matsui, Taisuke Jo, Kiyohide Fus...

Publish Year: 2017

Hospitalization for Hypoglycemia in Japanese Diabetic Patients

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4504598>

We aimed to elucidate the epidemiology, patient demographics, and clinical **outcomes** of **hospitalization** for hypoglycemia in diabetic patients using a Japanese large-scale database. We conducted a **retrospective study** using a **national inpatient** database of acute care hospitals in **Japan**.

Cited by: 10

Author: Akahito Sako, Hideo Yasunaga, Hiroki ...

Publish Year: 2015

Involuntary hospitalization among young people with early ...

<https://www.sciencedirect.com/science/article/pii/S0920996419300465>

This **study** aimed to describe the risk factors for and **outcomes** of **involuntary hospitalization** in a population-based sample of young people with early psychosis in Ontario. We observed that approximately one in four early psychosis patients in Ontario experienced an **involuntary hospitalization** at first admission, and the majority of admissions ...

Author: Rebecca Rodrigues, Arlene G. Mac...

Publish Year: 2019

[PDF] preventing the involuntary readmission © The Author(s ...

https://www.researchgate.net/profile/Hiroyuki_Kikuchi/publication/221751599_Efficacy_of...

used the readmission rate in one year as the **outcome meas - ure** in this **study**. We also used the one-year **involuntary readmission rates** of the two groups as a secondary **outcome measure**.

找到约 159,000 条结果 (用时 0.50 秒)

Google 学术: [Outcomes of administrative involuntary hospitalization: A national retrospective cohort study in Japan](#)

... neoplasms: a multicenter [retrospective cohort study](#) - Tsuji - 被引用次数: 80

... patients in [Japan: A retrospective observational study](#) - Shinjo - 被引用次数: 9

... -related osteonecrosis of the jaws: a [retrospective study](#) - Hasegawa - 被引用次数: 22

[Association of high psychiatrist staffing with prolonged ...](#) - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5880415/> [翻译此页](#)

作者: Y Okumura - 2018 - 被引用次数: 1 - [相关文章](#)

2018年3月28日 - A [retrospective cohort study](#) was conducted using the [National Database of ... Outcomes](#) were prolonged [hospitalization](#) of >90 days, number of ... In [Japan's](#) acute psychiatric care units, the patient-to-psychiatrist ratio is ... medical practice codes, [administration](#) date of medical practice, and diagnostic codes.

[Efficacy of continuous follow-up for preventing the involuntary ...](#)

https://www.researchgate.net/publication/221751599_Efficac... - [翻译此页](#)

2015年8月8日 - Efficacy of continuous follow-up for preventing the involuntary readmission of psychiatric patients in [Japan: A retrospective cohort study](#) ... **RESULTS:** During the observation period, there were 41 readmissions and 29 ... reduced risk of [involuntary admission](#) (IRR = 0.48, 95% CI: 0.22-0.96, p = .047).

[\(PDF\) Mental Health Services Reform in Japan - ResearchGate](#)

https://www.researchgate.net/publication/12722370_Mental_... [翻译此页](#)

PDF | Economic and social pressures are driving [Japan](#) to reform its mental health services. ... of Health Care Economics, [National Institute of Health Services](#) ... criteria for [involuntary hospitalization](#). This new