

[全部](#)[新闻](#)[图片](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 79,800 条结果 (用时 1.29 秒)

您是不是要找: **THE RADIOLOGICAL RESPONSE AND INFLAMMATION SCORES PREDICT TUMOR RECURRENCE IN PATIENTS TREATED WITH TRANSARTERIAL CHEMOEMBOLIZATION FOR LIVER TRANSPLANTATION**

Google 学术: THE RADIOLOGICAL RESPONSE AND INFLAMMATION SCORES PREDICT TUMOR RECURRENCE IN PATIENTS TREATED WITH TRANSARTERIAL CHEMOEMBOLIZATION BEFORE LIVER TRANSPLANTATION

Liver transplantation for the treatment of small ... - Mazzaferro - 被引用次数: 5128

... of dropout and recurrence after liver transplantation for ... - Lai - 被引用次数: 63

... with transarterial chemoembolization in patients with ... - Sieghart - 被引用次数: 104

Inflammation‐Based Scores Do Not Predict Post‐ ...

onlinelibrary.wiley.com/doi/10.1002/lt.23969/pdf - 翻译此页

作者: I Parisi - 2014 - 被引用次数: 18 - 相关文章

associated with complete tumor necrosis in the subset of patients who received ... with post-LT HCC recurrence inflammation-based scores did not predict HCC recurrence post-LT in ... (TAE)/transarterial chemoembolization (TACE), or sys- ... LT, liver transplantation; MRI, magnetic resonance imaging; NLR, neutrophil to ...

Inflammation-based scores do not predict post-transplant recurrence ...

onlinelibrary.wiley.com/doi/10.1002/lt.23969/full - 翻译此页

作者: I Parisi - 2014 - 被引用次数: 18 - 相关文章

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 32644

Manuscript Type: ORIGINAL ARTICLE

Retrospective Cohort Study

The radiological response and inflammation scores predict tumour recurrence in patients treated with transarterial chemoembolization before liver transplantation

Nicolini D. *et al.* Pre-LT predictors of HCC recurrence

Daniele Nicolini, Andrea Agostini, Roberto Montalti, Federico Mocchegiani, Cinzia Mincarelli, Alessandra Mandolesi, Nicola L Robertson, Roberto Candelari, Andrea Giovagnoni, Marco Vivarelli

Abstract

AIM

Match Overview

1	Crossref 74 words "Orals", <i>Transplant International</i> , 2015.	1%
2	Crossref 30 words Lai, Quirino, Alfonso W. Avolio, Ivo Graziadei, Gerd Otto, Massimo Rossi, Giuseppe Tisone, Pierre Goffette, Wolf	1%
3	Internet 27 words crawled on 16-Nov-2016 e-sciencecentral.org	1%
4	Internet 20 words crawled on 27-Feb-2017 f1000.com	<1%
5	Internet 18 words crawled on 01-Jul-2015 www.pubfacts.com	<1%
6	Internet 17 words crawled on 12-Apr-2017 en.wikipedia.org	<1%
7	Internet 17 words crawled on 18-Dec-2016 en.wikipedia.org	<1%

找到约 146,000 条结果 (用时 0.87 秒)

您是不是要找: **The radiological response and inflammation scores predict tumour recurrence in patients treated with transarterial chemoembolization for liver transplantation**

Google 学术: The radiological response and inflammation scores predict tumour recurrence in patients treated with transarterial chemoembolization before liver transplantation

Liver transplantation for the treatment of small ... - Mazzaferro - 被引用次数: 5245

... of dropout and recurrence after liver transplantation for ... - Lai - 被引用次数: 70

... with transarterial chemoembolization in patients with ... - Sieghart - 被引用次数: 114

Strategies to improve outcome of patients with hepatocellular ... - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: M Guerrero-Misas - 2015 - 被引用次数: 9 - 相关文章

2015年4月8日 - Strategies to minimize tumour recurrence and thus to improve outcome may be ... Liver Transplantation (LT) is the only therapeutic option able to treat both the HCC therapies such as transarterial chemoembolization (TACE)[47]. ... the HCC-MELD score in patients with positive response to therapy, and ...

Transarterial chemoembolization: Evidences from the literature and ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: A Facciorusso - 2015 - 被引用次数: 22 - 相关文章

2015年8月8日 - Transarterial chemoembolization (TACE) is the current standard of care of 151 patients treated with on-demand conventional TACE (cTACE). ... and tumor response after TACE; the

找到约 148,000 条结果 (用时 0.98 秒)

您是不是要找：[Radiological response and inflammation scores predict tumour recurrence in patients treated with transarterial chemoembolization for liver transplantation](#)

Google 学术：[Radiological response and inflammation scores predict tumour recurrence in patients treated with transarterial chemoembolization before liver transplantation](#)

[Liver transplantation for the treatment of small ...](#) - [Mazzaferro](#) - 被引用次数：5254

[... of dropout and recurrence after liver transplantation for ...](#) - [Lai](#) - 被引用次数：71

[... with transarterial chemoembolization in patients with ...](#) - [Sieghart](#) - 被引用次数：115

[Strategies to improve outcome of patients with hepatocellular ...](#) - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者：M Guerrero-Misas - 2015 - 被引用次数：10 - [相关文章](#)

2015年4月8日 - Strategies to minimize **tumour recurrence** and thus to improve outcome may be ...

Liver Transplantation (LT) is the only therapeutic option able to **treat** both the HCC therapies such as **transarterial chemoembolization** (TACE)[47]. ... the HCC-MELD **score** in **patients** with positive **response** to therapy, and ...

[Transarterial chemoembolization: Evidences from the literature and ...](#)

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者：A Facciorusso - 2015 - 被引用次数：23 - [相关文章](#)

2015年8月8日 - **Transarterial chemoembolization** (TACE) is the current standard of care of 151

patients treated with on-demand conventional TACE (cTACE). ... and **tumor response** after TACE; the **inflammation** based index **score**, list dropout rate **before transplantation**, reducing HCC **recurrence** after **Radiology**.

[Assessment of response to therapy in Hepatocellular Carcinoma - NCBI](#)