

4
Name of journal: World Journal of Hepatology

ESPS Manuscript NO: 16823

Columns: MINIREVIEWS

Assessing cardiovascular risk in hepatitis C: An unmet need

Javier Ampuero, Manuel Romero-Gómez

Abstract

Chronic hepatitis C (HCV) is associated with significant morbidity and mortality, as a result of the progression towards cirrhosis and hepatocellular carcinoma. Additionally, HCV seems to be an independent risk factor for cardiovascular diseases (CVD) due to its association with insulin resistance, diabetes and steatosis. HCV infection represents an initial step in the chronic inflammatory cascade, showing a direct role in altering glucose metabolism. After achieving sustained virological response, the incidence of insulin resistance and diabetes dramatically decrease. HCV core protein plays an

Match Overview

1	CrossCheck 86 words Salvatore Petta. "Carotid atherosclerosis and chronic hep... itis C: A prospective study of risk associations", Hepatolog	2%
2	CrossCheck 81 words Hsu, Yao-Chun, Jaw-Town Lin, Hsiu J. Ho, Yu-Hsi Kao, Ye n-Tsung Huang, Nai-Wan Hsiao, Ming-Shiang Wu, Yi-Ya Li	2%
3	Internet 61 words crawled on 12-Jan-2015 www.hepatitisnewdrugresearch.com	1%
4	Internet 36 words crawled on 09-Apr-2015 www.wjgnet.com	1%
5	CrossCheck 32 words Salisbury, Derek, and Ulf Bronas. "Inflammation and Imm une System Contribution to the Etiology of Atheroscleros...	1%
6	CrossCheck 29 words Elizabeth C. Verna. "Use of HCV-Positive Organs in Pati... ts With and Without Chronic HCV", Chronic Hepatitis C Vir	1%
7	Internet 27 words crawled on 13-May-2013 www.ncbi.nlm.nih.gov	1%
8	Internet 25 words crawled on 25-Dec-2014 medicine.journalfeeds.com	1%
	CrossCheck 25 words	1.0%



Assessing Cardiovascular Risk in Hepatitis C: an unmet need



网页 新闻 图片 视频 更多 搜索工具

找到约 89,500 条结果 (用时 0.55 秒)

Google 学术 : Assessing Cardiovascular Risk in Hepatitis C: an unmet need

... its association with cardiovascular disease among type ... - Targher - 被引用次数 : 498

Cardiovascular disease risk factors in HIV patients— ... - Friis-Møller - 被引用次数 : 844

A position statement on NAFLD/NASH based on the ... - Ratziu - 被引用次数 : 388

17 - European Association for the Study of the Liver

files.easl.eu/easl-recommendations...hepatitis-C/.../page17.html 翻译此页

HCV infection is prevalent in the No data are available on the impact of HCV infection and ... with an increased risk for after pancreas or small bowel transplantation. all-cause and ... Cardiovascular disease remains, however, the main cause of death in ... This is an urgent unmet need. and the need for dose adjustments for ...

[PDF] Unmet needs in the management of schizophrenia - Dove ...

www.dovepress.com/getfile.php?fileID=18718 翻译此页

作者 : F Torres-González - 2014 - 被引用次数 : 3 - 相关文章

ity because of cardiovascular risk and might be present in almost half of the psychotic view.87 As a consequence, needs assessment can be consid- ered an ...

Unmet needs in the management of schizophrenia

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) 翻译此页

作者 : F Torres-González - 2014 - 被引用次数 : 3 - 相关文章

2014年1月16日 - Studies on unmet needs during the last decades have played a significant ... The Camberwell Assessment of Need is a good example of a tool MS is strongly associated with increased mortality because of cardiovascular risk and



Assessing cardiovascular risk in hepatitis C: An unmet need



网页 图片 新闻 视频 更多 ▾ 搜索工具

找到约 81,300 条结果 (用时 0.46 秒)

Google 学术: Assessing cardiovascular risk in hepatitis C: An unmet need

... its association with cardiovascular disease among type ... - Targher - 被引用次数: 571

Cardiovascular disease risk factors in HIV patients— ... - Friis-Møller - 被引用次数: 884

A position statement on NAFLD/NASH based on the ... - Ratziu - 被引用次数: 470

Transient elastography to assess hepatic fibrosis in ...

www.researchgate.net/.../50363855_Transient_elastography_to... - 翻译此页

TE is superior to APRI in assessing the severity of hepatic fibrosis and can substantially ... rate, high dropout rate due to poor tolerability and many unmet needs. ... and an elevated cardiovascular risk in HCV-infected patients on hemodialysis.

Hepatitis C and kidney disease: An overview and approach ...

[www.ncbi.nlm.nih.gov/.../PubMedCentral\(PMC\)](http://www.ncbi.nlm.nih.gov/.../PubMedCentral(PMC)) ▾ 翻译此页

作者: AN Azmi - 2015 - 被引用次数: 1 - 相关文章

2015年1月27日 - This study also reported that HCV infection is an independent risk factor for ... Less than 10% have vasculitis affecting the kidney, skin and nerves[21,22]. ... The clinical tools used in assessing HCV and the liver disease in ... Diabetes mellitus, hypertension and cardiovascular disease are among the ...

Unmet needs in the management of schizophrenia

[www.ncbi.nlm.nih.gov/.../PubMedCentral\(PMC\)](http://www.ncbi.nlm.nih.gov/.../PubMedCentral(PMC)) ▾ 翻译此页

作者: F Torres-González - 2014 - 被引用次数: 7 - 相关文章

2014年1月16日 - Studies on unmet needs during the last decades have played a significant ... The Camberwell Assessment of Need is a good example of a tool MS

[网页](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 811,000 条结果 (用时 0.74 秒)

Google 学术: Assessing cardiovascular risk in hepatitis C: An unmet need

... its association with cardiovascular disease among type ... - Targher - 被引用次数: 574

Cardiovascular disease risk factors in HIV patients— ... - Friis-Møller - 被引用次数: 886

A position statement on NAFLD/NASH based on the ... - Ratziu - 被引用次数: 473

Hepatitis C Infection May Fuel Heart Risk - 08/11/2015

www.hopkinsmedicine.org > ... > Current News Releases ▾ 翻译此页

2015年8月11日 - People infected with the hepatitis C virus are at risk for liver damage, but the ... with HIV are already known to have an elevated risk for heart disease, ... them should also assess their overall cardiac risk profile regularly," says ...

Transient elastography to assess hepatic fibrosis in ...

www.researchgate.net/.../50363855_Transient_elastography_to... - 翻译此页

TE is superior to APRI in assessing the severity of hepatic fibrosis and can substantially ... rate, high dropout rate due to poor tolerability and many unmet needs. ... and an elevated cardiovascular risk in HCV-infected patients on hemodialysis.

Hepatitis C and kidney disease: An overview and approach ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: AN Azmi - 2015 - 被引用次数: 1 - 相关文章

2015年1月27日 - This study also reported that HCV infection is an independent risk factor for ... Less than 10% have vasculitis affecting the kidney, skin and nerves[21,22]. The clinical tools used in assessing HCV and the liver disease in Diabetes mellitus, hypertension and cardiovascular disease are among the ...