

1
Name of journal: World Journal of Gastrointestinal Oncology

ESPS Manuscript NO: 17983

Columns: Case Report

Gastric carcinoma originating from the heterotopic submucosal gastric gland treated by laparoscopy and endoscopy cooperative surgery

Taisuke Imamura, Shuhei Komatsu, Daisuke Ichikawa, Hiroki Kobayashi, Mahito Miyamae, Shoji Hirajima, Tsutomu Kawaguchi, Takeshi Kubota, Toshiyuki Kosuga, **17** Kazuma Okamoto, Hirotaka Konishi, Atsushi Shiozaki, Hitoshi Fujiwara, Kiyoshi Ogiso, Nobuaki Yagi, Akio Yanagisawa, Takashi Ando, Eigo Otsuji

Abstract

Gastric carcinoma is derived from epithelial cells in the gastric mucosa. We reported an extremely

Match Overview

1	Internet 27 words crawled on 31-Mar-2015 office.wjgnet.com	1%
2	CrossCheck 26 words Tsunehiro Takahashi, "Gastric Cancer Mimicking a Submucosal Tumor Diagnosed by Laparoscopic Excision Biopsy..."	1%
3	CrossCheck 25 words "Concurrent, Oral, Poster, and Video Sessions", Diseases of the Esophagus, 2012.	1%
4	CrossCheck 23 words N. Ohara, "A case of advanced gastric cancer resembling... submucosal tumor of the stomach", Japanese Journal of Cl	1%
5	Internet 18 words crawled on 04-Jun-2014 intl-ueg.sagepub.com	1%
6	CrossCheck 15 words N. Hiki, "Laparoscopic and endoscopic cooperative surgery for gastrointestinal stromal tumor dissection", Surgical En	1%

[网页](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 9,090 条结果 (用时 0.98 秒)

Google 学术: Gastric carcinoma originating from the heterotopic submucosal gastric gland treated by laparoscopy and endoscopy cooperative surgery

... successfully treated by two-stage laparoscopic surgery ... - Kinoshita - 被引用次数: 4

... pylori infection and surgical disease—Part II - Stabile - 被引用次数: 6

Sporadic gastric carcinoid tumor successfully treated by two ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: T Kinoshita - 2010 - 被引用次数: 4 - 相关文章

2010年11月27日 - Endoscopic examination showed a solitary submucosal tumor without ulceration or ... Keywords: Gastric carcinoid, Laparoscopic surgery, ... that carcinoids originate in the lower portion of the gastric glands and ... cells in the heterotopic submucosal gastric gland[16]; however, it is difficult to determine this.

Endoscopic Submucosal Dissection of a Heterotopic Gastric ...

https://www.jstage.jst.go.jp/article/sujms/24/4/24_327/_pdf - [翻译此页](#)

2012年12月13日 - Key words : heterotopic gastric mucosa, endoscopic submucosal dissection, endo- ... The efficiency of laparoscopic surgery for resecting gastric SMT was ... The submucosal tumor was discovered originating from the second ... A mucinous gland was found in the submucosal layer under a normal gastric

[网页](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 9,090 条结果 (用时 0.98 秒)

Google 学术: Gastric carcinoma originating from the heterotopic submucosal gastric gland treated by laparoscopy and endoscopy cooperative surgery

... successfully treated by two-stage laparoscopic surgery ... - Kinoshita - 被引用次数: 4

... pylori infection and surgical disease—Part II - Stabile - 被引用次数: 6

Sporadic gastric carcinoid tumor successfully treated by two ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: T Kinoshita - 2010 - 被引用次数: 4 - 相关文章

2010年11月27日 - Endoscopic examination showed a solitary submucosal tumor without ulceration or ... Keywords: Gastric carcinoid, Laparoscopic surgery, ... that carcinoids originate in the lower portion of the gastric glands and ... cells in the heterotopic submucosal gastric gland[16]; however, it is difficult to determine this.

Endoscopic Submucosal Dissection of a Heterotopic Gastric ...

https://www.jstage.jst.go.jp/article/sujms/24/4/24_327/_pdf - [翻译此页](#)

2012年12月13日 - Key words : heterotopic gastric mucosa, endoscopic submucosal dissection, endo- ... The efficiency of laparoscopic surgery for resecting gastric SMT was ... The submucosal tumor was discovered originating from the second ... A mucinous gland was found in the submucosal layer under a normal gastric

[网页](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 8,020 条结果 (用时 0.96 秒)

Google 学术: Gastric carcinoma originating from the heterotopic submucosal gastric gland treated by laparoscopy and endoscopy cooperative surgery

... successfully treated by two-stage laparoscopic surgery ... - Kinoshita - 被引用次数: 4

... pylori infection and surgical disease—Part II - Stabile - 被引用次数: 6

Sporadic gastric carcinoid tumor successfully treated by two ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: T Kinoshita - 2010 - 被引用次数: 4 - 相关文章

2010年11月27日 - Endoscopic examination showed a solitary submucosal tumor without ulceration or ... Keywords: Gastric carcinoid, Laparoscopic surgery, that carcinoids originate in the lower portion of the gastric glands and ... cells in the heterotopic submucosal gastric gland[16]; however, it is difficult to determine this.

Endoscopic Submucosal Dissection of a Heterotopic Gastric ...

liliary.showa-u.ac.jp/index.php?... - 翻译此页

2012年12月13日 - Key words : heterotopic gastric mucosa, endoscopic submucosal dissection, endo- ... The efficiency of laparoscopic surgery for resecting gastric SMT was ... The submucosal tumor was discovered originating from the second ... A mucinous gland was found in the submucosal layer under a normal gastric