

Name of Journal: *World Journal of Psychiatry*

Manuscript NO: 58729

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Testing the hypothesis of subtypes of nonadherence in schizophrenia and schizoaffective disorder: A prospective study

Dulcinea Vega, Francisco J Acosta, Pedro Saavedra

Abstract

BACKGROUND

Nonadherence is a major problem in the treatment of psychotic disorders. It has been hypothesized that nonadherent patients with schizophrenia are not a homogeneous population and subtypes of nonadherence might exist, but this hypothesis has not been specifically tested.

AIM

To test the hypothesis of subtypes of nonadherence in schizophrenia and schizoaffective disorder.

Match Overview



1	Crossref 34 words Francisco J. Acosta, Yolanda Ramallo-Fariña, Laura Ruiz, Sara Gómez et al. "Prospective study of variables associate ...	1%
2	Internet 30 words crawled on 28-Dec-2017 www.dovepress.com	1%
3	Crossref 28 words Francisco J. Acosta, Santiago Navarro, Beatriz Cabrera, Yolanda Ramallo-Fariña, Natalia Martínez. "Painful insight vs ...	1%
4	Crossref 18 words David Misdrahi, Arnaud Tessier, Mathilde Husky, Anne-Catherine Lange, Bernard Vrijens, Pierre-Michel Llorca, Franck J	<1%

Testing the hypothesis of subtypes of nonadherence in schizophre



ALL

IMAGES

VIDEOS

197,000 Results

Any time ▼

A prospective trial of customized adherence enhancement ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4129952>

This was a **prospective**, uncontrolled trial of CAE-L in non-adherent, homeless or recently homeless individuals with **schizophrenia and schizoaffective disorder**. CAE-L was administered monthly over 6 months. Primary **study** outcomes were medication adherence, as measured with the Tablet Routines Questionnaire (TRQ 11, 12) and housing status ...

Cited by: 18

Author: Martha Sajatovic, Jennifer Levin, Luis F....

Publish Year: 2013

Neurocognition, Insight and Medication Nonadherence in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3483287>

Understanding the **determinants of nonadherence in schizophrenia** is thus important for developing effective **relapse prevention strategies** . Over the last decades, **numerous studies** have investigated the characteristics of the patient, the patient's environment, or **the treatment as determinants of nonadherence** , .

Cited by: 28

Author: Laurent Boyer, Michel Cermolacce, Dani...

Publish Year: 2012

Catatonic Schizophrenia: A Cohort Prospective Study

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3283154>

Aug 06, 2010 · In the 20th century, **catatonia** was usually deemed a **subtype of schizophrenia**. Recently, the nature and **classification of catatonia** are being reconsidered. This study is the first to describe **catatonia** using prospectively collected data and to examine how **catatonic schizophrenia** differs from, or resembles, other **types of schizophrenia**.

Cited by: 18

Author: Karine Kleinhaus, Susan Harlap, Mary C...

Publish Year: 2012



ALL

IMAGES

VIDEOS

183,000 Results

Any time ▼

The continuing story of schizophrenia and schizoaffective ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6370594>

Feb 10, 2019 · 1. Introduction. It has been long debated whether **schizophrenia and schizoaffective disorder** represent a single **disorder** or two distinct conditions (Cheniaux et al., 2008; Malhi et al., 2008). These syndromes share psychotic symptoms, but **schizoaffective disorder** involves a concurrent mood **disorder** and does not require evidence of a decline in role functioning.

Cited by: 2

Author: Leah I. Hartman, R. Walter Heinrichs, Farza...

Publish Year: 2019

Prospective cohort study of the relationship between neuro ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4496853>

Third, this **study** is one of a small number of **prospective** cohort studies of patients with **schizophrenia and schizoaffective disorder** evaluating cognitive (neurocognitive and social cognitive) determinants of violence against persons [47–49] and therefore satisfies ...

Cited by: 63

Author: Ken O'Reilly, Ken O'Reilly, Gary Donohoe, Ci...

Publish Year: 2015

Neurocognition, Insight and Medication Nonadherence in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3483287>

Methods. Design: Cross-sectional **study**. Inclusion criteria: Diagnosis of **schizophrenia** according to the DSM-IV-TR criteria. Data collection: Neurocognition was assessed using a global approach that addressed memory, attention, and executive functions; insight was analyzed using the multidimensional 'Scale to assess Unawareness of Mental **Disorder**,' and **nonadherence** was measured using the ...

Cited by: 28

Author: Laurent Boyer, Michel Cermolacce, Daniel ...

Publish Year: 2012

A Prospective Study Comparing the Long-term Effectiveness ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3010966>

Objective: To **test the hypothesis** that long-term maintenance with injectable risperidone long-acting therapy is superior to oral daily aripiprazole in stable patients with **schizophrenia**. Design: This two-year, rater-blinded, open-label, multicenter **study** (NCT00299702) randomized subjects to injectable risperidone long-acting therapy (25–50mg, injected every 2 weeks) or oral aripiprazole (5 ...

Cited by: 54

Author: Macfadden W, Ma Yw, Thomas Haskins J, ...

Publish Year: 2010

A Prospective Study of Risk Factors for Nonadherence With ...

https://www.researchgate.net/publication/6898290_A...

[ALL](#)
[IMAGES](#)
[VIDEOS](#)
[MAPS](#)
[NEWS](#)
[SHOPPING](#)

389,000 Results Any time ▾

Neurocognition, Insight and Medication Nonadherence in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3483287>

Methods. Design: Cross-sectional **study**. Inclusion criteria: Diagnosis of **schizophrenia** according to the DSM-IV-TR criteria. Data collection: Neurocognition was assessed using a global approach that addressed memory, attention, and executive functions; insight was analyzed using the multidimensional 'Scale to assess Unawareness of Mental **Disorder**;' and **nonadherence** was measured using the ...

Cited by: 28 **Author:** Laurent Boyer, Michel Cermolacce, Danie...
Publish Year: 2012

A Prospective Study Comparing the Long-term Effectiveness ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3010966>

Objective: To **test the hypothesis** that long-term maintenance with injectable risperidone long-acting therapy is superior to oral daily aripiprazole in stable patients with **schizophrenia**. Design: This two-year, rater-blinded, open-label, multicenter **study** (NCT00299702) randomized subjects to injectable risperidone long-acting therapy (25–50mg, injected every 2 weeks) or oral aripiprazole (5 ...

Cited by: 54 **Author:** Macfadden W, Ma Yw, Thomas Haskins J...
Publish Year: 2010

Schizophrenia vs. Schizoaffective Disorder: The Difference ...

<https://www.webmd.com/schizophrenia/schizophrenia...> ▾

Feb 26, 2019 · **Schizophrenia and schizoaffective disorder** have some things in common, but there are important differences that affect your everyday life. ...

PEOPLE ALSO ASK

Can antipsychotics treat schizophrenia? ▾

Is schizophrenia and schizoaffective disorder the same? ▾

What is the best treatment for schizophrenia? ▾