



PEER-REVIEW REPORT

Name of journal: *World Journal of Clinical Cases*

Manuscript NO: 82447

Title: Transseptal Approach for Catheter Ablation of Left-sided Accessory Pathways in Children with Marfan Syndrome: A case report

Provenance and peer review: Unsolicited Manuscript; Externally peer reviewed

Peer-review model: Single blind

Reviewer's code: 06360634

Position: Peer Reviewer

Academic degree: MD, PhD

Professional title: Staff Physician

Reviewer's Country/Territory: Bulgaria

Author's Country/Territory: China

Manuscript submission date: 2022-12-28

Reviewer chosen by: AI Technique

Reviewer accepted review: 2022-12-29 17:17

Reviewer performed review: 2022-12-30 11:27

Review time: 18 Hours

Scientific quality	<input type="checkbox"/> Grade A: Excellent <input checked="" type="checkbox"/> Grade B: Very good <input type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
Novelty of this manuscript	<input type="checkbox"/> Grade A: Excellent <input checked="" type="checkbox"/> Grade B: Good <input type="checkbox"/> Grade C: Fair <input type="checkbox"/> Grade D: No novelty
Creativity or innovation of this manuscript	<input type="checkbox"/> Grade A: Excellent <input checked="" type="checkbox"/> Grade B: Good <input type="checkbox"/> Grade C: Fair <input type="checkbox"/> Grade D: No creativity or innovation



Baishideng Publishing Group

7041 Koll Center Parkway, Suite
160, Pleasanton, CA 94566, USA
Telephone: +1-925-399-1568
E-mail: bpgoffice@wjgnet.com
<https://www.wjgnet.com>

Scientific significance of the conclusion in this manuscript	<input type="checkbox"/> Grade A: Excellent <input checked="" type="checkbox"/> Grade B: Good <input type="checkbox"/> Grade C: Fair <input type="checkbox"/> Grade D: No scientific significance
Language quality	<input type="checkbox"/> Grade A: Priority publishing <input checked="" type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
Conclusion	<input type="checkbox"/> Accept (High priority) <input checked="" type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
Re-review	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Peer-reviewer statements	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous
	Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS

The manuscript has significant clinical and practical value. It is very logically arranged and it demonstrates the excellent expertise of the authors in this medical field. There are some punctuation and spacing errors- e.g. p8 line 229 - "however" in the beginning of the new sentence must be capitalized. Trademark names must be appropriately labeled.



PEER-REVIEW REPORT

Name of journal: *World Journal of Clinical Cases*

Manuscript NO: 82447

Title: Transseptal Approach for Catheter Ablation of Left-sided Accessory Pathways in Children with Marfan Syndrome: A case report

Provenance and peer review: Unsolicited Manuscript; Externally peer reviewed

Peer-review model: Single blind

Reviewer's code: 05827902

Position: Editorial Board

Academic degree: FACC, MD

Professional title: Assistant Professor

Reviewer's Country/Territory: United States

Author's Country/Territory: China

Manuscript submission date: 2022-12-28

Reviewer chosen by: Geng-Long Liu

Reviewer accepted review: 2023-02-01 02:36

Reviewer performed review: 2023-02-01 02:54

Review time: 1 Hour

Scientific quality	<input type="checkbox"/> Grade A: Excellent <input checked="" type="checkbox"/> Grade B: Very good <input type="checkbox"/> Grade C: Good <input type="checkbox"/> Grade D: Fair <input type="checkbox"/> Grade E: Do not publish
Novelty of this manuscript	<input type="checkbox"/> Grade A: Excellent <input checked="" type="checkbox"/> Grade B: Good <input type="checkbox"/> Grade C: Fair <input type="checkbox"/> Grade D: No novelty
Creativity or innovation of this manuscript	<input type="checkbox"/> Grade A: Excellent <input checked="" type="checkbox"/> Grade B: Good <input type="checkbox"/> Grade C: Fair <input type="checkbox"/> Grade D: No creativity or innovation



Scientific significance of the conclusion in this manuscript	<input type="checkbox"/> Grade A: Excellent <input checked="" type="checkbox"/> Grade B: Good <input type="checkbox"/> Grade C: Fair <input type="checkbox"/> Grade D: No scientific significance
Language quality	<input type="checkbox"/> Grade A: Priority publishing <input checked="" type="checkbox"/> Grade B: Minor language polishing <input type="checkbox"/> Grade C: A great deal of language polishing <input type="checkbox"/> Grade D: Rejection
Conclusion	<input type="checkbox"/> Accept (High priority) <input checked="" type="checkbox"/> Accept (General priority) <input type="checkbox"/> Minor revision <input type="checkbox"/> Major revision <input type="checkbox"/> Rejection
Re-review	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Peer-reviewer statements	Peer-Review: <input checked="" type="checkbox"/> Anonymous <input type="checkbox"/> Onymous
	Conflicts-of-Interest: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS

The authors present a case of SVT associated with left sided accessory pathway in a child with Marfan's syndrome. Children with such conditions pose a therapeutic challenge; this case highlights the importance of individualized approach based on patient characteristics to effective treatment of this condition. Such factors that can inform the right approach for ablation in such cases is described well by the authors.