

Match Overview



Name of Journal: World Journal of Gastroenterology

ENPS Manuscript NO: 14876

Columns: ORIGINAL ARTICLE

Retrospective Cohort Study

Clinical predictors of thiopurine-related adverse events in Crohn's disease

Gordon W Moran, Marie-France Dubois, Gilad G Kaplan, Hong Yang, Bertun Eliav, Sudraka Ghosh, Renzo Panaccione

Abstract

AIME: To determine the incidence and predictors of thiopurine-related adverse events

METHODS: Subjects with Crohn's disease who were followed at the Alberta Inflammatory Bowel Disease Consortium patient database registry were identified.



Clinical predictors of thiopurine-related adverse events in Crohn's disease



学术搜索

找到约 74 条结果 (用时0.06秒)

我的著作引用情况

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☐ 包含引用☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Azathioprine versus mesalazine for prevention of postoperative clinical recurrence in patients with Crohn's disease with endoscopic recurrence: efficacy and safety ...

W Reinisch, S Angelberger, W Petritsch, O Shonova... - Gut, 2010 - gut.bmj.com

... Endoscopic recurrence is predictive of subsequent clinical recurrence after ileocolic resection for CD.2 18 The ... single prognostic marker; to date endoscopic recurrence appears to be the best predictor of clinical ... a finding that is in line with data from large-scale clinical studies.31 ...

被引用次数: 82 相关文章 所有 6 个版本 引用 保存

[HTML] ... of thiopurine methyltransferase genotype screening in patients about to commence azathioprine therapy for treatment of inflammatory bowel disease

J Winter, A Walker, D Shapiro, D Gaffney... - Alimentary ..., 2004 - Wiley Online Library

... allowing comparison with other health care technologies which have been incorporated into clinical practice. ... The negative predictive value of 97% is high but unfortunately not clinically useful as all ... Currently, few clinicians routinely test for TPMT status and, at time of writing, the ...

被引用次数: 131 相关文章 所有 12 个版本 引用 保存

wiley.com 中的 [HTML]

[HTML] Incidence, risk factors and clinical course of thiopurine - induced liver injury in patients with inflammatory bowel disease

G Bastida, P Nos, M Aguas, B Beltrán... - Alimentary ..., 2005 - Wiley Online Library

... To identify independent predictors during out-patient follow-up, variables that achieved a P-value of <0.1 and those we considered clinically relevant were ... factor to hepatotoxicity and, we have proposed the use of GGT plasma levels to monitor liver toxicity clinical course, in ...

被引用次数: 66 相关文章 所有 5 个版本 引用 保存

wiley.com 中的 [HTML]

Thiopurine treatment in inflammatory bowel disease

A Teml, E Schaeffeler, KR Herrlinger, U Klotz... - Clinical ..., 2007 - Springer

... allopurinol without dosage adjustment of azathioprine/mercaptopurine leads to clinically relevant severe ... 6-thioguanine nucleotide measurement: early experience of use in clinical practice ... Thiopurine S-methyltransferase gene polymorphism is predictive of azathioprine-induced ...

被引用次数: 120 相关文章 所有 5 个版本 引用 保存

被引用次数: 120 相关文章 所有 5 个版本 引用 保存

[网页](#) [图片](#) [新闻](#) [购物](#) [视频](#) [更多 ▾](#) [搜索工具](#)

找到约 75,700 条结果 (用时 0.72 秒)

Google 学术 : Clinical predictors of thiopurine-related adverse events in Crohn's disease... **clinical** recurrence in patients with **Crohn's disease** ... - Reinisch - 被引用次数 : 82... therapy for treatment of inflammatory bowel **disease** - Winter - 被引用次数 : 131... liver injury in patients with inflammatory bowel **disease** - Bastida - 被引用次数 : 67**P209. Thiopurine toxicity in patients with Crohn's disease**www.ecco-ibd.eu/index.php/.../congress.../p209-thiupu.html ▾ 翻译此页Thiopurine toxicity in patients with **Crohn's disease**: A study of genetic and **clinical** ...The major drawbacks of these drugs are their **adverse effects** (AE), which may be ...The risk of severe **thiopurine-related** myelotoxicity has been shown to be ... and **clinical** factors **predictive of** thiopurine induced AE in patients with CD.**Combination of thiopurines and allopurinol: adverse events ...**www.ncbi.nlm.nih.gov/pubmed/21122542 ▾ 翻译此页

作者 : SM Govani - 2010 - 被引用次数 : 36 - 相关文章

2010 Oct;4(4):444-9. doi: 10.1016/j.crohns.2010.02.009. Epub 2010 Mar 21.

Combination of **thiopurines** and allopurinol: **adverse events** and **clinical** benefit in IBD.... as a safe and effective adjunct to **thiopurine** therapy in inflammatory bowel **disease** (IBD). ... Significant **predictors of** metabolite levels included the dose of ...**[PDF] CLINICAL - Royal College of Physicians of Edinburgh**www.rcpe.ac.uk/sites/default/files/mcdonnell_dhar.pdf ▾ 翻译此页**Crohn's disease** (CD) has been confirmed in numerous **clinical** trials and were to look at the relationship between disease extent and response, **predictors of****Thiopurine-related** adverse drug **reactions** are frequent, ranging from 5% up to ...**Thiopurine effectiveness in patients with Crohn's disease: a ...**www.pubfacts.com/.../Thiopurine-effectiveness-in-patients-with... ▾ 翻译此页