

Name of journal: World Journal of Hepatology

ESPS Manuscript NO: 15993

Columns: ORIGINAL ARTICLE

Basic Study

Normal liver stiffness: A study ¹in living donors with normal liver histology

Ayman Alsebaey, Naglaa Allam, Khalid Alswat, Imam Waked

Abstract

AIM: To define the normal range of LS values using transient elastography in living-related liver transplantation candidate donors with normal liver histology.

METHODS: Liver stiffness was measured using Fibroscan in 50 (16 women, 34 men) healthy potential donors (mean age 28.4 ± 5.9 years) who were being evaluated for liver donation for their relatives at the National Liver Institute, Menoufeya University, Egypt. All potential donors had normal liver tests and were negative for hepatitis B or C virus infection. Abdominal ultrasounds showed normal findings.

Match Overview

1	CrossCheck 97 words "The ILTS 20th Annual International Congress", Liver Transplantation, 2014.	2%
2	CrossCheck 90 words Cobbold, J.F.L., "Liver stiffness values in healthy subjects: Implications for clinical practice", Journal of Hepatology	2%
3	CrossCheck 52 words Seung Up Kim, "What are a true normal liver stiffness values using FibroScan? a prospective study in healthy subjects"	1%
4	CrossCheck 48 words Chon, Young Eun, Eun Suk Jung, Jun Yong Park, Do Young Kim, Sang Hoon Ahn, Kwang-Hyub Han, Chae Yoon	1%
5	CrossCheck 40 words "AASLD Abstracts", Hepatology, 2013.	1%
6	CrossCheck 28 words Kumar, Manoj, Praveen Sharma, Hitendra Garg, Ramesh Kumar, Vikram Bhatia, and Shiv K Sarin, "Transient elastography"	1%
7	CrossCheck 25 words Fung, James, Cheuk-kwong Lee, Monica Chan, Wai-kay Seto, Danny Ka-ho Wong, Ching-lung Lai, and Man-fung	1%
8	Internet 21 words crawled on 18-Feb-2011 www.mat.or.th	1%



Normal liver stiffness: A study in living donors with normal liver histology



网页

图片

视频

新闻

更多

搜索工具

找到约 30,700 条结果 (用时 0.50 秒)

Google 学术: Normal liver stiffness: A study in living donors with normal liver histology

... study in healthy living liver and kidney donors in South ... - Kim - 被引用次数: 47

... prospective study of living related potential liver donors - Kim - 被引用次数: 93

... study in healthy living liver and kidney donors - Son - 被引用次数: 27

What are 'true normal' liver stiffness values using FibroScan ...

www.ncbi.nlm.nih.gov/pubmed/19929903 - 翻译此页

作者: SU Kim - 2010 - 被引用次数: 47 - 相关文章

2009年11月19日 - a prospective study in healthy living liver and kidney donors in ...

AIMS: To identify the normal range of liver stiffness (LS) values by recruiting healthy

living ... Among 12 liver donors (17.4%) with available liver histology, eight ...

What are 'true normal' liver stiffness values using FibroScan ...

www.researchgate.net/.../40023366_What_are_'true_normal'_li... - 翻译此页

作者: SU Kim - 2009 - 被引用次数: 47 - 相关文章

a prospective study in healthy living liver and kidney donors in South Korea. 12 liver

donors (17.4%) with available liver histology, eight showed normal liver ...

'true normal' liver stiffness values using FibroScan? - PubFacts

www.pubfacts.com/.../What-are-true-normal-liver-stiffness-valu... - 翻译此页

a prospective study in healthy living liver and kidney donors in South Korea. ... 12 liver

donors (17.4%) with available liver histology, eight showed normal liver ...

[P-315] Liver Stiffness in Living Donors With "Normal"

www.abstracts2view.com/ilts/view.php?nu=ILTS14L1_P-315 - 翻译此页

[网页](#)[图片](#)[视频](#)[新闻](#)[更多 ▾](#)[搜索工具](#)

找到约 4,180,000 条结果 (用时 1.01 秒)

Google 学术: Normal liver stiffness: A study in living donors with normal liver histology

... study in healthy living liver and kidney donors in South ... - Kim - 被引用次数: 47

... prospective study of living related potential liver donors - Kim - 被引用次数: 93

... study in healthy living liver and kidney donors - Son - 被引用次数: 28

What are 'true normal' liver stiffness values using FibroScan ...

www.ncbi.nlm.nih.gov/pubmed/19929903 ▾ 翻译此页

作者: SU Kim - 2010 - 被引用次数: 47 - 相关文章

2009年11月19日 - a prospective study in healthy living liver and kidney donors in ...

AIMS: To identify the normal range of liver stiffness (LS) values by recruiting healthy living

... Among 12 liver donors (17.4%) with available liver histology, eight ...

'true normal' liver stiffness values using FibroScan (R)?

www.researchgate.net/.../40023366_What_are_'true_normal'_li... - 翻译此页

作者: SU Kim - 2009 - 被引用次数: 47 - 相关文章

a prospective study in healthy living liver and kidney donors in South Korea. ..., 12 liver

donors (17.4%) with available liver histology, eight showed normal liver ...

'true normal' liver stiffness values using FibroScan? - PubFacts