



# BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

## ESPS PEER REVIEW REPORT

**Name of journal:** World Journal of Nephrology

**ESPS manuscript NO:** 12336

**Title:** Renal biopsy practice: what is the gold standard?

**Reviewer code:** 00503255

**Science editor:** Xiu-Xia Song

**Date sent for review:** 2014-07-03 17:18

**Date reviewed:** 2014-07-04 10:20

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input checked="" type="checkbox"/> Grade A: Priority publishing	Google Search:	<input type="checkbox"/> Accept
<input checked="" type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> Existing	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	BPG Search:	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade E: Poor		<input type="checkbox"/> Existing	<input checked="" type="checkbox"/> Minor revision
		<input type="checkbox"/> No records	<input type="checkbox"/> Major revision

### COMMENTS TO AUTHORS

This review paper is well-written and provide comprehensive information about renal biopsy practice. Some points should be revised. 1. page 5, line 10-12: The reference article should be cited in this sentence. 2. page 7, line 13: "Mackinnon ? al" should be changed to "Mackinnon et al" 3. The reference No 8: The volume and page numbers should be added.



# BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

## ESPS PEER REVIEW REPORT

**Name of journal:** World Journal of Nephrology

**ESPS manuscript NO:** 12336

**Title:** Renal biopsy practice: what is the gold standard?

**Reviewer code:** 00503282

**Science editor:** Xiu-Xia Song

**Date sent for review:** 2014-07-03 17:18

**Date reviewed:** 2014-07-12 19:32

CLASSIFICATION	LANGUAGE EVALUATION	RECOMMENDATION	CONCLUSION
<input checked="" type="checkbox"/> Grade A: Excellent	<input checked="" type="checkbox"/> Grade A: Priority publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> Existing	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> No records	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	BPG Search:	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade E: Poor		<input type="checkbox"/> Existing	<input checked="" type="checkbox"/> Minor revision
		<input type="checkbox"/> No records	<input type="checkbox"/> Major revision

### COMMENTS TO AUTHORS

The work is excellent. There are a few minor points which should be corrected as: Death: <0,1%,is 0.1%. There a few abbreviations which are not standardized, eg. Bleeding time (BT), ASA is not fully spelled, DDAVP is also not fully spelled in the beginning.