



31826-Review

Quotes Excluded

Bibliography Excluded

14%
SIMILARName of Journal: *World Journal of Radiology*

ESPS Manuscript NO: 31826

Manuscript Type: Original Article

2 Retrospective Study

Transarterial chemoembolization using 40 µm drug eluting beads for hepatocellular carcinoma

1 Giorgio Greco, Tommaso Cascella, Antonio Facciorusso, Roberto Nani, Rodolfo Lanocita, Carlo Morosi, Marta Vaiani, Giuseppina Calareso, Francesca G Greco, Antonio Ragnanese, Marco A Bongini, Alfonso V Marchianò, Vincenzo Mazzaferro, Carlo Spreafico

Abstract

Aim

3 To assess the safety and efficacy of transarterial chemoembolization of hepatocellular

Match Overview

| | | |
|---|---|-----|
| 1 | Crossref 234 words Spreafico, Carlo, Tommaso Cascella, Antonio Facciorusso, Carlo Sposito, Lanocita Rodolfo, Carlo Morosi, Enric | 6% |
| 2 | Crossref 83 words "CIRSE 2016", CardioVascular and Interventional Radiology, 2016 | 2% |
| 3 | Crossref 56 words Malagari, Katerina, Maria Pomoni, Hippokratis Moschouris, Alexios Kelekis, Angelos Charokopakis, Emanthia Bou | 1% |
| 4 | Crossref 36 words Rubén López-Benítez. "Analysis of Nontarget Embolization Mechanisms During Embolization and Chemoembol... | 1% |
| 5 | Crossref 22 words "CIRSE 2009", CardioVascular and Interventional Radiology, 09/2009 | 1% |
| 6 | Crossref 14 words Makota Nakamura. "Surgical Management of Tuberculum Sellae Meningiomas", Şamii & Eşşentıals in Neurosurg | <1% |

Crossref 12 words

Text-Only Report

[全部](#) [图片](#) [视频](#) [新闻](#) [购物](#) [更多](#)[设置](#) [工具](#)

找到约 16,000 条结果 (用时 0.93 秒)

Google 学术: Transarterial Chemoembolization using 40 μm drug eluting beads for the treatment of Hepatocellular Carcinoma

[Chemoembolization of hepatocellular carcinoma with ... - Varela](#) - 被引用次数: 683

[... -bead embolization in the treatment of hepatocellular ... - Lammer](#) - 被引用次数: 836

[... of chemoembolization with doxorubicin-eluting beads ... - Malagari](#) - 被引用次数: 231

[Transarterial chemoembolization with drug-eluting beads in ... - NCBI](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5083790/> - 翻译此页

作者: HQ Nam - 2016

2016年10月28日 - Hepatocellular carcinoma (HCC) is the most common liver ... explants treated with DC Beads showed that 100-300 μm beads are Burret et al[40] reported the survival of 104 patients with HCC treated with DC Beads TACE.

[Chemoembolization of Hepatocellular Carcinoma with Hepasphere 30 ...](#)

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: K Malagari - 2014 - 被引用次数: 33 - 相关文章

2013年11月22日 - Chemoembolization of Hepatocellular Carcinoma with Hepasphere 30-60 ...

HepaSphere 30–60 μm is an effective drug-eluting embolic material Measurements of plasma levels of doxorubicin were made at baseline and at 5, 20, 40, studies with drug-eluting beads of similar diameter and treatment of ...

[Conventional transarterial chemoembolization versus drug-eluting ...](#)

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: R Kloeckner - 2015 - 被引用次数: 14 - 相关文章

[全部](#) [图片](#) [视频](#) [新闻](#) [购物](#) [更多](#)[设置](#) [工具](#)

找到约 21,800 条结果 (用时 0.92 秒)

Google 学术: Transarterial chemoembolization using 40 μm drug eluting beads for hepatocellular carcinoma

Chemoembolization of hepatocellular carcinoma with ... - Varela - 被引用次数: 697

... of chemoembolization with doxorubicin-eluting beads ... - Malagari - 被引用次数: 233

... hepatocellular carcinoma with drug eluting beads: ... - Malagari - 被引用次数: 206

Transarterial chemoembolization with drug-eluting beads ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5083790/> - 翻译此页

作者: HC Nam - 2016 - 相关文章

2016年10月28日 - Transarterial chemoembolization with drug-eluting beads in hepatocellular ...

Hepatocellular carcinoma (HCC) is the most common liver ... 30-60 μm [22], M1 DC Beads; 70-150 μm [23], TANDEM; 40-100 μm [24], respectively.

Conventional transarterial chemoembolization versus drug-eluting ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: R Kloeckner - 2015 - 被引用次数: 15 - 相关文章

2015年6月10日 - Hepatocellular carcinoma (HCC) is one of the most common cancers, ... Drug-eluting bead transarterial chemoembolization (DEB-TACE) has been ... μm , and 100-300 μm ; Biocompatibles, Farnham, UK; loaded with 150 mg ... the cessation of TACE treatment: 69 in the cTACE group (40 %) and 28 in the ...

全部

图片

视频

新闻

购物

更多

设置

工具

找到约 24,200 条结果 (用时 0.79 秒)

Google 学术: Transarterial chemoembolization using 40 μm drug eluting beads for hepatocellular carcinoma

Chemoembolization of hepatocellular carcinoma with ... - Varela - 被引用次数: 702

... of chemoembolization with doxorubicin-eluting beads ... - Malagari - 被引用次数: 235

... hepatocellular carcinoma with drug eluting beads: ... - Malagari - 被引用次数: 206

Transarterial chemoembolization with drug-eluting beads in ... - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5083790/> - 翻译此页

作者: HC Nam - 2016 - 相关文章

2016年10月28日 - Transarterial chemoembolization with drug-eluting beads in hepatocellular ...

Hepatocellular carcinoma (HCC) is the most common liver ... 30-60 μm [22], M1 DC Beads; 70-150 μm [23], TANDEM; 40-100 μm [24], respectively.

Transarterial Hepatic Chemoembolization with 70–150 μm Drug ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: BC Odisio - 2015 - 被引用次数: 1 - 相关文章

2015年6月5日 - There were 56 70–150 μm DEB transarterial chemoembolization incidence of 40% and 8.3% of PES in patients treated with 300–500 μm and 100–300 Embolization of hepatocellular carcinoma with drug-eluting beads: ...

Transarterial embolisation of hepatocellular carcinoma with ... - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: O Nawawi - 2010 - 被引用次数: 10 - 相关文章

2010年1月1日 - Transarterial embolisation of hepatocellular carcinoma with ... Keywords: Drug-eluting beads, doxorubicin, embolisation, hepatocellular carcinoma ... They are available in diameters ranging from 40 to 1200 μm ... Ruptured hepatocellular carcinoma following chemoembolization: a western