

Name of Journal: *World Journal of Orthopedics*

ESPS Manuscript NO: 29973

Manuscript Type: Editorial

Anterior cruciate ligament reconstruction and knee osteoarthritis

Nikolaos K Paschos

Match Overview

1	Crossref 67 words <i>Sports Injuries</i> , 2015.	3%
2	Crossref 27 words <i>ACL Injuries in the Female Athlete</i> , 2012.	1%
3	Crossref 24 words <i>ACL Injury and Its Treatment</i> , 2016.	1%
4	Crossref 22 words <i>"Rotatory Knee Instability"</i> , Springer Nature, 2017	1%
5	Crossref 9 words <i>Post-Traumatic Arthritis</i> , 2015.	<1%
6	Crossref 9 words Miller, Robert H., and Frederick M. Azar. "Knee Injuries", <i>Campbell's Operative Orthopaedics</i> , 2013	<1%

学术搜索

找到约 24,000 条结果 (用时0.08秒)

文章

小提示: 只搜索**中文(简体)**结果, 可在 [学术搜索设置](#) 指定搜索语言

我的图书馆

[HTML] High prevalence of **knee osteoarthritis**, pain, and functional limitations in female soccer players twelve years after **anterior cruciate ligament injury**
[LS Lohmander](#), [A Östenberg](#), [M Englund](#)... - Arthritis & ... , 2004 - Wiley Online Library
 ... 15 women, mean age 55 years [range 36–79 years]) with intact **cruciate ligaments**, no radiographic contralateral **knees** among female soccer players 12 years after injury to the **anterior cruciate ligament** (ACL) treated with or without surgical **reconstruction** of the **ligament** ...
 被引用次数: 940 相关文章 所有 9 个版本 引用 保存

时间不限

2016以来

2015以来

2012以来

自定义范围...

Abnormal rotational **knee** motion during running after **anterior cruciate ligament reconstruction**

[S Tashman](#), [D Collon](#), [K Anderson](#)... - The American journal ... , 2004 - ajs.sagepub.com
 ... analysis showed that a 4° increase in external rotation would shift the lateral compartment tibial plateau contact area **anteriorly** by approximately ... Acute **repair** of injury to the **anterior cruciate ligament**: a long-term followup ... KT-1000 **anterior-posterior** displacement measurements ...
 被引用次数: 545 相关文章 所有 6 个版本 引用 保存

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

Knee function and prevalence of knee osteoarthritis after anterior cruciate ligament reconstruction a prospective study with 10 to 15 years of follow-up
[BE Øiestad](#), [I Holm](#), [AK Aune](#)... - The American journal ... , 2010 - ajs.sagepub.com
 Background: Few prospective long-term studies of more than 10 years have reported changes in **knee** function and radiologic outcomes after **anterior cruciate ligament** (ACL) **reconstruction**. Purpose: To examine changes in **knee** function from 6 months to 10 to 15 ...
 被引用次数: 210 相关文章 所有 10 个版本 引用 保存

☒ 包括专利

☐ 包含引用

创建快讯

Knee osteoarthritis after anterior cruciate ligament injury a systematic review
[BE Øiestad](#), [L Engebretsen](#), [K Storheim](#)... - The American journal ... , 2009 - ajs.sagepub.com

学术搜索

找到约 26,500 条结果 (用时0.08秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☐ 包含引用☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] High prevalence of **knee osteoarthritis**, pain, and functional limitations in female soccer players twelve years after **anterior cruciate ligament** injury
LS Lohmander, A Östenberg, M Englund... - Arthritis & ... , 2004 - Wiley Online Library
... 15 women, mean age 55 years [range 36–79 years]) with intact **cruciate ligaments**, no radiographic contralateral **knees** among female soccer players 12 years after injury to the **anterior cruciate ligament** (ACL) treated with or without surgical **reconstruction** of the **ligament** ...
被引用次数: 975 相关文章 所有 9 个版本 引用 保存

Abnormal rotational **knee** motion during running after **anterior cruciate ligament reconstruction**
S Tashman, D Collon, K Anderson... - The American journal ..., 2004 - ajs.sagepub.com
... analysis showed that a 4° increase in external rotation would shift the lateral compartment tibial plateau contact area **anteriorly** by approximately ... Acute **repair** of injury to the **anterior cruciate ligament**: a long-term followup. ... KT-1000 **anterior**-posterior displacement measurements. ...
被引用次数: 568 相关文章 所有 6 个版本 引用 保存

Knee function and prevalence of knee osteoarthritis after anterior cruciate ligament reconstruction a prospective study with 10 to 15 years of follow-up
BE Øiestad, I Holm, AK Aune... - The American journal ..., 2010 - ajs.sagepub.com
Background: Few prospective long-term studies of more than 10 years have reported changes in **knee** function and radiologic outcomes after **anterior cruciate ligament** (ACL) **reconstruction**. Purpose: To examine changes in **knee** function from 6 months to 10 to 15 ...
被引用次数: 217 相关文章 所有 10 个版本 引用 保存

Knee osteoarthritis after anterior cruciate ligament injury a systematic review
BE Øiestad, L Engebretsen, K Storheim... - The American journal ..., 2009 - ajs.sagepub.com

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 383,000 条结果 (用时 0.49 秒)

Google 学术: Anterior cruciate ligament reconstruction and knee osteoarthritis

... players twelve years after anterior cruciate ligament ... - Lohmander - 被引用次数: 984

... running after anterior cruciate ligament reconstruction - Tashman - 被引用次数: 570

... of knee osteoarthritis after anterior cruciate ligament ... - Øiestad - 被引用次数: 218

Increased risk of osteoarthritis after anterior cruciate ligament ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/24644301> - 翻译此页

作者: B Barenius - 2014 - 被引用次数: 81 - 相关文章

2014年3月18日 - ... risk of osteoarthritis after anterior cruciate ligament reconstruction: a ... Tegner activity levels, and Knee injury and Osteoarthritis Outcome ...

Knee osteoarthritis after anterior cruciate ligament injury: a systematic ...

<https://www.ncbi.nlm.nih.gov/pubmed/19567666> - 翻译此页

作者: BE Øiestad - 2009 - 被引用次数: 407 - 相关文章

Am J Sports Med. 2009 Jul;37(7):1434-43. doi: 10.1177/0363546509338827. Knee osteoarthritis after anterior cruciate ligament injury: a systematic review.

Osteoarthritis after anterior cruciate ligament reconstruction using a ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: JK Seon - 2006 - 被引用次数: 92 - 相关文章

We studied 58 knees that underwent anterior cruciate ligament (ACL) reconstruction using a patella tendon autograft. The mean age at reconstruction was 30.4