

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 20183

Manuscript Type: TOPIC HIGHLIGHT

2015 Advances in Cirrhosis

Four-dimensional flow magnetic resonance imaging in cirrhosis

Stankovic Z. 4D flow MRI in cirrhosis

Zoran Stankovic

Zoran Stankovic, Department of Radiology and Medical Physics, University Medical
Center Freiburg, 79106 Freiburg, Germany

Author contributions: Stankovic Z analyzed the literature and wrote the paper.

Match Overview

- | | | |
|---|---|-----|
| 1 | Internet 97 words
crawled on 18-Jul-2015
www.wjgnet.com | 1% |
| 2 | CrossCheck 24 words
Zoran Stankovic. "Usefulness of 4D MRI Flow Imaging to ...
ontrol TIPS Function", <i>The American Journal of Gastroenter</i> | <1% |



学术搜索

文章

我的图书馆

Four-dimensional flow magnetic resonance imaging with wall shear stress analysis before and after repair of aortopulmonary fistula ahajournals.org 中的 [HTML]

MD Hope, TA Hope, TH Urbania... - ... Cardiovascular Imaging, 2010 - Am Heart Assoc

We used 4D flow magnetic resonance imaging1 to evaluate a 34-year-old man with a complicated course after aortic coarctation repair including development of an aortopulmonary fistula. Our initial 4D flow study (Figure 1) reveals abnormal vortical-type ...

被引用次数: 7 相关文章 所有 3 个版本 引用 保存

时间不限

2015以来

2014以来

2011以来

自定义范围...

以上显示的是最相近的搜索结果。 [查看全部搜索结果](#)

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

包括专利

包含引用

[网页](#) [图片](#) [新闻](#) [视频](#) [购物](#) [更多 ▾](#) [搜索工具](#)

找到约 88,300 条结果 (用时 0.61 秒)

Google 学术 : Four-dimensional flow magnetic resonance imaging in cirrhosis

... : measurement with cine phase-contrast MR imaging. - Burkart - 被引用次数 : 71

Four-dimensional phase contrast magnetic resonance ... - Frydrychowicz - 被引用次数 : 40

... -Liver Perfusion MR Imaging—Initial Experience 1 - Hagiwara - 被引用次数 : 168

4D flow imaging with MRI - Stankovic - Cardiovascular ...

www.thecdt.org > Home > Vol 4, No 2 (April 2014) ▾ [翻译此页](#)

作者 : Z Stankovic - 2014 - 被引用次数 : 21 - [相关文章](#)

Keywords: 4D flow magnetic resonance imaging (4D flow MRI); phase contrast A study with liver cirrhosis patients validated the use of 4D flow MRI for portal ...

4D flow imaging with MRI

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者 : Z Stankovic - 2014 - 被引用次数 : 21 - [相关文章](#)

4D flow MRI visualization of the hepatic hemodynamics by 3D pathlines in a 50-year-old female patient with advanced liver cirrhosis Child-Pugh class B.

Normal and altered three-dimensional portal venous ...

www.ncbi.nlm.nih.gov/pubmed/22357888 ▾ [翻译此页](#)

作者 : Z Stankovic - 2012 - 被引用次数 : 33 - [相关文章](#)

... portal venous hemodynamics in patients with liver cirrhosis. Stankovic ... velocity encoding (flow-sensitive four-dimensional [4D] MR imaging), with Doppler ...