

Name of Journal: *World Journal of Orthopedics*

ESPS Manuscript NO: 24189

Manuscript Type: Original Article

Retrospective Study

Seasonal variation in adult hip disease secondary to osteoarthritis and developmental dysplasia of the hip

Tatsuya Sueyoshi, Merrill A Ritter, Kenneth E Davis, Randall T Loder

Abstract

AIM: To determine if there was a seasonal variation in adults undergoing total hip arthroplasty for end stage hip disease due to osteoarthritis (OA) or sequelae of developmental dysplasia of the hip (DDH).

Match Overview

1	Internet 24 words crawled on 10-Jun-2009 www.pubmedcentral.nih.gov	1%
2	Internet 23 words crawled on 16-Jul-2016 www.jle.com	1%
3	CrossCheck 19 words Faure, A... "A graphical and statistical method for investigation of time series in chronobiology according to the c ..."	1%
4	Internet 15 words crawled on 11-Nov-2009 www.czytelniamedyczna.pl	1%
5	Internet 13 words crawled on 19-Feb-2015 www.labome.org	1%
6	Internet 13 words crawled on 24-May-2003 www4.umdj.edu	1%

学术搜索

找到约 558 条结果 (用时0.07秒)

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☒ 包含引用

The aetiology of primary osteoarthritis of the hip

RO Murray - The British journal of radiology, 1965 - birpublications.org

... that more critical examination of the pelvic radiographs often permits recognition of minimal anatomical variations. ... Although this anatomical variation is slight it may usually be recognised by inspection of ... adult is extremely unlikely to develop spontaneous osteoarthritic change. ...

被引用次数: 521 相关文章 所有 3 个版本 引用

图书] Congenital dysplasia and dislocation of the hip in children and adults

D Tönns - 2012 - books.google.com

... 24 Variations of the Vascular Pattern 24 Clinical Implications 67 Seasonal Influences
107 Functional Views in Older Children and Adults 107 Page 13. ...

被引用次数: 425 相关文章 引用

Natural history and treatment outcomes of childhood hip disorders.

SL Weinstein - Clinical orthopaedics and related research, 1997 - journals.lww.com

... are less predictable.53."5-117-1'9 Natural History in Adults In adults, the natural ... the incidence of childhood hip disease is low, the incidence of adult osteoarthritis (nontraumatic) is ... of acute versus chronic is considered to be misleading because it does not consider hip stability ...

被引用次数: 106 相关文章 所有 4 个版本 引用

Untreated congenital hip disease: a study of the epidemiology, natural history, and social aspects of the disease in a Navajo population

DL Rabin, CR Barnett, WD Arnold... - American Journal of ..., 1965 - ncbi.nlm.nih.gov

... Their economy is based upon a combination of agriculture, sheep-herding, welfare, and seasonal wage work. ... treatment for congenital hip disease had not been available to the adult population and ... In this manner, 76 per cent of the Group I population (adults) and 87 per ...

被引用次数: 50 相关文章 所有 4 个版本 引用

[PDF] The epidemiology and demographics of hip dysplasia

RT Loder, EN Skopelja - ISRN orthopedics, 2011 - downloads.hindawi.com

... at birth to asymptomatic acetabular dysplasia in the adult [5– 9]. The epidemiologic literature ... or normal weight), height, growth, maturation, any other anthropometric characteristics, seasonal variation, hormone, endocrine ... 40] 1965 Many Farms District, AZ Navajo Adults—All 270 ...

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 1,460,000 条结果 (用时 0.78 秒)

Google 学术: Seasonal variation in adult hip disease secondary to osteoarthritis and developmental dysplasia of the hip

The aetiology of primary **osteoarthritis of the hip** - Murray - 被引用次数: 531

... **dysplasia** and dislocation of the **hip** in children and ... - Tönnis - 被引用次数: 658

... and treatment outcomes of childhood **hip disorders**. - Weinstein - 被引用次数: 103

A review of environmental factors implicated in human developmental ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: AML Rhodes - 2014 - 被引用次数: 5 - [相关文章](#)

2014年10月25日 - **DDH** is common and remains a leading cause of **hip osteoarthritis** in young **adults**.

Neonatal clinical screening programmes for this **condition** have been in ... An increasing burden on **secondary** ultrasound screening services at a rate ... of **seasonal variation**, we must understand their role in the context of a ...

Seasonal variation in children with developmental dysplasia of the hip

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: RT Loder - 2014 - 被引用次数: 4 - [相关文章](#)

2014年2月6日 - It has been postulated that **developmental dysplasia of the hip (DDH)** is ... For the entire

23,360 children, no **seasonal variation** was observed in 2,205 ... The same has been noted in **adults** needing total joint arthroplasty [49] with an increased prevalence of **hip osteoarthritis** in patients born in the winter.

The Epidemiology and Demographics of Hip Dysplasia - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: RT Loder - 2011 - 被引用次数: 30 - [相关文章](#)

2011年10月10日 - The role of acetabular dysplasia and **adult hip osteoarthritis** is complex. ... knowledge of the epidemiology and demographics of pediatric **hip disease** which may ... **seasonal variation**, hormone, endocrine, congenital anomalies, perinatal ... The incidence of **DDH** is **high** in Native Americans, likely **due** to a ...

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 1,150,000 条结果（用时 0.69 秒）

Google 学术: Seasonal variation in adult hip disease secondary to osteoarthritis and developmental dysplasia of the hip

The aetiology of primary osteoarthritis of the hip - Murray - 被引用次数: 531

... dysplasia and dislocation of the hip in children and ... - Tönnis - 被引用次数: 658

... and treatment outcomes of childhood hip disorders. - Weinstein - 被引用次数: 104

A review of environmental factors implicated in human developmental ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: AML Rhodes - 2014 - 被引用次数: 5 - 相关文章

2014年10月25日 - DDH is common and remains a leading cause of hip osteoarthritis in young adults. Neonatal clinical screening programmes for this condition have been in ... An increasing burden on secondary ultrasound screening services at a rate ... of seasonal variation, we must understand their role in the context of a ...

Seasonal variation in children with developmental dysplasia of the hip

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: RT Loder - 2014 - 被引用次数: 4 - 相关文章

2014年2月6日 - It has been postulated that developmental dysplasia of the hip (DDH) is ... For the entire 23,360 children, no seasonal variation was observed in 2,205 ... The same has been noted in adults needing total joint arthroplasty [49] with an increased prevalence of hip osteoarthritis in patients born in the winter.

The Epidemiology and Demographics of Hip Dysplasia - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: RT Loder - 2011 - 被引用次数: 30 - 相关文章