

Name of journal: *World Journal of Gastroenterology*

Manuscript NO: 35183

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Risk factors for postoperative recurrence after primary bowel resection in ¹⁰patients with Crohn's disease

Kwan Mo Yang, Chang Sik Yu, Jong Lyul Lee, Chan Wook Kim, Yong Sik Yoon, In Ja Park, Seok-Byung Lim, Jin Cheon Kim

Abstract

AIM

To evaluate the risk factors for postoperative recurrence after primary bowel resection in a cohort of Korean Crohn's disease (CD) patients.

METHODS

Match Overview

1	Crossref 121 words Riss, S., I. Schuster, P. Papay, F. Herbst, M. Mittlböck, P. Chitsabesan, and A. Stif. "Surgical recurrence after pri ..."	4%
2	Crossref 120 words Riss, Stefan, Isabelle Schuster, Pavol Papay, Martina Mittlböck, and Anton Stif. "Repeat Intestinal Resections In ..."	4%
3	Crossref 104 words Han, Yoo Min, Ji Won Kim, Seong-Joon Koh, Byeong Gwan Kim, Kook Lae Lee, Jong Pil Im, Joo Sung Kim, and	3%
4	Internet 102 words crawled on 01-Dec-2015 www.wjgnet.com	3%
5	Crossref 98 words Park, Sang Hyoung, Suk-Kyun Yang, Soo-Kyung Park, Jong Wook Kim, Dong-Hoon Yang, Kee Wook Jung, Kyung	3%
6	Crossref 68 words Ye, Byong Duk, Suk-Kyun Yang, Yun Kyung Cho, Sang Hyung Park, Dong-Hoon Yang, Soon Man Yoon, Kyung Jo	2%
7	Crossref 66 words B. Avidan, E. Sakhnini, A. Lahat, A. Lang, M. Koler, O. Zmora, S. Bar-Meir, Y. Chowers. "Risk Factors Regarding ..."	2%
8	Crossref 29 words Gao, Xiang, Rong-ping Yang, Min-hu Chen, Ying-lian Xiao, Yao He, Bai-li Chen, and Pin-jin Hu. "Risk factors for s	1%

Risk factors for postoperative recurrence after primary bowel resection in patient

全部 图片 视频 新闻 地图 图书

找到约 98,600 条结果

时间不限

- 过去 1 小时内
- 过去 24 小时内
- 过去 1 周内
- 过去 1 个月内
- 过去 1 年内

所有结果

精确匹配

[Google 学术: Risk factors for postoperative recurrence after primary bowel resection in patients with Crohn's disease](#)

[... of the postoperative course of Crohn's disease](#) - Rutgeerts - 被引用次数: 1324

[... in 907 patients with primary ileocaecal Crohn's disease](#) - Bernell - 被引用次数: 223

[... and postoperative recurrence in Crohn's disease](#) - Bernell - 被引用次数: 456

[Risk Factors for Surgery and Postoperative Recurrence in Crohn's ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1420963/>

Data on initial **intestinal resection** and **postoperative recurrence** were evaluated ... **Postoperative recurrences** occurred in 33% and 44% at 5 and 10 years **after resection**. ... **Patients with Crohn's disease (CD)** are a heterogeneous group and ... a significantly increased **risk for primary resection** was found in all groups aged ...

[Risk Factors for Postoperative Recurrence of Crohn's Disease](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3990126/>

All 566 **patients** diagnosed with **Crohn's disease** that enrolled in Digestive ... data that included time of surgery, possible **risk factors** and follow up **after surgery**. ... are significantly associated with the risk of inflammatory bowel disease (IBD). ... of **postoperative recurrence of Crohn's disease after intestinal resection** in the ...

Abstract - INTRODUCTION - MATERIALS AND METHODS - DISCUSSION

[Risk factors for postoperative endoscopic recurrence in Crohn's ...](#)

www.sciencedirect.com/science/article/pii/S2237936314000495

Postoperative endoscopic recurrence (PER) is the initial event **after intestinal resection** in **Crohn's disease (CD)**, and **after a few years most patients** present ... resection with **primary anastomosis** and with **postoperative ileocolonoscopy** during ...

[PDF] [Risk factors for postoperative intra-abdominal ...](#) - Oxford Academic

<https://academic.oup.com/ibd/article-abstract/15/10/1001/511000>



全部

新闻

图片

视频

购物

更多

设置

工具

找到约 105,000 条结果 (用时 0.58 秒)

Google 学术: Risk factors for postoperative recurrence after primary bowel resection in patients with Crohn's disease

... of the postoperative course of Crohn's disease - Rutgeerts - 被引用次数: 1341

... in 907 patients with primary ileocaecal Crohn's disease - Bernell - 被引用次数: 225

... and postoperative recurrence in Crohn's disease - Bernell - 被引用次数: 468

Risk Factors for Surgery and Postoperative Recurrence in Crohn's ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: O Bernell - 2000 - 被引用次数: 465 - 相关文章

Data on initial intestinal resection and postoperative recurrence were evaluated ... Postoperative recurrences occurred in 33% and 44% at 5 and 10 years after resection. Patients with Crohn's disease (CD) are a heterogeneous group and a significantly increased risk for primary resection was found in all groups aged ...

Predictors of recurrence of Crohn's disease after ileocelectomy: A review

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: TM Connelly - 2014 - 被引用次数: 8 - 相关文章

2014年10月21日 - Core tip: Disease recurrence after ileocelectomy for Crohn's disease is common. ... Clinical recurrence is loosely defined as an increase in patients' symptoms ... The most studied and most recognized risk factor for post-operative The effect of the initial length of bowel resection and operative procedure.

Risk factors for postoperative endoscopic recurrence in Crohn's disease

www.sciencedirect.com/science/article/pii/S2237936314000495 - 翻译此页

作者: IF de Barcelos - 2014 - 相关文章

Postoperative endoscopic recurrence (PER) is the initial event after intestinal resection in Crohn's disease (CD), and after a few years, most patients present with ... G. HollerRisk factors for surgery

找到约 54,300 条结果 (用时 0.52 秒)

[Google 学术: Risk factors for postoperative recurrence after primary bowel resection in patients with Crohn's disease](#)

... of the postoperative course of Crohn's disease - Rutgeerts - 被引用次数: 1344

... in 907 patients with primary ileocaecal Crohn's disease - Bemell - 被引用次数: 225

... and postoperative recurrence in Crohn's disease - Bemell - 被引用次数: 467

[Risk Factors for Postoperative Recurrence of Crohn's Disease](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3990126/> - 翻译此页

作者: S Khoshkish - 2012 - 被引用次数: 3 - 相关文章

All 566 patients diagnosed with Crohn's disease that enrolled in Digestive ... data that included time of surgery, possible risk factors and follow up after surgery. ... are significantly associated with the risk of inflammatory bowel disease (IBD). of postoperative recurrence of Crohn's disease after intestinal resection in the ...

Abstract - INTRODUCTION - MATERIALS AND METHODS - DISCUSSION

[Risk Factors for Surgery and Postoperative Recurrence in Crohn's ...](#)

[https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral\(PMC\)](https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral(PMC)) - 翻译此页

作者: O Bemell - 2000 - 被引用次数: 465 - 相关文章

Data on initial intestinal resection and postoperative recurrence were evaluated ... Postoperative recurrences occurred in 33% and 44% at 5 and 10 years after resection. ... Patients with Crohn's disease (CD) are a heterogeneous group and a significantly increased risk for primary resection was found in all groups aged ...

[Predictors of recurrence of Crohn's disease after ileocolectomy: A review](#)

[https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral\(PMC\)](https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral(PMC)) - 翻译此页

作者: TM Connelly - 2014 - 被引用次数: 8 - 相关文章

2014年10月21日 - Core tip: Disease recurrence after ileocolectomy for Crohn's disease is common. ... Clinical recurrence is loosely defined as an increase in patients' symptoms ... The most studied and most recognized risk factor for post-operative The effect of the initial length of bowel resection and operative procedure.