

Name of Journal: *World Journal of Clinical Pediatrics*

ESPS Manuscript NO: 24330

Manuscript Type: REVIEW

History of the infantile hepatic hemangioma: From imaging to generating a differential diagnosis

Maria Gnarra MD, PhD, Gerald Behr, MD, Alison Kitajewski, BA, June K. Wu, MD, Sudha A. Anupindi, MD, Carrie J. Shawber, PhD, Nick Zavras, MD, Dimitrios Schizas, MD, Chris Salakos, MD, Konstantinos P. Economopoulos, MD, PhD

## Match Overview

1	CrossCheck 40 words Hsi Dickie, Belinda, Steven J. Fishman, and Richard G ... Azizkhan. "Hepatic vascular tumors", <i>Seminars in Pediat</i>	1%
2	CrossCheck 28 words Bram B. Meijs. "Neonatal hepatic haemangioendotheli ... ma: treatment options and dilemmas", <i>Pediatric Radiolo</i>	1%
3	CrossCheck 22 words <i>Diseases of the Liver in Children</i> , 2014.	1%
4	Internet 19 words crawled on 01-Oct-2009 <a href="http://www.ajronline.org">www.ajronline.org</a>	1%
5	Publications 16 words "Research from University of Paris in the area of Down ... ndrome published.", <i>Women's Health Weekly</i> , April 23	1%
6	CrossCheck 16 words Nosher, John L. "Vascular anomalies: A pictorial review ... of nomenclature, diagnosis and treatment", <i>World Journ</i>	1%

学术搜索

找到约 3,290 条结果 (用时0.10秒)

小提示: 只搜索中文(简体)结果, 可在 [学术搜索设置](#) 指定搜索语言

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用

### Hemangiomas of infancy

AL Bruckner, IJ Frieden - Journal of the American Academy of Dermatology, 2003 - Elsevier

... The natural **history** of growth and regression of HOI was first described by Lister in ... a telangiectatic macule surrounded by a pale halo, a pale macule, an erythematous macule ... Combined red, superficial, and dusky blue, deep **hemangioma** on temple, resembling a "poached egg". ...被引用次数: 409 [相关文章](#) [所有 8 个版本](#) [引用](#)

### Differential diagnosis of tumors and tumor-like lesions of liver in infancy and childhood

HA EDMONDSON - AMA journal of diseases of children, 1956 - archpedi.jamanetwork.com

Research from JAMA Pediatrics — DIFFERENTIAL DIAGNOSIS OF TUMORS AND TUMOR-LIKE LESIONS OF LIVER IN INFANCY AND CHILDHOOD.

被引用次数: 427 [相关文章](#) [所有 5 个版本](#) [引用](#)

### Diagnosis and natural history of hemangiomas

JB Mulliken - 1988 - books.google.com

... progenitor cell in one or more patterning genes that control the A CD B ... **Diagnosis** and Natural **History** of **Hemangiomas** 81 dispersion of neural crest derivatives, with consequent ... The remarkable preponderance of females (over 90%) suggests an X-linked dominant monogenic ...被引用次数: 944 [相关文章](#) [引用](#)

### Hemangiomas in children

BA Drolet, NB Esterly, IJ Frieden - New England Journal of ..., 1999 - Mass Medical Soc

... the basis of their clinical manifestations, histopathological features, and natural **history**.1,2 ... **hemangiomas** of the airway in association with cutaneous **hemangiomas** in a "beard" distribution. ... Is there an association between **hemangiomas** and syndromes with dysmorphic features ...被引用次数: 552 [相关文章](#) [所有 5 个版本](#) [引用](#)

### Infantile hemangiomas

AL Bruckner, IJ Frieden - Journal of the American Academy of Dermatology, 2006 - Elsevier

gossmanmd.com

学术搜索

找到约 3,120 条结果 (用时0.07秒)

小提示: 只搜索中文(简体)结果, 可在 [学术搜索设置](#) 指定搜索语言

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用

## Diagnosis and natural history of hemangiomas

JB Mulliken - 1988 - books.google.com

... in PHACE association often involve the ascending aorta, at the **origin** of the ... **Diagnosis and Natural History of Hemangiomas** 81 dispersion of neural crest derivatives, with ... 82 **Infantile Hemangiomas** and Other Vascular Tumors Entirely superficial lesions are diffuse, slightly raised ...

被引用次数: 878 [相关文章](#) [引用](#)

## Cystic Focal Liver Lesions in the Adult: Differential CT and MR Imaging Features 1

KJ Mortelè, PR Ros - Radiographics, 2001 - pubs.rsna.org

... cystic tumors that represent less than 5% of intrahepatic cystic masses of biliary **origin** (1,19 ... is **diagnostic** of a gas-forming organism if there is no **history** of instrumentation ... In posttraumatic cases, coexistent features such as **hepatic** lacerations, rib fractures, or perihepatic fluid will ...

被引用次数: 363 [相关文章](#) [所有 8 个版本](#) [引用](#)

## Hemangiomas of infancy

AL Bruckner, IJ Frieden - Journal of the American Academy of Dermatology, 2003 - Elsevier

... 30 Boye et al 31 recently reported nonrandom X chromosome inactivation in 8 HOI obtained from female patients, suggesting a clonal **origin** for these cells. ... The natural **history** of growth and regression of HOI was first described by Lister in 1938. ... **infant** unless they are ulcerated. ...

被引用次数: 417 [相关文章](#) [所有 9 个版本](#) [引用](#)

## Hemangiomas in children

BA Drolet, NB Esterly, IJ Frieden - New England Journal of ..., 1999 - Mass Medical Soc

... with subcutaneous components as well as structural anomalies of venous **origin** — two types of ... on the basis of their clinical manifestations, histopathological features, and natural **history**. 1,2 ... for a longer period (two to five years) than classic **infantile hemangiomas** and have ...

被引用次数: 573 [相关文章](#) [所有 5 个版本](#) [引用](#)[\[PDF\] Infantile hepatic hemangiomas](#)



全部 图片 视频 新闻 更多 ▾ 搜索工具

找到约 90,900 条结果 (用时 0.65 秒)

## Hepatic haemangioma: Common and uncommon imaging features

[www.sciencedirect.com/science/article/pii/S2211568413001411](http://www.sciencedirect.com/science/article/pii/S2211568413001411) ▾ 翻译此页

作者: T Klotz - 2013 - 被引用次数: 11 - 相关文章

2013年6月21日 - The haemangioma, the most common non-cystic hepatic lesion, most often discovered by chance, may in certain situations raise **diagnostic** problems in **imaging**. ... centre of the lesion at the **origin** of the obliteration of the vascular spaces. .... **Infantile hepatic hemangiomas: clinical and imaging findings and ...**

## Hepatic Hemangiomas Clinical Presentation: History, Physical ...

[emedicine.medscape.com/article/177106-clinical](http://emedicine.medscape.com/article/177106-clinical) ▾ 翻译此页

2016年3月2日 - **Hepatic hemangiomas** are mesenchymal in **origin** and usually are solitary. ...

Hemangiomas present a diagnostic challenge because they can be mistaken ... **Infantile** hemangioma is a common tumor in infancy. ... They are most often discovered when the liver is **imaged** for another ... **Differential Diagnoses.**

## [PDF] Imaging of Benign Focal Liver Lesions

[eknygos.lsmuni.lt/springer/297/89-149.pdf](http://eknygos.lsmuni.lt/springer/297/89-149.pdf) ▾ 翻译此页

被引用次数: 10 - 相关文章

adults. **Infantile hepatic hemangioma** frequently resolves ... **ral history** of hemangioma, a large proportion are asymptomatic .... feature for the **differential diagnosis** of heman- giomas and ..... hanced with a second **generation** contrast agent?

## Hepatic hemangioma -review- - NCBI - National Institutes of Health

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: N Bajenaru - 2015 - 被引用次数: 1 - 相关文章

**Hepatic hemangiomas** require a careful **diagnosis** to differentiate from other focal ... in size over time and therefore are unlikely to **generate** future symptomatology. ... attention to new developments in