



# BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

## ESPS PEER-REVIEW REPORT

**Name of journal:** World Journal of Gastrointestinal Endoscopy

**ESPS manuscript NO:** 19041

**Title:** Use of water jet instruments in gastrointestinal endoscopy

**Reviewer's code:** 02543098

**Reviewer's country:** South Korea

**Science editor:** Jing Yu

**Date sent for review:** 2015-05-07 08:30

**Date reviewed:** 2015-07-26 10:42

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	Google Search:	<input type="checkbox"/> Accept
<input type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Duplicate publication	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input type="checkbox"/> Plagiarism	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		<input type="checkbox"/> No	<input type="checkbox"/> Major revision
		BPG Search:	
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		<input type="checkbox"/> No	

### COMMENTS TO AUTHORS

This manuscript is very excellent that it deserves publication. I think that the review article is helpful to many endoscopist in their clinical practice. In order to improve the quality of the manuscript, I just suggest some revisions on your manuscript. First, the schematogram and endoscopy figures of "Use of water jet instruments in gastrointestinal endoscopy" is required in this document. Second, you would better cite additional reference as follows. 1. Lee SH, Park YK, Cho SM, Kang JK, Lee DJ. Technical skills and training of upper gastrointestinal endoscopy for new beginners. World J Gastroenterol. 2015 Jan 21;21(3):759-85. doi: 10.3748/wjg.v21.i3.759. 2. Lee SH, Park YK, Lee DJ, Kim KM. Colonoscopy procedural skills and training for new beginners. World J Gastroenterol. 2014 Dec 7;20(45):16984-95. doi: 10.3748/wjg.v20.i45.16984. I deeply appreciate the opportunity of review of your elaborate manuscript.



# BAISHIDENG PUBLISHING GROUP INC

8226 Regency Drive, Pleasanton, CA 94588, USA

Telephone: +1-925-223-8242

Fax: +1-925-223-8243

E-mail: bpgoffice@wjgnet.com

http://www.wjgnet.com

## ESPS PEER-REVIEW REPORT

**Name of journal:** World Journal of Gastrointestinal Endoscopy

**ESPS manuscript NO:** 19041

**Title:** Use of water jet instruments in gastrointestinal endoscopy

**Reviewer's code:** 01468173

**Reviewer's country:** Japan

**Science editor:** Jing Yu

**Date sent for review:** 2015-05-07 08:30

**Date reviewed:** 2015-07-26 15:50

CLASSIFICATION	LANGUAGE EVALUATION	SCIENTIFIC MISCONDUCT	CONCLUSION
<input type="checkbox"/> Grade A: Excellent	<input checked="" type="checkbox"/> Grade A: Priority publishing	Google Search:	<input type="checkbox"/> Accept
<input checked="" type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	<input type="checkbox"/> The same title	<input checked="" type="checkbox"/> High priority for publication
<input type="checkbox"/> Grade C: Good	<input type="checkbox"/> Grade C: A great deal of language polishing	<input type="checkbox"/> Duplicate publication	<input type="checkbox"/> Rejection
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade D: Rejected	<input checked="" type="checkbox"/> Plagiarism	<input type="checkbox"/> Minor revision
<input type="checkbox"/> Grade E: Poor		[Y] No	<input type="checkbox"/> Major revision
		BPG Search:	
		<input type="checkbox"/> The same title	
		<input type="checkbox"/> Duplicate publication	
		<input type="checkbox"/> Plagiarism	
		[Y] No	

### COMMENTS TO AUTHORS

Thank you for submitting your paper. The authors presented a review of water jet system or instruments during endoscopic examination or treatment. This report could be helpful for endoscopists. But there are some aspects that need to be addressed. Minor comments 1. Hemostatic procedure is one of the important techniques during endoscopic treatment. So water jet systems are widely used to find the bleeding point and to make a view during hemostasis. In order to achieve this purpose, some kinds of products are available in clinical practice. So could you comment about those points in the paragraph of water jets instruments for endoscopic therapy for tumor resection?