



Circulating RNAs as new biomarkers for detecting pancreatic cancer



网页

新闻

图片

视频

更多 ▾

搜索工具

找到约 681,000 条结果 (用时 1.04 秒)

Google 学术: Circulating RNAs as new biomarkers for detecting pancreatic cancer

... in body fluid: a new potential biomarker for cancer ... - Kosaka - 被引用次数: 502

... in body fluids—the mix of hormones and biomarkers - Cortez - 被引用次数: 403

... transcriptome diagnostics for oral cancer detection - Li - 被引用次数: 336

MicroRNAs Circulating in Blood Show Promise as ...

www.mdanderson.org > ... > 2009 News Index ▾ 翻译此页

MicroRNAs Circulating in Blood Show Promise as Biomarkers to Detect Pancreatic Cancer. M. D. Anderson News Release 09/04/09 ... There is no accurate, noninvasive way to detect pancreatic cancer, the fourth-leading cause of ... MicroRNAs are single-stranded bits of RNA consisting of 18 to 24 nucleotides that regulate ...

MicroRNA Biomarkers in Whole Blood for Detection of ...

jama.jamanetwork.com/article.aspx?articleid=1817797 ▾ 翻译此页

作者: NA Schultz - 2014 - 被引用次数: 47 - 相关文章

The microRNA expressions in pretreatment whole blood RNA samples were ... Early diagnosis of pancreatic cancer is difficult, and no biomarkers in blood can ... as a new tool for early detection of pancreatic cancer and other adenocarcinomas. ... Circulating microRNAs in whole blood can originate from distant sites of ...

Novel blood-based microRNA biomarker panel for early ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: GAP Ganepola - 2014 - 被引用次数: 14 - 相关文章

2014年1月15日 - The current most widely used biomarkers for pancreatic cancer are

网页 新闻 图片 购物 视频 更多 ▾ 搜索工具

找到约 4,050,000 条结果 (用时 0.60 秒)

Google 学术 : Circulating RNAs as new biomarkers for detecting pancreatic cancer

... in body fluid: a new potential biomarker for cancer ... - Kosaka - 被引用次数 : 511

... in body fluids—the mix of hormones and biomarkers - Cortez - 被引用次数 : 413

... transcriptome diagnostics for oral cancer detection - Li - 被引用次数 : 339

MicroRNA Biomarkers in Whole Blood for Detection of ...

jama.jamanetwork.com/article.aspx?articleid=1817797 ▾ 翻译此页

作者 : NA Schultz - 2014 - 被引用次数 : 51 - 相关文章

The microRNA expressions in pretreatment whole blood RNA samples were ... Early diagnosis of pancreatic cancer is difficult, and no biomarkers in blood can ... as a new tool for early detection of pancreatic cancer and other adenocarcinomas.

Circulating microRNAs in whole blood can originate from distant sites of ...

MicroRNAs Circulating in Blood Show Promise as ...

www.mdanderson.org > ... > 2009 News Index ▾ 翻译此页

2009年9月4日 - MicroRNAs Circulating in Blood Show Promise as Biomarkers to Detect Pancreatic ... There is no accurate, noninvasive way to detect pancreatic cancer, the ... MicroRNAs are single-stranded bits of RNA consisting of 18 to 24 ...

Novel blood-based microRNA biomarker panel for early ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者 : GAP Ganepola - 2014 - 被引用次数 : 14 - 相关文章

2014年1月15日 - The current most widely used biomarkers for pancreatic cancer are CA19-9, and ... MicroRNA (miRNA) are small non-coding RNA about 18-24 ... High throughput screening studies of known circulating miRNAs as The validation study