



16346-Review

Quotes Excluded
Bibliography Excluded8%
SIMILAR

Match Overview

1	CrossCheck 53 words "Abstracts", HPB, 03/10/2010	2%
2	CrossCheck 47 words "14th World Congress of Endoscopic Surgery and 22nd International Congress of the European Association for Endo...	1%
3	CrossCheck 40 words Trastulli, S., R. Cirocchi, J. Desiderio, S. Guarino, A. Santoro, A. Parisi, G. Noya, and C. Boselli. "Systematic review a	1%
4	Internet 17 words crawled on 24-Jul-2014 e-mfp.org	1%
5	CrossCheck 17 words "2008 Scientific Session of the Society of American Gastrointestinal and Endoscopic Surgeons (SAGES) Philadelph...	1%
6	CrossCheck 15 words Goro Honda. "The critical view of safety in laparoscopic cholecystectomy is optimized by exposing the inner layer of ...	<1%
7	CrossCheck 12 words "18th International Congress of the European Association f	<1%

Name of journal: World Journal of Gastrointestinal Surgery

ESPS Manuscript NO: 16346

Columns: Original Article

Retrospective Cohort Study

1
Single-port laparoscopic cholecystectomy vs standard laparoscopic cholecystectomy: A non-randomized, age-matched single center trial

Yoen TK van der Linden, Koop Bosscha, Hubert A Prins, Daniel J Lips

Abstract

Aim: To compare the safety of single-port laparoscopic cholecystectomies with standard four-port cholecystectomies.

METHODS: Between January 2011 and December 2012 data were gathered from 100

网页

图片

视频

新闻

更多 ▾

搜索工具

找到约 17,100 条结果 (用时 0.70 秒)

Transvaginal/Transumbilical Hybrid—NOTES—Versus 3 ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - 翻译此页

作者: DR Bulian - 2015 - 被引用次数: 11 - 相关文章

2015年2月10日 - This prospective, **randomized**, nonblinded, **single-center trial** evaluates the ... **Laparoscopic cholecystectomy** (LC) using two 10-mm and two 5-mm trocars ... cholecystectomy because of symptomatic cholecystolithiasis, **age** between 18 Miniport **versus standard ports** for **laparoscopic cholecystectomy**.

The comparison of single incision laparoscopic ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者: U Deveci - 2013 - 被引用次数: 4 - 相关文章

2013年11月26日 - In this **study** we aimed to compare results of SILS cholecystectomy ... Prospective **randomized** studies comparing **single** access **versus** ... [5] performed the first **single-port** cholecystectomy. It does **not** add new risks and results in the same operative view as in **standard laparoscopic cholecystectomy** [15].

A prospective, randomized, single-blind trial of 5-mm versus ...

www.ncbi.nlm.nih.gov/pubmed/23588709 ▾ 翻译此页

作者: M Bignell - 2013 - 被引用次数: 2 - 相关文章

2013年4月16日 - BACKGROUND: **Single-incision laparoscopic cholecystectomy** (SILC) is said to provide ... a **single center** and **randomized** to a LC using either a 5-mm **port** and three 3-mm **ports** (group A) **or** ... The two groups were well **matched** except for sex. ... The two groups did **not** differ statistically in the day case rate.

网页

图片

视频

新闻

更多 ▾

搜索工具

找到约 9,240 条结果 (用时 0.70 秒)

No difference in incidence of port-site hernia and ... - Springer

link.springer.com/content/10.1007%2Fs00464-015-4066-4 ▾ 翻译此页

2015年1月7日 - after single-incision laparoscopic cholecystectomy versus ... (CLC) is regarded as the gold standard for cholecystectomy. ... Methods We conducted a matched cohort study based on ... was defined as a repair for a port-site hernia or clinical First, the design was controlled but non-randomized with.

A prospective, randomized, single-blind trial of 5-mm versus ...

www.ncbi.nlm.nih.gov/pubmed/23588709 ▾ 翻译此页

作者: M Bignell - 2013 - 被引用次数: 2 - 相关文章

2013年4月16日 - BACKGROUND: Single-incision laparoscopic cholecystectomy (SILC) is said to provide ... a single center and randomized to a LC using either a 5-mm port and three 3-mm ports (group A) or ... The two groups were well matched except for sex. ... The two groups did not differ statistically in the day case rate.

Transvaginal/Transumbilical Hybrid—NOTES—Versus 3 ...

www.ncbi.nlm.nih.gov ▾ ... ▾ Literature ▾ PubMed Central (PMC) - 翻译此页

作者: DR Bulian - 2015 - 被引用次数: 12 - 相关文章

2015年2月10日 - This prospective, randomized, nonblinded, single-center trial evaluates the ... Laparoscopic cholecystectomy (LC) using two 10-mm and two 5-mm trocars ... cholecystectomy because of symptomatic cholecystolithiasis, age between 18