

[全部](#) [图片](#) [视频](#) [新闻](#) [购物](#) [地图](#) [图书](#)

找到约 5,480 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Insulin-Like Growth Factor-I, IGF Binding Protein-3, and Breast ...](https://cebp.aacrjournals.org/cgi/content/abstract/14/1/48)cebp.aacrjournals.org/cgi/content/abstract/14/1/48

Insulin-Like Growth Factor-I, IGF Binding Protein-3, and Breast Cancer in Young Women: A ...
An extension of a case-control study (138 cases, 259 matched controls) on IGF-I and breast cancer in premenopausal women nested in the New York ... Risk of Neoplastic Progression in Barrett's Esophagus Cancer Epidemiol.

[Plasma C-peptide, insulin-like growth factor-I, insulin-like growth ...](https://www.ncbi.nlm.nih.gov/pubmed/17266031)<https://www.ncbi.nlm.nih.gov/pubmed/17266031>

1. Int J Cancer. 2007 May 1;120(9):2007-12. ... factor binding proteins and risk of colorectal cancer in a nested case-control study: the ... supposed to lead to an increased bioavailability of insulin-like growth factor-I (IGF-I). ... of insulin, IGFBP- 1, IGF-I or IGFBP-3, and the risk of colorectal cancer in a nested case-control study.

[Abdominal Obesity and the Risk of Esophageal and Gastric Cardia ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2670999/)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2670999/>

Nested case-control study within 206,974 members of the Kaiser Effectively, this created two cohorts: one from 1964 to 1973 for the BMI analyses and a Egger M. Insulin-like growth factor (IGF)-I, IGF binding protein-3, and cancer risk: ...

[Prospective Study of Colorectal Cancer Risk in Men and Plasma ...](https://jnci.oxfordjournals.org/content/91/7/620.abstract)jnci.oxfordjournals.org/content/91/7/620.abstract

BACKGROUND: Insulin-like growth factor-I (IGF-I) is a potent mitogen for ... with the risk of colorectal cancer in a prospective case-control study nested in the Plasma Insulinlike Growth Factor 1 and Binding-Protein 3 and Risk of in human esophageal squamous cell carcinoma Carcinogenesis (2007) 28 (5): 947 -956.

[Role of the Insulin-Like Growth Factor Family in Cancer ...](https://jnci.oxfordjournals.org/content/92/18/1472.full)jnci.oxfordjournals.org/content/92/18/1472.full

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 32275

Manuscript Type: ORIGINAL ARTICLE

Case Control Study

Insulin-like growth factor-1, IGF binding protein-3, and the risk of esophageal cancer in a nested case-control study

Yasushi Adachi, Masanori Nojima, Mitsuru Mori, Kentaro Yamashita, Hiro-o Yamano, Hiroshi Nakase, Takao Endo, Kenji Wakai, Kiyomi Sakata, Akiko Tamakoshi

Match Overview



1 match



- 1** **Crossref** 235 words
Yasushi Adachi, Masanori Nojima, Mitsuru Mori, Yasutaka Matsunaga, Noriyuki Akutsu, Shigeru Sasaki, Takao Endo, You **9%**
- 2** **Internet** 46 words
crawled on 16-Apr-2011
www.apocp.org **2%**

Insulin-like growth factor-1, IGF binding protein-3, and the risk of esophageal can



全部 图片 视频 新闻 地图 图书

找到约 12,100 条结果

时间不限
过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果
精确匹配

[Full Article - Wiley Online Library](#)
onlinelibrary.wiley.com/doi/10.1002/ijc.20253/full
12 Apr 2004 ... **Insulin-like growth factor (IGF)-I** and **IGF-binding protein 3** and the **risk** of ... between circulating IGF-I levels and the **risk** of premenopausal breast **cancer** in epidemiologic **studies**. ... Eligible **study** designs were **nested case-control** and **Study, Cases, Controls, OR (95% CI) for IGF-I1, Weight for IGF-I,** ...

[Insulin-like growth factor \(IGF\)-I and IGF-binding protein 3 and the ...](#)
onlinelibrary.wiley.com/doi/10.1002/ijc.20253/abstract
12 Apr 2004 ... **Insulin-like growth factor (IGF)-I** and **IGF-binding protein 3** and the ... circulating IGF-I levels and the **risk** of premenopausal breast **cancer** in epidemiologic **studies**. ... Eligible **study** designs were **nested case-control** and population-based **case-control studies** that ...
Articles related to the **one** you are viewing.

[Insulin-like growth factor 1 \(IGF1\), IGF binding protein 3 \(IGFBP3\) ...](#)
https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3113287/
Insulin-like growth factor 1 (IGF1), IGF binding protein 3 (IGFBP3), and breast cancer ... The associations of IGF1 with **risk** factors for breast **cancer** in **controls** were ... An early **case-control study** reported higher plasma concentrations of IGF1 in to the collaborative analysis had used matched **nested case-control** designs, ...

[Plasma C-peptide, insulin-like growth factor-I, insulin-like growth ...](#)
https://www.ncbi.nlm.nih.gov/pubmed/17266031
1. *Int J Cancer*. 2007 May 1;120(9):2007-12. ... **factor binding proteins** and **risk** of colorectal **cancer** in a **nested case-control study**: the ... supposed to lead to an increased bioavailability of **insulin-like growth factor-I (IGF-I)**. ... of insulin, IGFBP- 1, IGF-I or IGFBP-3, and the **risk** of colorectal **cancer** in a **nested case-control study**.

[IGFBP3 - insulin-like growth factor binding protein 3](#)

[全部](#)[图片](#)[购物](#)[视频](#)[新闻](#)[更多](#)[设置](#)[工具](#)

找到约 9,190 条结果 (用时 0.88 秒)

Insulin-like growth factor 1 (IGF1), IGF binding protein 3 (IGFBP3), and ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者：TE Hormones - 2010 - 被引用次数：304 - [相关文章](#)

Insulin-like growth factor 1 (IGF1), IGF binding protein 3 (IGFBP3), and breast cancer ... The associations of IGF1 with **risk** factors for breast **cancer** in **controls** were ... An early **case-control** study reported higher plasma concentrations of IGF1 in to the collaborative analysis had used matched **nested case-control** designs, ...

The role of insulin-like growth factor 1 and insulin-like growth ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/15517912> - [翻译此页](#)

作者：M Sohda - 2004 - 被引用次数：45 - [相关文章](#)

1. Anticancer Res. 2004 Sep-Oct;24(5A):3029-34. The role of **insulin-like growth factor 1** and **insulin-like growth factor binding protein 3** in human **esophageal cancer**. ... IGF-1 and IGFBP-3 concentration in 18 healthy **controls** and 66 esophageal ... IGF-1 levels may be an important predictor of **risk** for **esophageal cancer**.

Insulin-like growth factor (IGF)-I and IGF-binding ... - Wiley Online Library

<onlinelibrary.wiley.com/doi/10.1002/ijc.20253/full> ▼ [翻译此页](#)

作者：A Sugumar - 2004 - 被引用次数：93 - [相关文章](#)

2004年4月12日 - **Insulin-like growth factor (IGF)-I and IGF-binding protein 3 and the risk of ...** between circulating IGF-I levels and the **risk** of premenopausal breast **cancer** in epidemiologic **studies**. ... Eligible **study** designs were **nested case-control** and **Study, Cases, Controls**, OR (95% CI) for IGF-I1, Weight for IGF-I, ...

Insulin-like growth factor (IGF)-I and IGF-binding protein 3 and the risk ...

<onlinelibrary.wiley.com/doi/10.1002/ijc.20253/abstract> ▼ [翻译此页](#)

作者：A Sugumar - 2004 - 被引用次数：93 - [相关文章](#)

2004年4月12日 - **Insulin-like growth factor (IGF)-I and IGF-binding protein 3 and the ...** circulating IGF-I levels and the **risk** of premenopausal breast **cancer** in epidemiologic **studies**. ... Eligible **study** designs were **nested case-control** and population-based **case-control studies** that ... Articles related