



35725-Review check.docx

 Quotes Included  
 Bibliography Excluded

 11%  
 SIMILAR

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 35725

Manuscript Type: ORIGINAL ARTICLE

### *Retrospective Study*

**Combined endovascular brachytherapy, sorafenib and transarterial chemobolization therapy for hepatocellular carcinoma patients with portal vein tumor thrombus**

Zhang ZH *et al.* Sorafenib, TACE and brachytherapy for HCC

Zi-Han Zhang, Qing-Xin Liu, Wen Zhang, Jing-Qin Ma, Jian-Hua Wang, Jian-Jun Luo, Ling-Xiao Liu, Zhi-Ping Yan

### Match Overview

Match Number	Source	Words	Similarity
1	Crossref	103 words Jian-Jun Luo, Zi-Han Zhang, Qing-Xin Liu, Wen Zhang, Jian-Hua Wang, Zhi-Ping Yan. "Endovascular brachythera	3%
2	Internet	38 words crawled on 05-Mar-2017 <a href="http://theoncologist.alphamedpress.org">theoncologist.alphamedpress.org</a>	1%
3	Crossref	34 words Tian-Zhu Yu, Wen Zhang, Qing-Xin Liu, Wen-Hui Li et al. "Endovascular brachytherapy combined with portal vein	1%
4	Publications	31 words "Findings from Fudan University Has Provided New Inf... mation about Radiotherapy (Endovascular brachyt", Heal	1%
5	Internet	20 words crawled on 02-Nov-2016 <a href="http://academic.hep.com.cn">academic.hep.com.cn</a>	<1%
6	Internet	19 words crawled on 12-Apr-2016 <a href="http://www.infona.pl">www.infona.pl</a>	<1%

学术搜索

找到约 27 条结果 (用时0.05秒)

我的著作引用情况

文章

我的图书馆

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

 包括专利 包含引用 创建快讯您是不是要找: Combined Endovascular Brachytherapy, Sorafenib and TACE therapy for HCC patients with *PVD*

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

... chemoembolisation (TACE) combined with endovascular implantation of an iodine-125 seed strand for the treatment of hepatocellular carcinoma with portal vein ...

MJ Yang, ZT Fang, ZP Yan, JJ Luo, LX Liu... - Journal of cancer ..., 2014 - Springer

... The idea of a combination of radiation therapy and TACE has been explored ... Further investigation

combining this therapy modality with sorafenib and a large cohort, multi ... J (2011) Endovascular

placement of iodine-125 seed strand and stent combined with chemoembolisation ...

被引用次数: 31 相关文章 所有 7 个版本 引用 保存

[HTML] Sorafenib in advanced hepatocellular carcinoma

JM Llovet, S Ricci, V Mazzaferro... - New England journal ..., 2008 - Mass Medical Soc

... Future studies should assess the benefits of combined molecular therapy, as compared ... Also

needed are studies evaluating sorafenib in combination with other molecular ... and the names of

the investigators in the Sorafenib Hepatocellular Carcinoma Assessment Randomized ...

被引用次数: 7207 相关文章 所有 19 个版本 引用 保存

[HTML] Treatment of hepatocellular carcinoma with portal venous tumor thrombosis: A comprehensive review

K Han, JH Kim, GY Ko, DI Gwon... - World journal of ..., 2016 - ncbi.nlm.nih.gov

... In a phase II study on combining sorafenib and external beam radiation therapy, the ... Some

investigators have combined HAIC with conformal radiotherapy to treat HCC ... affects heterogeneous

patient populations, different treatment modalities or combination therapies have been ...

被引用次数: 14 相关文章 所有 6 个版本 引用 保存

Percutaneous implantation of 125

Y Liu, R Liu, P Wang, S Li, H Shen - Medical Oncology, 2015 - Springer

... Combination therapy with triamcinolone acetonide and bevacizumab for the treatment of

[HTML] nejm.org

[HTML] nih.gov

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

 包括专利 包含引用 创建快讯您是不是要找: Combined endovascular brachytherapy, sorafenib and transarterial **chemoembolization** therapy for hepatocellular carcinoma patients with portal vein tumor thrombus小提示: 只搜索**中文(简体)**结果, 可在 [学术搜索设置](#) 指定搜索语言

Radioembolization with use of yttrium-90 resin microspheres in patients with hepatocellular carcinoma and portal vein thrombosis  
 M Iñarrairaegui, KG Thurston, JI Bilbao... - Journal of Vascular and ..., 2010 - Elsevier  
 ... with 90 Y are delivered to liver tumors by means of endovascular catheters selectively ... of action  
 for radioactive microspheres relies on irradiation, a combined "radioembolic" effect ... from hepatic  
 and extrahepatic tumor progression after having received sorafenib, without response ...

[\[PDF\]](#) [hetzliver.org](#)

☆ 被引用次数: 115 相关文章 所有 7 个版本

[\[HTML\]](#) Sorafenib in advanced hepatocellular carcinoma  
 JM Llovet, S Ricci, V Mazzaferro... - New England journal ..., 2008 - Mass Medical Soc  
 ... Future studies should assess the benefits of combined molecular therapy, as compared ... Also  
 needed are studies evaluating sorafenib in combination with other molecular ... and the names of  
 the investigators in the Sorafenib Hepatocellular Carcinoma Assessment Randomized ...

[\[HTML\]](#) [nejm.org](#)

☆ 被引用次数: 7353 相关文章 所有 19 个版本

Computed tomography-guided high-dose-rate brachytherapy in hepatocellular carcinoma: safety, efficacy, and effect on survival  
 K Mohnike, G Wieners, F Schwartz... - International Journal of ..., 2010 - Elsevier  
 ... ablation treatment in large tumors showed prolonged survival in favor of combined treatment  
 (3). Stereotactic irradiation has been described, either alone or in combination with TACE (10 ...  
 see Results); in 1 of these patients, extrahepatic CT-guided brachytherapy to a ...

☆ 被引用次数: 62 相关文章 所有 9 个版本

[\[HTML\]](#) Clinical features, biochemical parameters, and virological profiles of patients with hepatocellular carcinoma in Hong Kong  
 TK CHEUNG, CJ LAI, BCY WONG... - Alimentary ..., 2006 - Wiley Online Library

[\[HTML\]](#) [wiley.com](#)

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

 包括专利 包含引用 创建快讯

您是不是要找： Combined endovascular brachytherapy, sorafenib and transarterial **chemoembolization** therapy for hepatocellular carcinoma patients with portal vein tumor thrombus

小提示： 只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

### Radioembolization with use of yttrium-90 resin microspheres in patients with hepatocellular carcinoma and portal vein thrombosis

[PDF] hetzliver.org

M Iñarrairaegui, KG Thurston, JI Bilbao... - Journal of Vascular and ..., 2010 - Elsevier  
... with 90 Y are delivered to liver tumors by means of endovascular catheters selectively ... of action for radioactive microspheres relies on irradiation, a combined "radioembolic" effect ... from hepatic and extrahepatic tumor progression after having received sorafenib, without response ...

☆ 99 被引用次数: 115 相关文章 所有 7 个版本

### [HTML] Sorafenib in advanced hepatocellular carcinoma

[HTML] nejm.org

JM Llovet, S Ricci, V Mazzaferro... - New England journal ..., 2008 - Mass Medical Soc  
... Future studies should assess the benefits of combined molecular therapy, as compared ... Also needed are studies evaluating sorafenib in combination with other molecular ... and the names of the investigators in the Sorafenib Hepatocellular Carcinoma Assessment Randomized ...

☆ 99 被引用次数: 7386 相关文章 所有 19 个版本

### Computed tomography-guided high-dose-rate brachytherapy in hepatocellular carcinoma: safety, efficacy, and effect on survival

K Mohnike, G Wieners, F Schwartz... - International Journal of ..., 2010 - Elsevier

... ablation treatment in large tumors showed prolonged survival in favor of combined treatment (3). Stereotactic irradiation has been described, either alone or in combination with TACE (10 ... see Results); in 1 of these patients, extrahepatic CT-guided brachytherapy to a ...

☆ 99 被引用次数: 62 相关文章 所有 9 个版本

### [HTML] Clinical features, biochemical parameters, and virological profiles of patients with hepatocellular carcinoma in Hong Kong

[HTML] wiley.com

TK CHEUNG, CL LAI, BCY WONG... - Alimentary ..., 2006 - Wiley Online Library

... 7. Clinical staging of cancers provides a guide to assess prognosis and to direct therapeutic interventions. ... n = 3), tumour resection (n = 21), radiofrequency ablation (RFA) (n = 21), transarterial chemoembolization (TACE) (n = 21). Treatment received: 20 (57%) 71 (62%)